



Greenhouse Cover



Type SUNCOVER CLEAR / C 643

Film usage	Greenhouse cover
Width	Up to 15 meters
Thickness	200 micron
Length	As required



		Test method	Units	Values
Tensile strength at break	MD	ASTM D-882	MPa	23
	TD		MPa	22
Elongation at break	MD		%	620
	TD		%	720
Tear resistance	MD	ASTM D-1922	Gr./mm	8500
	TD		Gr./mm	10000
Falling dart drop impact		ASTM D-1709	Gram	800
Light transmission in PAR	%	ASTM D-1003		89
Diffused light tr .in PAR	%			22
			Typical values	

