



# Greenhouse Cover



**Type** SUNCOVER WHITE 80% / C 609



**Film usage** Greenhouse cover  
**Width** Up to 15 meters  
**Thickness** 150 micron  
**Length** As required

		Test method	Units	Values
Tensile strength at break	MD	ASTM D-882	MPa	22.5
	TD		MPa	22
Elongation at break	MD		%	550
	TD		%	700
Tear resistance	MD	ASTM D-1922	Gr./mm	8400
	TD		Gr./mm	12000
Falling dart drop impact		ASTM D-1709	Gram	900
Light transmission in PAR	%	ASTM D-1003	20	
			Typical values	

