

Eterna-Seal

Brushable Trowel Grade 50/50

7169



PHYSICAL PROPERTIES:

Brushable Trowel Grade 50/50 was formulated in conjunction with Eterna-Seal Roof Coating with industrial and commercial roofs as our prime objective. It is formulated to be compatible with most existing roof systems. It is designed for long lasting repairs and maintenance of present roof systems. Refer to published guide specifications for additional details.

SPECIFICATIONS

Flash Point	105°F
% Solids	63
Application	Trowel, brush or gun
Recovery from 400% Elongation	90%
100% Elongation	100%
Temperature Range	-30 to 200°F
Application Range	40° to 100°F
Dry to Touch	2 to 6 hours
Dry Throughout	2 days
Total Cure Time	30 days
Tensile Strength	500 psi min.
Weight/Gallon	8.9
Viscosity	Paste

7169

