

Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.	U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072
IDENTITY (As Used on Label and List) STYLE 2001 BRAIDED PACKING	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I	
Manufacturer's Name	Emergency Telephone Number
	(413) 564-5202
SealRyt® Corporation	Telephone Number for Information
	(413) 564-5202
Address (Number, Street, City, State, and ZIP Code)	Date Prepared
	8/17/2017
64 SERVISTAR INDUSTRIAL WAY WESTFIELD, MA 01085	Signature of Preparer (optional)

Section II – Hazardous Ingredients/Identity Information				
Components (Specific Chemical Identity; Common Name(s))	CAS#	OSHA PEL	ACGIH TLV	Other Limits Recommended
SYNTHETIC POLYMER		N/A	N/A	NONE
MISC LUBRICANTS				
1. COMPONENTS CLASSIFIED AS HAZARDOUS ARE <1%				

Section III – Physical/Chemical Characteristics			
Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	1.34GM/CM³ FOR FIBER
Vapor Pressure (mm Hg)	N/A	Melting Point	285C
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A

Solubility in Water	INSOLUBLE	Odor	NONE
Appearance			
SOLID, LONG WHITE FIBERS BRAIDED INTO PACKING CONFIGURATION.			

Section IV – FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)	> 480C FOR FIBER
Flammable Limits	LUBRICANT >260C
Extinguishing Media	WATER, FOAM, OR DRY
Special Fire Fighting Procedures	FOR LARGE FIRES, OR FIRES CONFINED IN SMALL AREAS, SELF CONTAINED BREATHING APPARATUS SHOULD BE WORN
Unusual Fire and Explosion Hazards	NONE NOTED

Section V – Reactivity Data

Stability	Stable	X	Conditions to Avoid
	Unstable		
Incompatibility (<i>Materials to Avoid</i>)			
STRONG OXIDIZERS, STRONG SULFURIC ACID AND NITRIC ACID			
Hazardous Decomposition or Byproducts			
NONE			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

Section VI – Health Hazard Data

Route(s) of Entry:	Inhalation? FIBERS/DUST IF GENERATED	Skin?	Ingestion?
Health Hazards (<i>Acute and Chronic</i>)			
AVOID BREATHING IN FIBER DUST. FEW ADVERSE HUMAN HEALTH EFFECTS ARE EXPECTED.			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
NO DATA DETERMINED	N/A	N/A	NO

Signs and Symptoms of Exposure

NONE NOTED

Medical Conditions Generally Aggravated by Exposure

FIBRILS COULD BE INHALED AND MAY CAUSE RESPIRATORY IRRITATION.

Emergency and First Aid Procedures

Inhalation	KEEP PATIENT CALM, REMOVE TO FRESH AIR, GET MEDICAL ATTENTION
Skin Contact	WASH SKIN WITH WATER AND SOAP
Eye Contact	IRRIGATE EYE WITH OPEN LIDS USING WATER. OBTAIN MEDICAL ATTENTION
Ingestion	PRODUCT IS NOT EXPECTED TO BE HARMFUL. RINSE MOUTH AND DRINK PLENTY OF WATER.

Section VII – Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

NO SPECIAL STEPS REQUIRED

Waste Disposal Method

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE LOCAL AND NATIONAL LAWS AND REGULATIONS.

Precautions to Be taken in Handling and Storing

NO SPECIAL PRECAUTIONS

Other Precautions

Section VIII – Control Measures

Respiratory Protection (*Specify Type*)

WEAR DUST MASK IF GENERATING DUST

Ventilation	Local Exhaust	Special
	Mechanical (<i>General</i>)	Other GOOD VENTILATION SHOULD BE SUFFICIENT FOR MOST CONDITIONS.

Protective Gloves

WEAR PROTECTIVE GLOVES IN CASE OF IRRITATION TO THE SKIN

Eye Protection

WEAR PROTECTIVE GLASSES IF GENERATING DUST

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices

WASH HANDS WITH SOAP AND WATER AFTER HANDLING

(Reproduce locally) OSHA 174, Sept. 1985

* U.S.G.P.O.: 1986 - 491 - 529/45775