



Arkwater.com

Catalogue

Residential Water Filters

Water Filters / Residential / Countertop & Undersink / Doulton®

Model: HCP-S Arkwater's Countertop Single Package (Imported from the UK)	S\$486.00
Model: HCP-D Arkwater's Countertop Double Package (Imported from the UK)	S\$626.00
Model: HIP-S-TF Arkwater's Undersink Single Package (UK)	S\$380.00*
Model: HIP-D-TF Arkwater's Undersink Double Package (UK)	S\$580.00*

* For home/office undersink Installation Services in Singapore: Add S\$180.00 for Transport/Labour

- Compact, Saves space
- No electricity required. Lower energy bills. No need to boil
- Better taste, just as plain water, and, also in home-brewed drinks & soups
- Reduce dissolved heavy metals and chemicals including THMs
- Provides the highest levels of bacteriological and particulate protection
- Enjoy crystal clear water
- Be Your own Bottler, Anytime, Anywhere
- Convertible for use in Disaster Relief

HCP-S / HCP-D Countertop Models

- Free-standing water filter
- Countertop use
- Molded from BPA free Food Grade plastic
- Self-installation. Easily connected to existing cold water or mixer faucets via a diverter valve
- Needs no permanent modifications to the kitchen plumbing
- At the flip of a lever, the Countertop spigot draws filtered drinking water
- At another flip of the lever, unfiltered water is drawn through the existing faucet

HCP-D / HIP-D Double Models


- Enhanced Reduction of Fluoride and Chlorine

HIP-S / HIP-D Undersink Models

- In-line water filter
- Under-sink model, neatly installed for household drinking water, water coolers, drinking fountains and ice-making machines
- Faucet Lever switches between tap and filtered water
- Installation parts, Delivery and Installation separate

It saves to use Arkwater Doulton® Ceramic Water Filters. That's because British-manufactured Doulton® water filters carry on a tradition started by Doulton over 150 years ago! Henry Doulton designed ceramic water filter systems to be used where a reliable source of treated water is unavailable or where the drinking water is of questionable quality. Doulton® produces both in-line home water filter systems that are designed to be easily installed in existing plumbing, as well as gravity flow models that do not require water pressure or electricity. It saves time and energy.

HCP-S Arkwater's Countertop Single Water Filter



Arkwater's HCP-S Package includes:
 1 Single Housing with spigot
 1 Ultracarb 10" candle
 1 Threaded Metal Adaptor (SG)
Dimensions:
 Height: 12"
 Base Diameter: 4"
 (Base with spigot: 4 ¾")
 Top Diameter: 2 ½"
 Height of out-spout: 9"
 Tubing Length: 35"

HCP-D Arkwater's Countertop Double Water Filter



Arkwater's HCP-D Package includes:
 1 Double Housing with spigot
 1 Ultracarb® 10" candle
 1 Fluoride Reduction 10" filter
 1 Housing Wrench
 1 Threaded Metal Adaptor (SG)
Dimensions:
 Height: 12½"
 Base Length with spigot: 8 ¾"
 Base width: 4"
 Height of out-spout: 9"
 Tubing Length: 36"

HIP-S-TF Arkwater's Undersink Single Water Filter

Arkwater's HIP-S-TF Package includes:
 1 Single Housing with mounting screws
 1 Ultracarb 10" candle
 1 Long-Reach Faucet
 1 HIP Installation Kit
Dimensions:
 Height: 13.5"
 Depth: 4.5"
 Top Grey Diameter: 3.5"
 Bottom Diameter: 2½"
 Kit tubing: 2m



HIP-D-TF Arkwater's Undersink Double Water Filter

Arkwater's HIP-D Package includes:
 2 Single Housings with mounting screws
 1 Ultracarb® 10" candle
 1 Fluoride Reduction 10" candle
 1 Long-Reach Faucet
 1 HIP Installation Kit
Dimensions:
 Height: 13½"
 Depth: 4.5"
 Length: 9"
 Kit Tubing: 2m



Water Filters / Residential / Countertop & Undersink / Replacement Parts

Model: DN-SF-5	Arkwater's Doulton® Limescale Reduction Candle (UK)	\$50.00
Model: DN-CL-5	Arkwater's Doulton® Chloramine Reduction Candle (UK)	\$55.00
Model: DN-PL-5	Arkwater's Doulton® 5-micron Pleated Pre-Filter (UK)	\$60.00
Model: DN-FL-5	Arkwater's Doulton Fluoride Reduction Filter (UK)	\$100.00
Model: DN-S10	Arkwater's Sterasyl® 10" ceramic candle (UK)	\$70.00
Model: DN-SS-10	Arkwater's SuperSterasyl® 10" ceramic candle (UK)	\$80.00
Model: DN-SC-10	Arkwater's Supercarb® 10" ceramic candle (UK)	\$90.00
Model: DN-UC-10	Arkwater's Ultracarb® 10" ceramic candle (UK)	\$110.00
Model: CN10-PP	Meltblown PP Filter (China)	\$35.00
Model: CN10-GAC	Granular Activated Carbon Filter (China)	\$40.00
Model: CN10-CTO	Chemical Taste Odour Reduction Filter (China)	\$40.00
Model: HCP-O-ring	HCP/HIP Housing Rubber O-ring (UK)	\$5.00
Model: HCP-metal-tap-adaptor	HCP threaded metal tap adaptor (Singapore)	\$7.50
Model: HCP-metal-tap-adaptor	HCP threaded metal tap adaptor (China)	\$7.50
Model: HCP-rubber adaptor	HCP threadless rubber adaptor (Taiwan)	\$18.00
Model: HCP-wrench	HCP/HIP Housing Wrench (UK)	\$18.00
Model: Disaster-Kit	Disaster Conversion Kit (Singapore)	\$22.00
Model: HCP-flip-switch	HCP ¼ turn diverter valve with swivel collar (UK)	\$28.00
Model: HCP-specialty adaptor	HCP Specialty Tap Adaptor (USA)	\$36.00
Model: HIP-Valve	HIP LP Valve & Non-return Valve (UK)	\$36.00
Model: HIP-Installation-Kit	DIY Kit, 3/8 to 7/16 push-fit, 3/8 to ½ push-fit, connecting PE tube (UK)	\$40.00

Arkwater's Doulton® ceramic filters are being used by families in residential homes, bottling companies, hospitals, clinics, industrial companies for water filtration processes, the International Red Cross, Unicef, government embassies and field workers in over 150 countries around the world

Arkwater Doulton® Ceramic filter elements can be cleaned and re-used many times – no need to change every few months.

Arkwater's Doulton®'s ceramic filter technology has a proven history of over 150 years of continuous research & development in drinking water filtration

Made in England since 1827

Certified, Approved, Accredited, Member:

International Quality Standard BS EN ISO 9002

British 5750 Quality Standard

National Sanitation Foundation Standards 42 & 53

Environmental Protection Agency (EPA)

California Department of Health

Water Quality Association

Water Regulations Advisory Scheme (London)

(formerly UK Water Research Council)

Spectrum Labs (Minneapolis, USA)

Over 50 Independent Laboratories Worldwide including:

University of Arizona (USA)

Hyder Labs, Cheshire England

Loughborough University, England

Thresh, Beale & Suckling Laboratories, England

Clare Microbiological Laboratories, England

Severn Trent Laboratories, England

REPLACEMENT PARTS

(for Arkwater's existing customers & distributors)

Note on Prices:

The Replacement Parts prices listed below apply only for Arkwater's existing customers with supporting Proof of Purchase documents.

Please keep your Original Sales Receipt as Proof of Purchase.

Kindly note that without the Original Proof of Purchase from Arkwater's Authorised Distributors, there will be an additional Handling Fee of \$25.00 per part.

Water Filters / Residential / Countertop & Undersink / HDPE & Stainless Steel

Model: SCP-S Arkwater's Countertop Single Package (China)	S\$199.00
Model: SCS-S Arkwater's Stainless Steel Countertop Single Package (China)	S\$399.00
Model: SCS-S Classic Arkwater's Stainless Steel Countertop Single, Classic Package (China)	S\$399.00
Model: SIS-S Arkwater's Stainless Steel Undersink Single Package (China)	S\$433.00*
* For home/office undersink Installation Services in Singapore: Add S\$180.00 for Transport/Labour	

- Compact, Saves space
- No electricity required. Lower energy bills. No need to boil
- Better taste, just as plain water, and, also in home-brewed drinks & soups
- Reduce dissolved heavy metals and chemicals including THMs
- Provides the highest levels of bacteriological and particulate protection
- Enjoy crystal clear water
- Be Your own Bottler, Anytime, Anywhere
- Convertible for use in Disaster Relief

SCP-S Arkwater's Countertop Single Water Filter



Arkwater's SCP-S Package includes:
 1 Single Housing with spigot (China)
 1 Supercarb 10" candle (UK)
 1 Threaded Metal Adaptor (China)

Dimensions:
 Height: 12"
 Base Diameter: 4"
 (Base with spigot: 4 3/4")
 Top Diameter: 2 1/2"
 Height of out-spout: 9"
 Length of tubing: 30"

SCS-S Countertop Model

- Free-standing water filter
- Countertop use
- Molded from stainless steel
- Self-installation. Easily connected to existing cold water or mixer faucets via a diverter valve
- Needs no permanent modifications to the kitchen plumbing
- At the flip of a lever, the Countertop spigot draws filtered drinking water
- At another flip of the lever, unfiltered water is drawn through the existing faucet

SCS-S Arkwater's Countertop Single Water Filter



Arkwater's SCS-S Package includes:
 1 Single Housing with spigot (China)
 1 Ultracarb 10" candle (UK)

Dimensions:
 Height: 11 3/4"
 Base Diameter: 2 3/4"
 (Base with spigot: 4")
 Top Diameter: 2 1/8"
 Height of out-spout: 9"
 Length of tubing: 30"

SIS-S Undersink Model

- In-line water filter
- Under-sink model, neatly installed for household drinking water, water coolers, drinking fountains and ice-making machines
- Faucet Lever switches between tap and filtered water
- Installation parts, Delivery and Installation separate

SCS-S Classic Arkwater's Countertop Single Water Filter




Arkwater's SCS-S Classic Package includes:
 1 Single Housing with spigot (China)
 1 Ultracarb® 10" candle (UK)

Dimensions:
 Height: 12 3/4"
 Base Diameter: 4"
 Top Diameter: 2 3/4"
 Top width with spigot: 7 3/4"
 Height of out-spout: 10"
 Tubing Length: 30"

SIS-S Arkwater's Undersink Single Water Filter

Arkwater's SIS-S Package includes:
 1 Single Housing with mounting screws (China)
 1 Ultracarb 10" candle (UK)
 1 Long-Reach Faucet
 1 SIS Installation Kit

Dimensions:
 Height: 12"
 Top Diameter: 3"
 Bottom Diameter: 2 1/4"
 Kit tubing: 2m"



It saves to use Arkwater's Doulton® Ceramic Water Filters. That's because British-manufactured Doulton® water filters carry on a tradition started by Doulton over 150 years ago! Henry Doulton designed ceramic water filter systems to be used where a reliable source of treated water is unavailable or where the drinking water is of questionable quality. Doulton® produces both in-line home water filter systems that are designed to be easily installed in existing plumbing, as well as gravity flow models that do not require water pressure or electricity. It saves time and energy.

Water Filters / Residential / Countertop & Undersink / Replacement Parts

Model: DN-SF-5	Arkwater's Doulton® Limescale Reduction Candle (UK)	S\$50.00
Model: DN-CL-5	Arkwater's Doulton® Chloramine Reduction Candle (UK)	S\$55.00
Model: DN-PL-5	Arkwater's Doulton® 5-micron Pleated Pre-Filter (UK)	S\$60.00
Model: DN-FL-5	Arkwater's Doulton Fluoride Reduction Filter (UK)	S\$100.00
Model: DN-S10	Arkwater's Sterasyl® 10" ceramic candle (UK)	S\$70.00
Model: DN-SS-10	Arkwater's SuperSterasyl® 10" ceramic candle (UK)	S\$80.00
Model: DN-SC-10	Arkwater's Supercarb® 10" ceramic candle (UK)	S\$90.00
Model: DN-UC-10	Arkwater's Ultracarb® 10" ceramic candle (UK)	S\$110.00
Model: CN10-PP	Meltblown PP Filter (China)	S\$35.00
Model: CN10-GAC	Granular Activated Carbon Filter (China)	S\$40.00
Model: CN10-CTO	Chemical Taste Odour Reduction Filter (China)	S\$40.00
Model: SCP-metal-tap-adaptor	HCP threaded metal tap adaptor (China)	S\$7.50
Model: SCS-flip-switch	SCS ¼ turn diverter valve with swivel collar (China)	S\$28.00
Model: SIS-Installation-Kit	DIY Kit, push-fit adaptors, 2m connecting PE tube	S\$40.00

Arkwater's Doulton® ceramic filters are being used by families in residential homes, bottling companies, hospitals, clinics, industrial companies for water filtration processes, the International Red Cross, Unicef, government embassies and field workers in over 150 countries around the world

Arkwater Doulton® Ceramic filter elements can be cleaned and re-used many times – no need to change every few months.

Arkwater's Doulton®'s ceramic filter technology has a proven history of over 150 years of continuous research & development in drinking water filtration

Made in England since 1827

Certified, Approved, Accredited, Member:

International Quality Standard BS EN ISO 9002

British 5750 Quality Standard

National Sanitation Foundation Standards 42 & 53

Environmental Protection Agency (EPA)

California Department of Health

Water Quality Association

Water Regulations Advisory Scheme (London)

(formerly UK Water Research Council)

Spectrum Labs (Minneapolis, USA)

Over 50 Independent Laboratories Worldwide including:

University of Arizona (USA)

Hyder Labs, Cheshire England

Loughborough University, England

Thresh, Beale & Suckling Laboratories, England

Clare Microbiological Laboratories, England

Severn Trent Laboratories, England

REPLACEMENT PARTS

(for Arkwater's existing customers & distributors)







Note on Prices:

The Replacement Parts prices listed below apply only for Arkwater's existing customers with supporting Proof of Purchase documents.







Please keep your Original Sales Receipt as Proof of Purchase.

Kindly note that without the Original Proof of Purchase from Arkwater's Authorised Distributors, there will be an additional Handling Fee of S\$25.00 per part.






Water Filters / Residential / Undersink / Faucets

LONG-REACH FAUCETS	Model	Long-reach Faucets	Height	Spout Tip Height	Width Reach	Base Stem Length	Spout Outer Diameter	Lever	Turn Operation	Color Accents	Body	SGD
	AWF-01	"Touchflo black"	19cm	17cm	12cm	6cm	1cm	Plastic	Press/ClickUp	Black	Plated Brass	S\$ 46.00
	AWF-02	"Touchflo white"	19cm	17cm	12cm	6cm	1cm	Plastic	Press/ClickUp	White	Plated Brass	S\$ 46.00
	AWF-03A	"Dakota"	22cm	20cm	12cm	5.5cm	Tapered 0.7cm	Single lobe	1/4 turn	Silver	Plated Brass	S\$ 46.00
	AWF-03B	"Dakota Slim"	22cm	19cm	12cm	5.5cm	Tapered 0.7cm	Single lobe	1/4 turn	Silver	Plated Brass	S\$ 46.00
	AWF-04A	"Classic A"	22cm	19cm	12cm	5.5cm	Tapered 0.7cm	Tri-lobe	1/4 turn	Silver	Plated Brass	S\$ 46.00
	AWF-04B	"Classic B"	21.5cm	19.5cm	12cm	5.5cm	Tapered 0.7cm	Tri-lobe	1/4 turn	Brass	Plated Brass	S\$ 46.00








Water Filters / Residential / Undersink / Faucets

LONG-REACH FAUCETS	Model	Long-reach Faucets	Height	Spout Tip Height	Width Reach	Base Stem Length	Spout Outer Diameter	Lever	Turn Operation	Color Accents	Body	SGD
	AWF-04C	"Classic C"	22cm	19cm	12cm	5.5cm	Tapered 0.7cm	Tri-lobe	1/4 turn	Silver	Plated Brass	S\$ 46.00
	AWF-04D	"Classic D"	22cm	19cm	12cm	5.5cm	Tapered 0.7cm	Tri-lobe	1/4 turn	Brass	Plated Brass	S\$ 46.00
	AWF-04E	"Classic E"	23.5cm	17.5cm	13cm	5.5cm	Tapered 0.7cm	Tri-lobe	1/4 turn	Silver	Plated Brass	S\$ 46.00
	AWF-04F	"Classic F"	24.5cm	19cm	13cm	5.5cm	Tapered 0.7cm	Tri-lobe	1/4 turn	Silver	Plated Brass	S\$ 46.00
	AWF-05	"Shanghai"	22cm	19cm	13.5cm	6cm	1cm	Silver knob	1/4 turn	Acrylic	Plated Brass	S\$ 46.00
	AWF-06A	"American Compact"	24cm	18cm	13cm	5.5cm	1cm	Vertical	1/4 turn	Silver	Plated Brass	\$66.00


Water Filters / Residential / Undersink / Faucets

LONG-REACH FAUCETS	Model	Long-reach Faucets	Height	Spout Tip Height	Width Reach	Base Stem Length	Spout Outer Diameter	Lever	Turn Operation	Color Accents	Body	SGD
	AWF-06B	"American Compact Copper"	25.5cm	20cm	13cm	5.5cm	1cm	Vertical	1/4 turn	Copper	Plated Brass	\$66.00
	AWF-07	"American Standard"	30cm	24cm	14cm	7cm	1cm	Vertical	1/4 turn	Silver	Plated Brass	\$76.00
	AWF-08A	"American Tall A"	33cm	24cm	16cm	7cm	1cm	Vertical	1/4 turn	Silver	Plated Brass	S\$ 76.00
	AWF-08B	"American Tall B"	34cm	25cm	16.5cm	5.5cm	1cm	Vertical	1/4 turn	Silver	Plated Brass	S\$ 76.00
	AWF-09	"Provence"	25cm	20cm	12cm	7cm	1.2cm	Single lobe	1/4 turn	Silver	Plated Brass	S\$ 76.00

Water Filters / Residential / Undersink / Faucets

LONG-REACH FAUCETS	Model	Long-reach Faucets	Height	Spout Tip Height	Width Reach	Base Stem Length	Spout Outer Diameter	Lever	Turn Operation	Color Accents	Body	SGD
	AWF-10	"Victoria"	24cm	19.5cm	13cm	7cm	1.2cm	Single lobe	1/4 turn	Silver	Plated Brass	S\$ 76.00
	AWF-11B	"Modern S/S"	26.5cm	20.5cm	13cm	5cm	Tapered 0.7cm	Vertical	1/4 turn	Matt S/S	Matt S/S	S\$ 76.00
	AWF-12	"Elegant"	28cm	23cm	13cm	5.5cm	Tapered 0.7cm	Tri-lobe	1/4 turn	Brass	Plated Brass	S\$ 76.00
	AWF-13	"Paris"	27.5cm	21.5cm	13cm	5.5cm	1cm	Single lobe	1/4 turn	Copper	Plated Brass	S\$ 66.00
	AWF-14	"Bendy"	33cm	28cm	16cm	5.5cm	Tapered 0.7cm	Tri-lobe	1/4 turn	Silver	Plated Brass	S\$ 76.00
	AWF-15	"Stubby Classic"	12cm	12cm	5cm	5.5cm	Tapered 0.7cm	Tri-lobe	1/4 turn	Brass	Plated Brass	S\$ 46.00
	AWF-16	"Fountain"	7cm	4cm	6.5cm	7cm	Tapered 0.7cm	Button	Push	Silver	Plated Brass	S\$ 56.00

Water Filters / Residential / Undersink / Faucets

LONG-REACH FAUCETS	<i>Model</i>	<i>Long-reach Faucets</i>	<i>Height</i>	<i>Spout Tip Height</i>	<i>Width Reach</i>	<i>Base Stem Length</i>	<i>Spout Outer Diameter</i>	<i>Lever</i>	<i>Turn Operation</i>	<i>Color Accents</i>	<i>Body</i>	<i>SGD</i>
	AWF-Grohe	3122 (Thailand)	28.5cm	18.2cm	14cm	6cm	2cm	Vertical	1/4 turn	Chrome	Plated Brass	S\$217.00