



# THE FINISHING LEADER



Headquarters:

via Italia, 6 - 24030 Valbrembo (Bergamo) ITALY

Tel: 035468811 Fax: 035468886. [www.neoltfactory.com](http://www.neoltfactory.com)



1941-1960



1980



# ABOUT US | 75 YEARS OF ITALIAN QUALITY

## OUR HISTORY

Proudly a 100% family company based in Bergamo, Italy, Neolt Factory bases its uniqueness on the 70 years history of manufacturing, fonde in 1941 by Ettore Pontiggia Neolt start to manufacture slide rules calculator , 20 years later the factory became the world leader of drawing table. During the 70's Neolt portfolio was improved by the introduction of different kind of office furniture, such as desks, chairs, drawing cabinets. During the first decades of XXI century Neolt focus this business on the graphic market thought the production of printing and post printing machines.



2016



**NEOLT**

**neolt  
Factory**

Neolt factory srl is currently a new reorganized factory with a global leadership in the production and sale of trimmers, specialized in finishing equipment for printing, visual communication and many industrial businesses, including laminators, multifunctional vertical cutters, folding and welding systems. Neolt Factory's sales network touches the major world markets and is constantly expanding with new partners.



1950



1980



2010



2016

# EXIBITIONS


A dedicated team of sales and service engineers will be at your disposal during the exhibitions all around the world or in our demo room.



FESPA COLOGNE 2015



VISCOM MILANO 2015



SGI DUBAI 2016



FESPA AMSTERDAM 2016

## SALES NETWORK

In over 70 years of history we have redesigned our global sales network several times, preserving and exploiting the strongest resellers and partners on specific product segments. The corporate restructuring process currently underway includes a major restructuring of the distribution network. Contact our Sales and Marketing office to find your nearest reseller. Send an email to: [resellers@neoltfactory.com](mailto:resellers@neoltfactory.com)

# SALES NETWORK



## WHY BECOMING A NEOLT FACTORY PARTNER

Neolt's products are characterized by high solidity and precision, high resale value, high responsiveness to the needs of the customer and excellent price/performance ratio. This allows us to build value and remuneration for both end-users and our resellers and distributors.

Want to become a Neolt reseller? Write to [resellers@neoltfactory.com](mailto:resellers@neoltfactory.com)

# SWORD

Cutting from 1 mm to 30 mm  
Size Height from 1650 mm to 3100 mm

## 01 FIXED BLADE Thickness from 1 to 30 mm

→ Materials: cardboard / foam kmount / gato foam/spongy media/Expanded polhyurethane / plastic from 0,5 mm / films / plastic alveolar / reboard

## 02 FIXED BLADE Thickness from 1 to 30 mm

→ Materials: cardboard / foam kmount / gato foam/spongy media/Expanded polhyurethane / plastic from 0,5 mm / films / plastic alveolar / reboard

## 03 KNIFE (OPTIONAL)

Blade for Dibond from 1 to 10 mm

Blade V-Cut from 5 to 30 mm

Blade GlassCut from 1 to 2 mm

Lama per PlexCut da 1 a 3 mm

→ Materials: reboard / spongy media / expanded polyurethane

# Sword

- ✓ Millimetric base.
- ✓ Light body frame but strong and reliable.
- ✓ Quick tools change: with two units always installed and a third optional
- ✓ Two turnable blades: one moving and one fixed for forex e foam.
- ✓ Tool for dibond and aluminium cut.
- ✓ V-cut tool for cardboard angular cut at 60° and 90°
- ✓ Diamond wheel for glass engraving.
- ✓ Oversize and strong support base to feed big dimensions panels.
- ✓ Available in 4 heights: 165, 210, 250 or 310 cm.

CODE: Q626-Q626/210-Q626/250-Q626/310



# SWORD EL

Cutting from 1 mm to 30 mm  
Size Height from 2100 mm to 3100 mm

## 01 FIXED BLADE Thickness from 1 to 30 mm

→ Materials: cardboard / foam kmount / gato foam/spongy media/Expanded polhyurethane / plastic from 0,5 mm / films / plastic alveolar / reboard

## 02 FIXED BLADE Thickness from 1 to 10 mm

→ Materials: cardboard / foam kmount / gato foam/spongy,media/Expanded polhyurethane / plastic from 0,5 mm / films / plastic alveolar / reboard

## 03 BLADE (OPTIONAL)

Blade for Dibond from 1 to 4 mm

Blade V-Cut from 5 to 30 mm

Blade GlassCut up to 3 mm

Blade for PlexCut da 1 a 3 mm

→ Materials: reboard / spongy media / expanded polyurethane

## Sword EL

- ✓ Millimetric base.
- ✓ Light body frame but strong and reliable.
- ✓ Quick tools change: with two units always installed and a third optional
- ✓ Two turnable blades: one moving and one fixed for forex e foam.
- ✓ Tool for dibond and aluminium cut.
- ✓ V-cut tool for cardboard angular cut at 60° and 90°
- ✓ Diamond wheel for glass engraving.
- ✓ Oversize and strong support base to feed big dimensions panels
- ✓ Available in 3 heights: 210, 250 or 310 cm.

CODE: Q626/210EL-Q626/250EL-Q626/310EL



# SWORD ELs

Cutting from 1 mm to 30 mm  
Size Height from 2100 mm to 3100 mm

## Multi-tool, multi-material, ultra-fast and XXL

Sword ELs is characterized by a light and elegant, but at the same time robust and reliable body. The unique design of the cutter equipped with millimetric ruler allows a safe and quick tool change, with the possibility of having two fixed blades always in position for the cutting of carboards and Forex, alongside with to a third motorized 30.000 rpm tool for cutting methacrylate and Dibond up to 5 mm thick, with creasing function for folding-only requirements.


Available in 2100, 2500 and 3100 mm heights, Sword ELs can reach speeds up to 24 meters per minute, and thanks to the solid and extra large base it can accomodate large size boards.



## Sword ELs

- ✓ Millimetric base.
- ✓ Light body frame but strong and reliable.
- ✓ Quick tools change: with two units always installed and a third optional
- ✓ Two turnable blades: one moving and one fixed for forex e foam.
- ✓ Tool for dibond and aluminium cut.
- ✓ V-cut tool for cardboard angular cut at 60° and 90°
- ✓ Diamond wheel for glass engraving.
- ✓ Oversize and strong support base to feed big dimensions panels
- ✓ Available in 3 heights: 210, 250 or 310 cm.

CODE: Q626/210ELs-Q626/250ELs-Q626/310ELs




Cutting from 1 mm to 30 mm  
Size Height from 2100 mm to 3100 mm


01 FIXED BLADE Thickness from 1 to 30 mm  
→ Materials: cardboard / foam kmount  
/ gato foam / spongy media / Expanded  
polhyurethane / plastic from 0,5 mm / films  
/ plastic alveolar / reboard

02 FIXED BLADE Thickness from 1 to 10 mm  
→ Materials: cardboard / foam kmount /  
gato foam / spongy, media / Expanded  
polhyurethane / plastic from 0,5 mm / films  
/ plastic alveolar / reboard

03 SPINDLE  
Dibond from 1 to 10 mm  
V-Cut  
Plex from 1 to 3 mm

**NEW**





1941 - 2016