




FOR REFERENCE ONLY DO NOT USE FOR CONSTRUCTION









VUE ISOMÉTRIQUE

	DRAWING FOR APPROBATION						
	CHOOSED (//)	APPROUVED					
		APPROUVED AS NOTED					
		RESUBMIT AS NOTED					
	SIGNATURE		DATE				
1							

SIGN AND RETURNED TO ATLAS

No Sheet:

ELEVATION

SPECIFICATIONS

- Capacity: 750lbs
- Travel: 8" à 48" (variable)
- Motor: 1hp, 24 volts DC
- Battery operated
- Power requirement of the chargers: 120volts AC, 15A
- *Spécifications suject to changed without notice

Vista Mobile

*However the stage lifts for disabled peoples are not included in the scope the hereby mentioned codes; the components and the design of the device comply with the state of the art found in CSA B355-09, ASME A18.1 and ASME A17.1/CSA B44.

PROJET: TYPICAL DRAWING

		I I PICAL DRAWING				
CONFIGURATION						
DETAILS						
DETAILS	xx	хх	xx		XX-XX-2018	
Code: B-613 A18.1 \ B-355 2015 A18.1 SECTION 5 \ A18.1 2014	REV	BY	DESCRIPTION:		DATE:	
DOOR INTERLOCK TYPE: HONEYWELL	Les Escalateurs Atla 3175 Boul.Choquette St-Hyacinthe (Québec				Inc.	
Guard panel: 81" HEIGHT		al	(Ias	Tél: (450) 796-5708 Fax: (450) 250-5110		
Safety:	No Drawin	g:				
± 1/16"	VISTA MOBILE 34x54					
Draftsman:	İ				Revision:	
M. Debusschere					TWINGIN.	

INFORMATION

10/12/2018