

ICU Sedation Protocol for Ventilated Patients

Patient: ZTRAINSSS9T3 , SUSAN

Select RASS goal

Target RASS Value	RASS Description
<input type="radio"/> 0 Alert and Calm	
<input type="radio"/> - 1 Drowsy	Not fully alert, but has sustained awakening to voice (eye opening/contact > 10 seconds)
<input type="radio"/> - 2 Light Sedation	Briefly awakens to voice (eye opening/contact < 10 seconds)
<input type="radio"/> - 3 Moderate Sedation	Movement or eye opening to voice (but no eye contact)
<input type="radio"/> - 4 Deep Sedation	No response to voice, but movement or eye opening to physical stimulation
<input type="radio"/> - 5 Unarousable	No response to voice or physical stimulation

Current Active Medications of Interest

1 Pain

Drug	Dosage
<input type="radio"/> Fentanyl Intermittent	50-100mcg IVP q15 min to goal then 50-100mcg q2h prn
<input type="radio"/> Hydromorphone Intermittent	0.1-0.3mg IVP q15 min to goal, then 0.1mg-1mg q2h prn
<input type="radio"/> Morphine Intermittent	2-5mg IVP q15 min to goal, then 2-5mg q2h prn
If anticipating or requiring greater than 3 boluses per hour:	
<input type="radio"/> Fentanyl Infusion	50-300 mcg/hr
<input type="radio"/> Morphine Infusion	1-4mg/hr (avoid in patients with renal failure and hemodynamic instability)
<input type="radio"/> None	

2 Sedation/Agitation

None (if RASS at goal with analgesia-based regimen)

Drug	Dosage
<input type="radio"/> Propofol Infusion	10-25mg bolus, then 5-30mcg/kg/min
<input type="radio"/> Dexmedetomidine Infusion	0.2-1.5 mcg/kg/hr IV x 24 hrs (if delirious/awakening)

For propofol intolerance consider one of the following:

- Midazolam Intermittent 1-3mg IVP q2hrs prn
- Midazolam Infusion 0.5-3 mg/hr

(Propofol intolerance refers to propofol infusion syndrome, hemodynamic instability precluding propofol use, elevated creatinine phosphokinase(CPK) > 5000 IU/L, triglycerides > 500 mg/dl, or propofol use > 96 hours)

3 Delirium (CAM-ICU+)

Drug	Dosage
CAM-ICU positive AND RASS +3 or +4	
<input type="checkbox"/> Propofol Intermittent	15-50mg IV q 10 min prn severe agitation/combativensess
<input type="checkbox"/> Haloperidol (prn)	1 mg IM/IV q15min prn agitation
CAM-ICU positive AND RASS +1 or +2	
<input type="checkbox"/> Haloperidol (prn)	1 mg IM/IV q 4 hours prn
<input type="checkbox"/> Haloperidol (scheduled)	1 mg IM/IV q6 hours (scheduled)
<input type="checkbox"/> Olanzapine	5 mg PO/PT/SL q6 hours
<input type="checkbox"/> Dexmedetomidine Infusion	0.2-1.5 mcg/kg/hr IV x 24 hrs

ORDER STAT

Exit Without Ordering

Back

Home

Close