

Shenzhen Lighting Inc.

www.shenzhenlighting.com

F5, Building B, Hansheng Industrial Park

XingGuang XingHui 1st Street

HuangJiang Town

DongGuan GuangDong CHINA

Tel:86-769-82260508


Model: **SZ-PK200W-ABT3-5000K**

LED Parking Lot Light 200W



Features

- ETL certificate
- 3030 Lumileds Chip, high CRI
- IP65 driver, Input voltage 100-277Vac
- No UV or IR in the beam
- Easy to install and operate
- Energy saving, Long lifespan
- Light is soft and uniform, Safe to eyes
- Instant start, NO flickering, NO humming
- Green and eco-friendly without mercury.
- Outdoor basketball court, tennis court.
- Badminton court, the football field.
- The school playground, stadium.
- Community leisure entertainment plaza, road lamp etc.







Specification

Model No.	SZ-PK200W-ABT3-5000K
Color temperature	5000K
CRI	>70
Lumen	26000LM
Lumen Efficacy	130LM/W
Input Power	200W
Input Voltage	120-277Vac 50/60Hz
PFC	>0.9
LED Type	3030
Installation Area	Outdoor (Counter,Residential,Commercial,etc)
Operating Temperature	-20℃ TO 45℃
Product Weight	3700G
Beam Angle	80*150°(degree)
Operating Temperature	-20℃ TO 45℃
Safety Certification	ETL/DLC
Rating Life	50000H

For sales inquiry, please contact our office or send us an email.

info@shenzhenlighting.com

Light Distribution Testing Parameters



Product Dimension	438*310*72	mm
Net Weigh	4.8	Kg
Size of box	665*350*130	mm
Gross Weight	5.5	Kg
Size of Carton	665*350*130	mm
Qty/ Carton	1	PCS
Weight/ Carton	5.5	Kg