

DIMENSIONS

57" x 5" x 12" H
 145cm x 13cm x 30cm H
 58" x 5" x 5" H
 147cm x 13cm x 13cm H

CANOPY

Ø 5" x .25" H

STEM

Standard 30" stem; can be cut to size on-site. Longer stems available upon request.

LEAD TIME

12-14 weeks

GLASS COLORS

Clear
 Charcoal Grey
 Opaque White
 Pink
 Amber
 Topaz Yellow
 Emerald Green

*Also available in sandblasted finish**

GLOBE COLOR

Opaline White

METAL FINISHES

Brushed Brass
 Satin Nickel
 Polished Nickel
 Oil Rubbed Bronze


LAMPING

Input Voltage: 120V (240V upon request)
 Bulb: Dimmable G9 LED Bulb, 2700K, 4.5 Watts
 CRI: 90+
 Lumens: 900 (450 per globe)
 Wattage: 9 Watts
 Dimming: TRIAC
 Dimmer: Lutron C-L recommended
 Certification: ETL Listed to UL & CSA Standards*
 Damp Rated

CUSTOMIZATION OPTIONS

Tube color
 Globe color
 Metal finish
 Tube length
 Tube arrangement and orientation

**Subject to Up-charge*



DIMENSIONS

49" x 5" x 11" H
 124cm x 13cm x 28cm H
 49" x 5" x 5" H
 124cm x 13cm x 13cm H

CANOPY

Ø 5" x .25" H

STEM

Standard 30" stem; can be cut to size on-site. Longer stems available upon request.

LEAD TIME

12-14 weeks

GLASS COLORS

Clear
 Charcoal Grey
 Opaque White
 Pink
 Amber
 Topaz Yellow
 Emerald Green

*Also available in sandblasted finish**

GLOBE COLOR

Opaline White

METAL FINISHES

Brushed Brass
 Satin Nickel
 Polished Nickel
 Oil Rubbed Bronze


LAMPING

Input Voltage: 120V (240V upon request)
 Bulb: Dimmable G9 LED Bulb, 2700K, 4.5 Watts
 CRI: 90+
 Lumens: 900 (450 per globe)
 Wattage: 9 Watts
 Dimming: TRIAC
 Dimmer: Lutron C-L recommended
 Certification: ETL Listed to UL & CSA Standards*
 Damp Rated

CUSTOMIZATION OPTIONS

Tube color
 Globe color
 Metal finish
 Tube length
 Tube arrangement and orientation

**Subject to Up-charge*



DIMENSIONS

36" x 5" x 9" H
 91cm x 13cm x 23cm H
 36" x 5" x 5" H
 91cm x 13cm x 13cm H

CANOPY

Ø 5" x .25" H

STEM

Standard 30" stem; can be cut to size on-site. Longer stems available upon request.

LEAD TIME

12-14 weeks

GLASS COLORS

Clear
 Charcoal Grey
 Opaque White
 Pink
 Amber
 Topaz Yellow
 Emerald Green

*Also available in sandblasted finish**

GLOBE COLOR

Opaline White

METAL FINISHES

Brushed Brass
 Satin Nickel
 Polished Nickel
 Oil Rubbed Bronze

LAMPING

Input Voltage: 120V (240V upon request)
 Bulb: Dimmable G9 LED Bulb, 2700K, 4.5 Watts
 CRI: 90+
 Lumens: 900 (450 per globe)
 Wattage: 9 Watts
 Dimming: TRIAC
 Dimmer: Lutron C-L recommended
 Certification: ETL Listed to UL & CSA Standards*
 Damp Rated

CUSTOMIZATION OPTIONS

Tube color
 Globe color
 Metal finish
 Tube length
 Tube arrangement and orientation

**Subject to Up-charge*