


Koobi Fora Formation, Ileret area, East Turkana Basin



Bennett, M.R, et al., 2009, Early hominin foot morphology based on 1.5 million year old footprints from Ileret, Kenya; *Science*, 323: 1197-1201.

Bowen, B, 1994, The geology of the Upper Cenozoic sediments in the East Rudolf embayment in the Lake Rudolf Basin, Kenya; PhD Dissertation, Iowa State University (Fig 30).

Braun, D.R., et al., 2010, Early hominin diet included diverse terrestrial and aquatic animals 1.95 Ma in East Turkana, Kenya; *PNAS*, 107:10,002-10,007.

Brown, F.H. and Feibel, C.S., 1986, Revision of lithostratigraphic nomenclature in the Koobi Fora region, Kenya; *Jour. Geol. Soc. London*, 143: 297-310.

Gathogo, P. H., 2003, Stratigraphy and paleoenvironments of the Koobi Fora formation of the Ileret area, Northern Kenya; Masters Thesis, University of Utah.

Gathogo, P. H., and Brown, F.H., 2006, Stratigraphy of the Koobi Fora Formation (Pliocene and Pleistocene) in the Ileret region of northern Kenya; *Jour. African Earth Sciences*, 45:369-390.


Hillhouse, J.W., Cerling, T.C., and Brown, F.H., 1986, Magnetostratigraphy of the Koobi Fora Formation, Lake Turkana, Kenya; *JGR*, 91:11,581-11,595.

Johnson, G.D., 1972, Unpublished stratigraphic section in Area 6.

Kidney, C.L., 2012, Pliocene stratigraphy and geology of the northeastern Ileret region, Kenya; Master's Thesis, University of Utah.

This diagram has been updated with edits from Kay Behrensmeyer and Craig Feibel; and comments from Dave Braun, Mathew Bennett, Thure Cerling, Patrick Gathogo, Gary Johnson, Louise Leakey, Meave Leakey, and David Phillips.

Koobi Fora Formation, Karari Ridge, East Turkana



Bainbridge, R.B., 1976, Stratigraphy of the Lower Member, Koobi Fora Formation, northern Karari Escarpment, East Turkana Basin, Kenya; Masters Thesis, Iowa State U.

Brown, F., and Feibel, C., 1985, Stratigraphic notes on the Okote Tuff complex at Koobi Fora, Kenya; Nature, 316: 794-797.

Brown, F., and Feibel, C., 1991, Stratigraphy and depositional environments and paleogeography of the Koobi Fora Fm.; Koobi Fora Research Volume 3, p. 1-30.

Burggraf, D.R., 1976, Stratigraphy of the Upper Member, Koobi Fora Formation, southern Karari Escarpment, East Turkana Basin, Kenya; Masters Thesis, Iowa State U.

Frank, H.J., 1976, Stratigraphy of the Upper Member, Koobi Fora Formation, northern Karari Escarpment, East Turkana Basin, Kenya; Masters Thesis, Iowa State U.

Isaac, G. L., and Behrensmeyer, A.K., 1997, Geology and facies of the Koobi Fora Formation; Koobi Fora Research Volume 5, p. 12-70.

Joordens, J.C.A., Dupont Nivet, G., Feibel, C.S., Spoor, F., Sier, M.J., Vander Lube, J.H.J.L., Nielsen, T.K., Knul, M.V., Davies, G.R., and Vanhof, H.B., 2013, Improved age control on early Homo fossils from the Upper Burgi Member at Koobi Fora, Kenya; Jour. Human Evol., 65: 731-745.

Kidney, C.L., 2012, Pliocene stratigraphy and geology of the NE Ileret Region, Kenya; Masters Thesis, University of Utah.

Lepre, C.J., 2017, Crevasse splay and associated depositional environments of the hominin bearing lower Okote Mbr, Koobi Fora Fm (Plio-Pleistocene) Kenya; The Depositional Record, 3:161-186.

Lepre, C.J., and Kent, D.V., 2015, Chronostratigraphy of KNM-ER 3733 and other Area 104 hominins from Koobi Fora; Jour. Human Evol., 86: 99-111.


Stern, N., Porch, N., and McDougall, I., 2002, FxJ 23: A window into a 1.5 million year old paleolandscape in the Okote Member of the Koobi Fora Fm., Geoarchaeology, 17:349-392.

Tindall, K.W., 1986, Stratigraphy and sedimentology of the Koobi Fora Formation, Eastern Koobi Fora Ridge, East Turkana, Kenya; Masters Thesis, Iowa State U.

White, H.J., 1976, Stratigraphy of the Lower Member, Koobi Fora Formation, southern Karari Escarpment, East Turkana Basin, Kenya; Masters Thesis, Iowa State U.

This diagram reflects edits by Kay Behrensmeyer and comments from Meave Leakey, Chris Lepre, Dave Phillips, and Thure Cerling

Koobi Fora Formation, Areas 102, 103; East Turkana



Behrensmeier, A.K., and Laporte, L.F., 1981, Footprints of a Pleistocene hominid in northern Kenya; *Science*, 289:167-169.
 Brown, F.H., and Feibel, C.S., 1986, Revision of lithostratigraphic nomenclature in the Koobi Fora region, Kenya; *Journal of Geol. Soc. London*, 143:297-310.
 Feibel, C.S., 1983, Stratigraphy and paleoenvironments of the Koobi Fora Fm. along the western Koobi Fora Ridge, East Turkana, Kenya; Master's Thesis, Iowa State Univ., 104 pp.
 Hahn, G., Reynolds, R. and Wood, R., 1973, Unpublished field notebook recording work in Area 102. Unit C4 is Main Northern Gastropod Sand, C5 is Top Joy.
 Joordens, J.C.A., Vonhof, H.B., Feibel, C.S., Lourens, L.J., Dupont-Nivet, G., Van der Lubbe, J.H.J.L., Sier, M.J., Davies, G.R., Kroon, D., 2011, An astronomically-tuned climate framework for hominins in the Turkana Basin, *Earth and Planetary Science Letters*, 307:1-8.
 Lepre, C.J., and Kent, D.V., 2010, New magnetostratigraphy for the Olduvai subchron in the Koobi Fora Fm., NW Kenya, with implications for early Homo, *EPSL*, 290:362-374.