



ECO Lighting Technology and Solutions



LED Flex Tube

Installation Guide and Accessories



Accessories



FN101— 110 AC input Power Converter, drive
1000 feet/pc



FN102— Connection pin from Power converter
to flex tube



FN103— Connection pin from tube to tube



FN104— Up L connector from tube to tube



FN105—Outside L connection from tube to tube



FN106— Inside L connector from tube to tube



FN107— Up T connector from tube to tube



FN108— End cap

Please visit jsledpower.com for more information

For support please call toll free number 1-800-909-5188

Headquarter Office

1318 Maine Ave.,
Baldwin Park, CA 91706
Tel: (626) 338 - 8291
Fax: (626) 338 - 8391

Texas Branch

2307 Shaver St.,
Pasadena, TX 77502
Tel: (832) 270 - 1556

New Jersey Branch

600 Deer Rd., Suite #3
Cherry Hill, NJ 08034
Tel: (646) 287 - 5979

Florida Branch

4333 Silver Star Rd., Suite #170
Orlando, FL 32808
Tel: (407) 808 - 9768



JS LED[®]

ECO Lighting Technology and Solutions



FN109/FN110— 2 FT/ 6 FT Extension Connector



FN111— Shrink tube for connected protection



FN112— 2 inch C aluminum mount



FN113— 36 inch C aluminum mount

Please visit jsledpower.com for more information

For support please call toll free number 1-800-909-5188

Headquarter Office

1318 Maine Ave.,
Baldwin Park, CA 91706
Tel: (626) 338 - 8291
Fax: (626) 338 - 8391

Texas Branch

2307 Shaver St.,
Pasadena, TX 77502
Tel: (832) 270 - 1556

New Jersey Branch

600 Deer Rd., Suite #3
Cherry Hill, NJ 08034
Tel: (646) 287 - 5979

Florida Branch

4333 Silver Star Rd., Suite #170
Orlando, FL 32808
Tel: (407) 808 - 9768



ECO Lighting Technology and Solutions



Installation



Figure 1: Connect Power converter to tube



Figure 2: Connect tube to tube



Figure 3: Connect tube to tube on stand up way



Figure 4: Connect tube to tube via extension



Figure 5: Connect tube to tube on outside way



Figure 6: Connect tube to tube on inside way

Please visit jsledpower.com for more information

For support please call toll free number 1-800-909-5188

Headquarter Office

1318 Maine Ave.,
Baldwin Park, CA 91706
Tel: (626) 338 - 8291
Fax: (626) 338 - 8391

Texas Branch

2307 Shaver St.,
Pasadena, TX 77502
Tel: (832) 270 - 1556

New Jersey Branch

600 Deer Rd., Suite #3
Cherry Hill, NJ 08034
Tel: (646) 287 - 5979

Florida Branch

4333 Silver Star Rd., Suite #170
Orlando, FL 32808
Tel: (407) 808 - 9768



ECO Lighting Technology and Solutions



Installation



Figure 7: Connect tube to tube via T connector



Figure 8: Put the end cap on the end



Figure 9: Shrink the tube by heater for each Connected portion



Figure 10: Push the tube into aluminum mount

Please visit jsledpower.com for more information

For support please call toll free number 1-800-909-5188

Headquarter Office

1318 Maine Ave.,
Baldwin Park, CA 91706
Tel: (626) 338 - 8291
Fax: (626) 338 - 8391

Texas Branch

2307 Shaver St.,
Pasadena, TX 77502
Tel: (832) 270 - 1556

New Jersey Branch

600 Deer Rd., Suite #3
Cherry Hill, NJ 08034
Tel: (646) 287 - 5979

Florida Branch

4333 Silver Star Rd., Suite #170
Orlando, FL 32808
Tel: (407) 808 - 9768