

## **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

SDS #: 38134 NEVASTANE LUBE AEROSOL

Date of the previous version: 2013-07-19 Revision Date: 2015-04-30 Version 3

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name NEVASTANE LUBE AEROSOL

Number PC4 Substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Grease for incidental food contact.

1.3. Details of the supplier of the safety data sheet

Supplier TOTAL UK LIMITED

One Euston Square

40 Melton Street. London. NW1 2FD

UNITED KINGDOM Tel: +44 (0)20 7339 8000

Fax: +44 (0)20 7339 8033

For further information, please contact:

Contact Point Specific Product Related Info : 01977 636200

E-mail Address rm.gb-msds@total.co.uk

#### 1.4. Emergency telephone number

00 33 149 00 00 49 (24h/24, 7d/7) TOTAL UK ltd: + 44 (0) 20 7339 8000

For Lubricants only: TOTAL Lubricants - +44 (0)1977 636200 For bitumen only: Total Bitumen -+44 (0) 17 7272 9302

## Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

## REGULATION (EC) No 1272/2008 \*\*\*

For the full text of the H-Statements mentioned in this Section, see Section 2.2.\*\*\*

## Classification\*\*\*

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008\*\*\*
Aerosols\*\*\* - Category 1\*\*\* - (H222)\*\*\*
Aspiration toxicity - Category 1\*\*\* - (H304)\*\*\*



## **NEVASTANE LUBE AEROSOL**

Revision Date: 2015-04-30 Version 3

Specific target organ systemic toxicity (single exposure) - Category 3\*\*\* - (H336)\*\*\* Chronic aquatic toxicity - Category 2\*\*\* - (H411)\*\*\*

#### **DIRECTIVE 67/548/EEC or 1999/45/EC**

For the full text of the R-phrases mentioned in this Section, see Section 16.

The substance/mixture is classified as dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments

#### Symbol(s)

F+ - Extremely flammable

N - Dangerous for the environment

Classification

F+;R12 - R66 - R67 - N;R51-53

#### 2.2. Label elements

#### Labelled according to

#### REGULATION (EC) No 1272/2008\*\*\*







# Signal Word DANGER\*\*\*

## Hazard Statements \*\*\*

H222 - Extremely flammable aerosol

H229 - Pressurised container: May burst if heated\*\*\*

H336 - May cause drowsiness or dizziness

H411 - Toxic to aquatic life with long lasting effects\*\*\*

## **Precautionary statements**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use

P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P405 - Store locked up

P501 - Dispose of contents/container in accordance with local/regional/national/international regulation

P102 - Keep out of reach of children\*\*\*

#### **Supplemental Hazard Statements**

EUH066 - Repeated exposure may cause skin dryness or cracking\*\*\*

## 2.3. Other hazards



## NEVASTANE LUBE AEROSOL

Revision Date: 2015-04-30 Version 3

Physical-Chemical Properties Aerosol: Pressurised container. This product contains a flammable component.

**Environmental properties** Should not be released into the environment.

#### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixture\*\*\*

Chemical Name	EC-No	REACH Registration Number	CAS-No	Weight %	Classification (Dir. 67/548)	GHS Classification
Hydrocarbons, C8-C9, isoalkanes***	932-020-9*	01-2119548395-31	۸	50-100	R10 Xn;R65 R66 R67 N;R51-53	Flam. Liq. 3 (H226) Asp. Tox. 1 (H304) STOT SE 3 (H336) Aquatic Chronic 2 (H411)***
carbon dioxide***	204-696-9	no data available	124-38-9	2.5-10	-	

Additional information Propellent gas: Carbon dioxide.

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

#### Section 4: FIRST AID MEASURES

## 4.1. Description of first aid measures

General advice IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR

EMERGENCY MEDICAL CARE. Show this safety data sheet to the doctor in attendance.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Keep eye wide open while

rinsing.

Skin contact Remove contaminated clothing and shoes. Wash skin with soap and water. Wash

contaminated clothing before reuse.\*\*\*

Inhalation remove casualty to fresh air and keep at rest in a position comfortable for breathing.\*\*\*

Ingestion Do not ingest. If swallowed then seek immediate medical assistance. Do NOT induce

vomiting. Never give anything by mouth to an unconscious person. Call a physician or

poison control centre immediately.\*\*\*

**Protection of first-aiders**Use personal protective equipment.

## 4.2. Most important symptoms and effects, both acute and delayed

Eye contact Not classified. Burning feeling and temporary redness.\*\*\*

Skin contact Not classified. Repeated exposure may cause skin dryness or cracking.\*\*\*



Revision Date: 2015-04-30 Version 3

Inhalation Vapours may cause drowsiness and dizziness. Vapours inhaled in strong concentration

have a narcotic effect on the central nervous system.\*\*\*

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Harmful: If

swallowed accidentally, the product may enter the lungs due to its low viscosity and lead to the rapid development of very serious inhalation pulmonary lesions (medical survey during

48 hours).\*\*\*

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment. Foam. Dry chemical. Carbon dioxide (CO<sub>2</sub>).\*\*\*

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Special hazard Contents are under pressure and can explode when exposed to heat or flames. Incomplete

combustion and thermolysis may produce gases of varying toxicity such as carbon

monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly

dangerous if inhaled in confined spaces or at high concentration.\*\*\*

5.3. Precautions for fire-fighters

Special protective equipment for

fire-fighters

In the event of fire and/or explosion do not breathe fumes. Use personal protective

equipment. In the event of fire, wear self-contained breathing apparatus.

Other information Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing

water must be disposed of in accordance with local regulations.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

General Information Not applicable due to the physical state of product.\*\*\*

6.2. Environmental precautions

General Information Prevent entry into waterways, sewers, basements or confined areas. Do not allow material

to contaminate ground water system. Local authorities should be advised if significant

spillages cannot be contained.

6.3. Methods and materials for containment and cleaning up



Revision Date: 2015-04-30 Version 3

Methods for cleaning up

Contain spillage, and then collect with non-combustable absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material. Contents under pressure: Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top of can. Keep in suitable, closed containers for disposal.

6.4. Reference to other sections

Personal protective equipment See Section 8 for more detail.

Waste treatment See section 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling When using, do not eat, drink or smoke. Remove all sources of ignition. Use only in

well-ventilated areas. Do not breathe vapours or spray mist. For personal protection see section 8. Avoid contact with skin, eyes and clothing. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or

throw into fire even after use. Do not spray on flames or red-hot objects.\*\*\*

Prevention of fire and explosion Handle away from any source of ignition (open flame and sparks) and heat (hot manifolds

or casings). Take precautionary measures against static discharges. Do not heat above 50 °C to avoid the risk of a pressure increase and an explosion (see section 10). Ensure

adequate ventilation.\*\*\*

Hygiene measures Ensure the application of strict rules of hygiene by the personnel exposed to the risk of

contact with the product. Use personal protective equipment as required. Wash hands before breaks and immediately after handling the product. Do not use abrasives, solvents or fuels. Avoid breathing vapours, mist or gas. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.\*\*\*

7.2. Conditions for safe storage, including any incompatibilities

**Technical measures/Storage** 

conditions

Keep out of reach of children. Keep containers tightly closed in a dry, cool and

well-ventilated place. Protect from frost, heat and sunlight. Keep away from open flames, hot surfaces and sources of ignition. Keep at temperatures below 50 °C / 122 °F. For safety

reasons in case of fire, cans should be stored separately in closed containments.\*\*\*

Materials to avoid Acids. Oxidizing agents.\*\*\*

7.3. Specific use(s)

Specific use(s)

No information available.\*\*\*

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parametres



Revision Date: 2015-04-30 Version 3

Exposure limits Mineral oil mist:

USA: OSHA (PEL) TWA 5 mg/m3, NIOSH (REL) TWA 5 mg/m3, STEL 10 mg/m3, ACGIH

(TLV) TWA 5 mg/m<sup>3</sup> (highly refined)

\*\*\*

Chemical Name	European Union	The United Kingdom	Ireland
carbon dioxide***	TWA 5000 ppm	STEL 15000 ppm	TWA 5000 ppm
124-38-9	TWA 9000 mg/m <sup>3</sup>	STEL 27400 mg/m <sup>3</sup>	TWA 9000 mg/m <sup>3</sup>
	_	TWA 5000 ppm	-
		TWA 9150 mg/m <sup>3</sup>	

**Legend** See section 16

**DNEL Worker (Industrial/Professional)** 

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Hydrocarbons, C8-C9, isoalkanes***			773 mg/kg bw/day (dermal)	
٨			2035 mg/m <sup>3</sup> /8h (inhalation)	

DNEL Consumer

Chemical Name	Short term, systemic effects	Short term, local effects	Long term, systemic effects	Long term, local effects
Hydrocarbons, C8-C9, isoalkanes***			699 mg/kg bw/day (dermal) 608 mg/m³/24h	
			(inhalation) 699 mg/kg bw/day (oral)	

## 8.2. Exposure controls

## **Occupational Exposure Controls**

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Personal protective equipment

General Information Protective engineering solutions should be implemented and in use before personal

protective equipment is considered.

**Respiratory protection** When using a mask or half mask:. Type A/P2. The use of breathing apparatus must

comply strictly with the manufacturer's instructions and the regulations governing their

choices and uses. Warning! filters have a limited use duration.\*\*\*

**Eye protection** If splashes are likely to occur, wear:. Safety glasses with side-shields.

Skin and body protection Long sleeved clothing. Antistatic boots. Impervious gloves.



## NEVASTANE LUBE AEROSOL

Revision Date: 2015-04-30 Version 3

#### Hand protection

Protective gloves: Nitrile rubber. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.\*\*\*

#### **Environmental exposure controls**

Boiling point/boiling range \*\*\*

General Information Do not allow material to contaminate ground water system.

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Colour colourless
Physical state @20°C Aerosol
Odour slight

PropertyValuesRemarksMethodpHNot applicable\*\*\*

293\*\*\* °F\*\*\*

Flash point \*\*\*

27\*\*\* °C\*\*\*

Closed cup

81\*\*\* °F\*\*\* Closed cup

Evapouration rate No information available\*\*\*

Flammability Limits in Air

Vapour pressure

Vapour density

Density

795 kg/m³

No information available\*\*\*

No information available\*\*\*

0 25 °C

Water solubility

No information available\*\*\*

145\*\*\* °C\*\*\*

Solubility in other solvents

No information available\*\*\*
No information available\*\*\*

Viscosity, kinematic \*\*\* No information available \*\*\*

Fynlosive properties May form explosive mixtures with air

**Explosive properties** May form explosive mixtures with air **Oxidising properties** Not applicable

Possibility of hazardous reactions Not applicable

#### 9.2. Other information

No information available\*\*\*

#### Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

#### 10.2. Chemical stability



## NEVASTANE LUBE AEROSOL

Revision Date: 2015-04-30 Version 3

**Stability** Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

**Hazardous reactions** No information available.

10.4. Conditions to Avoid

Conditions to Avoid Temperatures above 50 °C.

Keep away from open flames, hot surfaces and sources of ignition.

Take precautionary measures against static discharges.\*\*

10.5. Incompatible materials

Materials to avoid Acids. Oxidizing agents.\*\*\*

10.6. Hazardous Decomposition Products

Hazardous Decomposition Products Incomplete combustion and thermolysis may produce gases of varying toxicity such as

carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

## Section 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on toxicological effects

#### Acute toxicity Local effects Product Information

Skin contact . Not classified. Repeated exposure may cause skin dryness or cracking.\*\*\*

Eye contact . Not classified. Burning feeling and temporary redness.\*\*\*

Inhalation . Vapours may cause drowsiness and dizziness. Vapours inhaled in strong concentration

have a narcotic effect on the central nervous system.\*\*\*

Ingestion . Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Harmful: If

swallowed accidentally, the product may enter the lungs due to its low viscosity and lead to the rapid development of very serious inhalation pulmonary lesions (medical survey during

48 hours).\*\*\*

#### Acute toxicity - Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Hydrocarbons, C8-C9, isoalkanes*** LD50 > 7100 mg/kg bw (rat -		LD50 (24h) > 2200 mg/kg bw	LC50 (4h) = 17300 -23300 mg/m <sup>3</sup>
	OECD 401)	(rabbit)	(vapour) (rat - OECD 403)

**Sensitisation** 

**Sensitisation** Not classified as a sensitizer.

Specific effects



## **NEVASTANE LUBE AEROSOL**

Revision Date: 2015-04-30 Version 3

**Carcinogenicity** This product is not classified carcinogenic.

	Chemical Name	European Union		
	Hydrocarbons, C8-C9, isoalkanes***	_***		
	۸			
N 4 1 1 - 11	This was deather and the second and			

**Mutagenicity** This product is not classified as mutagenic.

Chemical Name	European Union
Hydrocarbons, C8-C9, isoalkanes***	_***
٨	

Reproductive toxicity

This product does not present any known or suspected reproductive hazards.

**Repeated Dose Toxicity** 

Subchronic Toxicity No information available.

**Target Organ Effects (STOT)** 

Target Organ Effects (STOT) No information available.

Other information

Other adverse effects Characteristic skin lesions (oil blisters) may develop following prolonged and repeated

exposures (contact with contaminated clothing).

## Section 12: ECOLOGICAL INFORMATION

## 12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### Acute aquatic toxicity - Product Information

No information available.

#### Acute aquatic toxicity - Component Information

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Hydrocarbons, C8-C9, isoalkanes*** ^	ErL50 (72h) = 10-30 mg/l (Pseudokirchneriella subcapitata - OECD 201) EbL50 (72h) = 10-30 mg/l (Pseudokirchneriella subcapitata - OECD 201)***	EL50 (48h) = 2,4 mg/l (Daphnia magna)	LL50 (96h) = 18,4 mg/l (Oncorhynchus mykiss - OECD 203)	-

## Chronic aquatic toxicity - Product Information

No information available.

Chronic aquatic toxicity - Component Information

.



## **NEVASTANE LUBE AEROSOL**

Revision Date: 2015-04-30 Version 3

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Hydrocarbons, C8-C9, isoalkanes*** ^	NOELR (72h) = 6.3 mg/l (Pseudokirchneriella subcapitata - biomass - OECD 201) NOELR (72h) = 6.3 mg/l (Pseudokirchneriella subcapitata - growth rate - OECD 201)***	NOELR (21d) = 1 mg/l (Daphnia magna - OECD 211)	NOELR (28d) = 0,46 mg/l (Oncorhynchus mykiss - QSAR Petrotox)	

#### Effects on terrestrial organisms

No information available.

## 12.2. Persistence and Degradability

#### **General Information**

No information available.

## 12.3. Bioaccumulative potential

**Product Information** No information available.

logPow No information available\*\*\*

**Component Information** 

12.4. Mobility in soil

**Soil** No information available.

Air No information available.

Water The product is insoluble and floats on water.

## 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

## 12.6. Other adverse effects

General Information No information available.\*\*\*

## Section 13: DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods



## NEVASTANE LUBE AEROSOL

Revision Date: 2015-04-30 Version 3

Waste from residues / unused

products

Should not be released into the environment. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. It must undergo special treatment, e.g. at suitable disposal site, to comply with local

regulations.\*\*\*

Contaminated packaging Empty containers may contain flammable or explosive vapours. Do not burn, or use a

cutting torch on, the empty drum. Do not cut, weld, bore, burn or incinerate emptied containers, unless they have been cleaned and declared safe. Empty containers should be

taken to an approved waste handling site for recycling or disposal.\*\*

EWC Waste Disposal No According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific. Waste codes should be assigned by the user based on the application

for which the product was used.

## Section 14: TRANSPORT INFORMATION

#### ADR/RID

UN/ID No UN1950
Proper shipping name AEROSOLS

Hazard Class 2
ADR/RID-Labels 2.1
Environmental hazard. yes
Classification Code 5F

**Special Provisions** 327, 625, 344, 190

Tunnel restriction code (D)

**Description** UN1950, AEROSOLS, 2.1, (D),

Excepted Quantity E0 Limited quantity 1 L

### IMDG/IMO

UN/ID No UN1950
Proper shipping name Aerosols
Hazard Class 2
Marine pollutant P

**EmS** F-D, S-U

**Description** UN1950, Aerosols, 2.1 (See SP63), (32°C c.c.), Marine Pollutant, Limited Quantity

**Special Provisions** 63,190, 277, 327, 344, 959

Excepted Quantity E0

Limited quantity See SP277

## ICAO/IATA

UN/ID No UN1950 Hazard Class 2.1

Proper shipping name Aerosols, flammable

ERG Code 10L

Special Provisions A145, A167, A802

**Description** UN1950, Aerosols, flammable, 2.1

Excepted Quantity E0 Limited quantity 30 kg G

ADN



Revision Date: 2015-04-30 Version 3

UN/ID No UN1950
Proper shipping name AEROSOLS

Hazard Class 2
Environmental hazard. yes
Classification Code 5F

**Special Provisions** 190, 327, 344, 625

**Description** UN1950, AEROSOLS, 2.1,

Excepted Quantity E0 Limited quantity 1 L

Ventilation VE01, VE04

## Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**European Union** 

Further information

No information available\*\*\*

15.2. Chemical Safety Assessment

Chemical Safety Assessment No information available\*\*\*

15.3. National regulatory information

#### The United Kingdom

• Avoid exceeding occupational exposure limits (see section 8).

#### **Ireland**

• Avoid exceeding occupational exposure limits (see section 8).

## Section 16: OTHER INFORMATION

## Full text of R-phrases referred to under sections 2 and 3

R10- Flammable

R12 - Extremely flammable

R65 - Harmful: may cause lung damage if swallowed

R66 - Repeated exposure may cause skin dryness or cracking

R67 - Vapours may cause drowsiness and dizziness

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment



## **NEVASTANE LUBE AEROSOL**

Revision Date: 2015-04-30 Version 3

#### Full text of H-Statements referred to under sections 2 and 3

H226 - Flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H336 - May cause drowsiness or dizziness

H411 - Toxic to aquatic life with long lasting effects

EUH066 - Repeated exposure may cause skin dryness or cracking\*\*\*

#### Abbreviations, acronyms

Legend Section 8

TWA: Time Weight Average STEL: Short Time Exposure Limit

+ Sensitiser \* Skin designation

\*\* Hazard Designation C: Carcinogen

M: Mutagen R: Toxic to reproduction

Revision Date: 2015-04-30

**Revision Note**\*\*\* Indicates updated section.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.

**End of Safety Data Sheet**