

# SAFETY DATA SHEET

PURITY™ FG WO WHITE MINERAL OIL 15



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

**EC number** : 232-455-8

**REACH Registration number**

Registration number	Legal entity
01-2119487078-27-0010	-

**CAS number** : 8042-47-5

**Product code** : PFWO15

**Product description** : Not available.

**Material uses** : Purity FG WO White Mineral Oil 15 is a highly refined white mineral oil intended for the food processing industry.

NSF 3H and H1 Registered.

This product complies with FDA 21 CFR 172.878 "White Mineral Oil" and 21 CFR 178.3620(a) regulations for direct food contact.

**Product type** : Liquid.

**Other means of identification** : Not available.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses
Manufacture of substance - Industrial
Use in cleaning agents - Consumer
Use in metal working fluids/rolling oils - Industrial
Use in metal working fluids/rolling oils - Professional
Use in binder and release agents - Industrial
Use in binder and release agents - Professional
Use in agrochemicals - Professional
Use in agrochemicals - Consumer
Use in rubber production and processing - Industrial
Use in polymer processing - Industrial
Use as an intermediate - Industrial
Use in lubricants - Industrial
Use in lubricants (Low release) - Professional
Use in lubricants (high release) - Professional
Use in lubricants (Low release) - Consumer
Use in lubricants (high release) - Consumer
Use in laboratories - Industrial
Use in laboratories - Professional
Use in water treatment agents - Industrial
Use in water treatment agents - Professional
Explosives manufacture and use - Professional
Distribution of substance - Industrial
Use in functional fluids - Industrial
Use in functional fluids - Professional
Other consumer uses - Consumer
Formulation and (re)packing of substances and mixtures - Industrial

PURITY™ FG WO WHITE MINERAL OIL 15

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

Use in coatings - Industrial  
Use in coatings - Professional  
Use in coatings - Consumer  
Use in cleaning agents - Industrial  
Use in cleaning agents - Professional

### 1.3 Details of the supplier of the safety data sheet

**Manufacturer** : Petro-Canada Lubricants Inc.  
2310 Lakeshore Road West  
Mississauga, Ontario  
Canada L5J 1K2

**Supplier** : Petro-Canada Europe Lubricants Limited  
Wellington House, Starley Way  
Birmingham International Park  
Solihull  
B37 7HB, United Kingdom  
Tel: +44 (0) 121 781 7264  
Fax: +44 (0) 121 781 7401

**e-mail address of person responsible for this SDS** : eusds@petrocanadalsp.com

### 1.4 Emergency telephone number

#### National advisory body/Poison Centre

**Telephone number** : Not applicable.

#### Supplier

**Telephone number** : Petro-Canada Lubricants Inc.: (001) 905-403-5770  
CHEMTREC Transport Emergency: 1-800-424-9300  
Poison Control Centre: Consult local telephone directory for emergency number(s).

**Hours of operation** : 24-hours

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Product definition** : Mono-constituent substance

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Asp. Tox. 1, H304

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

**Hazard pictograms** :



**Signal word** : Danger

**Hazard statements** : May be fatal if swallowed and enters airways.

#### Precautionary statements

**Prevention** : Not applicable.

PURITY™ FG WO WHITE MINERAL OIL 15

## SECTION 2: Hazards identification

- Response** : IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting.
- Storage** : Store locked up.
- Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.
- Supplemental label elements** : Not applicable.
- Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable.
- Special packaging requirements**
- Containers to be fitted with child-resistant fastenings** : Not applicable.
- Tactile warning of danger** : Not applicable.

### 2.3 Other hazards

- Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII** : No.  
P: Not available. B: Not available. T: No.
- Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII** : Not available.
- Other hazards which do not result in classification** : None known.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances : Mono-constituent substance

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
White mineral oil	REACH #: 01-2119487078-27 EC: 232-455-8 CAS: 8042-47-5	100	Asp. Tox. 1, H304  <b>See Section 16 for the full text of the H statements declared above.</b>	[A]

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

#### Type

- [A] Constituent  
[B] Impurity  
[C] Stabilising additive

Occupational exposure limits, if available, are listed in Section 8.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : Repeated skin exposure can produce local skin destruction or dermatitis.
- Ingestion** : Adverse symptoms may include the following:  
nausea or vomiting

### 4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.  
Foam (Specifically trained personnel only)  
Water fog (Specifically trained personnel only)  
Dry chemical powder  
Carbon dioxide  
Other inert gases (subject to regulations)  
Sand or earth
- Unsuitable extinguishing media** : Do not use direct water jets on the burning product; they could cause splattering and spread the fire.  
Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.

## SECTION 5: Firefighting measures

### 5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : In a fire or if heated, a pressure increase will occur and the container may burst.
- Hazardous combustion products** : Carbon oxides (CO, CO<sub>2</sub>), smoke and irritating vapours as products of incomplete combustion.

### 5.3 Advice for firefighters

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
- Additional information** : Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions

- : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.

### 6.4 Reference to other sections

- : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not swallow. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

- Recommendations** : Not applicable
- Industrial sector specific solutions** : Not available.

## SECTION 8: Exposure controls/personal protection

The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 8.1 Control parameters

#### Occupational exposure limits

Product/ingredient name	Exposure limit values
White mineral oil	<b>ACGIH TLV (United States). Notes: (Mineral oil)</b> TWA: 5 mg/m <sup>3</sup> , (Inhalable fraction) 8 hours.

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### DNELs/DMELs

## SECTION 8: Exposure controls/personal protection

Product/ingredient name	Type	Exposure	Value	Population	Effects
Highly refined base oils	DNEL	Long term Dermal	220 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	160 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	92 mg/kg bw/day	Human via the environment	Systemic
	DNEL	Long term Inhalation	35 mg/m <sup>3</sup>	Human via the environment	Systemic
	DNEL	Long term Oral	40 mg/kg bw/day	Human via the environment	Systemic

**DNEL/DMEL Summary** : Long-term systemic effects include non-reproductive effects and developmental / reproductive effects. Lowest DNEL is shown.

### PNECs

No PNECs available

## 8.2 Exposure controls

**Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. > 8 hours (breakthrough time): neoprene, nitrile, Viton®

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: organic vapour filter

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	: Viscous liquid.
Colour	: Clear and bright
Odour	: Mild petroleum oil like.
Odour threshold	: Not available.
pH	: Not available.
Melting point/freezing point	: Not available.
Initial boiling point and boiling range	: Not available.
Flash point	: Open cup: 175°C [Cleveland.]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Low fire hazard. This material must be heated before ignition will occur.
Upper/lower flammability or explosive limits	: Not available.
Vapour pressure	: Not available.
Vapour density	: Not available.
Relative density	: 0.85 kg/L @ 15°C (59°F)
Solubility in water	: Insoluble in water.
Partition coefficient: n-octanol/ water	: Not available.
Fire point	: Not available.
Decomposition temperature	: Not available.
Explosive properties	: Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Oxidising properties	: Not available.
Viscosity	: 15.00 cSt @ 40°C (104°F), 3.43 cSt @ 100°C (212°F)
Pour point	: -18°C (0°F)

### 9.2 Other information

Solubility in water	: Not available.
---------------------	------------------

## SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: Reactive with oxidising agents.
10.6 Hazardous decomposition products	: May release CO <sub>x</sub> , smoke and irritating vapours when heated to decomposition.



## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Highly refined base oils	LC50 Inhalation Dusts and mists	Rat	>5000 mg/m <sup>3</sup>	4 hours
	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

**Conclusion/Summary** : Not available.

#### Irritation/Corrosion

**Conclusion/Summary** : Not available.

#### Sensitisation

**Conclusion/Summary** : Not available.

#### Mutagenicity

**Conclusion/Summary** : Not available.

#### Carcinogenicity

**Conclusion/Summary** : Not available.

#### Reproductive toxicity

**Conclusion/Summary** : Not available.

#### Teratogenicity

**Conclusion/Summary** : Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Product/ingredient name	Result
White mineral oil	ASPIRATION HAZARD - Category 1

**Information on likely routes of exposure** : Routes of entry anticipated: Oral, Dermal, Inhalation.

#### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact** : No known significant effects or critical hazards.

**Ingestion** : May be fatal if swallowed and enters airways.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No specific data.

**Inhalation** : No specific data.

**Skin contact** : Repeated skin exposure can produce local skin destruction or dermatitis.

**Ingestion** : Adverse symptoms may include the following:  
nausea or vomiting

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

##### Short term exposure

## SECTION 11: Toxicological information

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Potential chronic health effects

Not available.

**Conclusion/Summary** : Not available.

**General** : No known significant effects or critical hazards.

**Carcinogenicity** : All components listed in Annex VI to which Note L applies, and contained in the product, have been shown to contain less than 3% DMSO extractables as measured by IP346.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

**Other information** : Not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Highly refined base oils	NOEC ≥100 mg/l NOEC ≥100 mg/l NOEC ≥100 mg/l	Algae Daphnia Fish	72 hours 48 hours 96 hours

**Conclusion/Summary** : Not available.

### 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

### 12.3 Bioaccumulative potential

Not available.

### 12.4 Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Mobility** : Not available.

### 12.5 Results of PBT and vPvB assessment

**PBT** : No.  
P: Not available. B: Not available. T: No.

**vPvB** : Not available.  
vP: Not available. vB: Not available.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : The classification of the product may meet the criteria for a hazardous waste.

#### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
<b>14.1 UN number</b>	Not regulated.	Not regulated.	Not regulated.	Not regulated.
<b>14.2 UN proper shipping name</b>	-	-	-	-
<b>14.3 Transport hazard class(es)</b>	-	-	-	-
<b>14.4 Packing group</b>	-	-	-	-
<b>14.5 Environmental hazards</b>	No.	No.	No.	No.

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** : Not available.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

##### Annex XIV - List of substances subject to authorisation

###### Annex XIV

None of the components are listed.

###### Substances of very high concern

None of the components are listed.

**Annex XVII - Restrictions** : Not applicable.  
on the manufacture,  
placing on the market  
and use of certain  
dangerous substances,  
mixtures and articles

#### Other EU regulations

##### Ozone depleting substances (1005/2009/EU)

Not listed.

##### Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

##### Seveso Directive

This product is not controlled under the Seveso Directive.

#### International regulations

##### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

##### Montreal Protocol (Annexes A, B, C, E)

Not listed.

##### Stockholm Convention on Persistent Organic Pollutants

Not listed.

##### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

##### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

#### Inventory list

<b>Australia</b>	: All components are listed or exempted.
<b>Canada</b>	: All components are listed or exempted.
<b>China</b>	: All components are listed or exempted.
<b>Europe</b>	: All components are listed or exempted.
<b>New Zealand</b>	: All components are listed or exempted.
<b>Philippines</b>	: All components are listed or exempted.
<b>Republic of Korea</b>	: All components are listed or exempted.
<b>United States</b>	: All components are listed or exempted.

**15.2 Chemical safety assessment** : Complete.

## SECTION 16: Other information

Indicates information that has changed from previously issued version.

### Abbreviations and acronyms

: ATE = Acute Toxicity Estimate  
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
 DMEL = Derived Minimal Effect Level  
 DNEL = Derived No Effect Level  
 EUH statement = CLP-specific Hazard statement  
 PBT = Persistent, Bioaccumulative and Toxic  
 PNEC = Predicted No Effect Concentration  
 RRN = REACH Registration Number  
 vPvB = Very Persistent and Very Bioaccumulative

### Key literature references and sources for data

: Available upon request.  
 ™ Owned or used under license.

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Asp. Tox. 1, H304	Calculation method

### Full text of abbreviated H statements

H304	May be fatal if swallowed and enters airways.
------	---

### Full text of classifications [CLP/GHS]

Asp. Tox. 1, H304	ASPIRATION HAZARD - Category 1
-------------------	--------------------------------

**Date of printing** : 9/4/2018

**Date of issue/ Date of revision** : 9/4/2018

**Date of previous issue** : 7/19/2018

**Version** : 2

**Prepared by** : Product Safety

**For Copy of SDS** : Internet: [lubricants.petro-canada.com/sds](http://lubricants.petro-canada.com/sds)

Lubricants:

Western Canada, telephone: (001) 800-661-1199; fax: (001) 800-378-4518

Ontario & Central Canada, telephone: (001) 800-268-5850; fax: (001) 800-201-6285

Quebec & Eastern Canada, telephone: (001) 800-576-1686; fax: (001) 800-201-6285

For Product Safety Information: (001) 905-491-0565

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

## Annex to the extended Safety Data Sheet (eSDS)

Consumer

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.10.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in cleaning agents - Consumer  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU21  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08a, ERC08d  
**Market sector by type of chemical product:** PC03, PC04, PC09a, PC24, PC35, PC38  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Consumer

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.16.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in agrochemicals - Consumer  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU21  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08a, ERC08d  
**Market sector by type of chemical product:** PC12, PC27, PC22 Lawn and Garden Preparations, including fertilizers  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Consumer

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.23.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in lubricants (Low release) - Consumer  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU21  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC09a, ERC09b  
**Market sector by type of chemical product:** PC01, PC24, PC31, PC06  
Automotive Care Products\*\*\*  
**Article category related to subsequent service life:** Not applicable.



## Annex to the extended Safety Data Sheet (eSDS)

Consumer

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.24.4a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in lubricants (high release) - Consumer  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU21  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08a, ERC08d  
**Market sector by type of chemical product:** PC01, PC24, PC31, PC06  
Automotive Care Products\*\*\*  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Consumer

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.32.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Other consumer uses - Consumer  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU21  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08a, ERC08d  
**Market sector by type of chemical product:** PC28, PC39  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Consumer

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.7.1a - Highly Refined Base Oils

**List of use descriptors** : **Identified use name:** Use in coatings - Consumer  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU21  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08a, ERC08d  
**Market sector by type of chemical product:** PC01, PC02, PC04, PC09a, PC09b, PC09c, PC15, PC18, PC23, PC24, PC31, PC34, PC05 Artists Supply and Hobby preparations, PC10 Building and construction preparations not covered elsewhere

## Annex to the extended Safety Data Sheet (eSDS)

Industrial

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.1.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Manufacture of substance - Industrial  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC15  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU03, SU08, SU09  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC01, ERC04  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Industrial

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.11.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in metal working fluids/rolling oils - Industrial  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC05, PROC07, PROC08a, PROC08b, PROC09, PROC10, PROC13, PROC17  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU03  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC04  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Professional

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.12.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in metal working fluids/rolling oils - Professional  
**Process Category:** PROC01, PROC02, PROC03, PROC05, PROC08a, PROC08b, PROC09, PROC10, PROC11, PROC13, PROC17  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU22  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08a, ERC08d  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Industrial

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.13.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in binder and release agents - Industrial  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC06, PROC07, PROC08b, PROC10, PROC13, PROC14  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU03  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC04  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Professional

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.14.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in binder and release agents - Professional  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC06, PROC08a, PROC08b, PROC10, PROC11, PROC14  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU22  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08a, ERC08d  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.



## Annex to the extended Safety Data Sheet (eSDS)

Professional

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.15.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in agrochemicals - Professional  
**Process Category:** PROC01, PROC02, PROC04, PROC08a, PROC08b, PROC11, PROC13  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU22  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08a, ERC08d  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Industrial

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.17.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in rubber production and processing - Industrial  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC05, PROC06, PROC07, PROC08a, PROC08b, PROC09, PROC13, PROC14, PROC15, PROC21  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU03, SU10, SU11  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC01, ERC04, ERC06d  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Industrial

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.18.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in polymer processing - Industrial  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC05, PROC06, PROC08a, PROC08b, PROC09, PROC13, PROC14, PROC21  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU10  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC04  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Industrial

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.2.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use as an intermediate - Industrial  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC15  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU03, SU08, SU10  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC06a  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Industrial

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.20.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in lubricants - Industrial  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC07, PROC08a, PROC08b, PROC09, PROC10, PROC13, PROC17, PROC18  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU03  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC04, ERC07  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Professional

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.21.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in lubricants (Low release) - Professional  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC09, PROC10, PROC11, PROC13, PROC17, PROC18, PROC20  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU22  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC09a, ERC09b  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Professional

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.22.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in lubricants (high release) - Professional  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC09, PROC10, PROC11, PROC13, PROC17, PROC18, PROC20  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU22  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08a, ERC08d  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Industrial

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.25.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in laboratories - Industrial  
**Process Category:** PROC10, PROC15  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU03  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC02, ERC04  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.



## Annex to the extended Safety Data Sheet (eSDS)

Professional

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.26.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in laboratories - Professional  
**Process Category:** PROC10, PROC15  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU22  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08a  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Industrial

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.27.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in water treatment agents - Industrial  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC13  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU10  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC03, ERC04  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Professional

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.28.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in water treatment agents - Professional  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC13  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU22  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08f  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Professional

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.29.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Explosives manufacture and use - Professional  
**Process Category:** PROC01, PROC03, PROC05, PROC08a, PROC08b  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU22  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08e  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Industrial

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.3.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Distribution of substance - Industrial  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC09, PROC15  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU03  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC01, ERC02, ERC03, ERC04, ERC05, ERC06a, ERC06b, ERC06c, ERC06d, ERC07  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Industrial

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.30.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in functional fluids - Industrial  
**Process Category:** PROC01, PROC02, PROC03, PROC08a, PROC08b, PROC09  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU03  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC07  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Professional

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.31.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in functional fluids - Professional  
**Process Category:** PROC01, PROC02, PROC03, PROC08a, PROC09, PROC20  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU22  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC09a, ERC09b  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Industrial

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.4.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Formulation and (re)packing of substances and mixtures - Industrial  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC05, PROC08a, PROC08b, PROC09, PROC14, PROC15  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU03, SU10  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC02  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.



## Annex to the extended Safety Data Sheet (eSDS)

Industrial

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.5.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in coatings - Industrial  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC05, PROC07, PROC08a, PROC08b, PROC10, PROC13, PROC15  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU03  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC04  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Professional

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.6.1a - highly refined base oils

**List of use descriptors** : **Identified use name:** Use in coatings - Professional  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC05, PROC08a, PROC08b, PROC10, PROC11, PROC13, PROC15, PROC19  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU22  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08a, ERC08d  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Industrial

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.8.1a - Highly Refined Base Oils

**List of use descriptors** : **Identified use name:** Use in cleaning agents - Industrial  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC07, PROC08a, PROC08b, PROC10, PROC13  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU03  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC04  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.

## Annex to the extended Safety Data Sheet (eSDS)

Professional

### Identification of the substance or mixture

**Product definition** : Mono-constituent substance  
**Code** : PFWO15  
**Product name** : PURITY™ FG WO WHITE MINERAL OIL 15

### Section 1 - Title

**Short title of the exposure scenario** : ES 9.9.1a - Highly Refined Base Oils

**List of use descriptors** : **Identified use name:** Use in cleaning agents - Professional  
**Process Category:** PROC01, PROC02, PROC03, PROC04, PROC08a, PROC08b, PROC10, PROC11, PROC13  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU22  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08a, ERC08d  
**Market sector by type of chemical product:** Not applicable.  
**Article category related to subsequent service life:** Not applicable.