

# Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 09 August 2021



Revision: 19 January 2017

Page 1 of 7

## 1. Identification of the substance/preparation and of the company/undertaking

**Trade name:** *linelube*

**Relevant identified uses of the substance or mixture and uses advised against:**

- Use of the substance/mixture:
- Use advised against:

**Supplier:**

Online Lubricants Ltd.  
Unit 20, The IO Centre, 69 River Road, Barking IG11 0DR  
UK Tel. +44 (0) 208 507 0123

**In case of emergency:** +44 (0) 208 507 0123

## 2. Hazards identification

### 2.1 Classification of the substance or mixture

- CLP: Not classified.

### 2.2 Label elements

- Signal Word: Not classified.

- Hazard statements  
Not classified.

- Precautionary statements  
Not classified.

### 2.3 Other hazards

## 3. Composition / Information on ingredients

### 3.1 Mixtures

- Refined mineral base oil mixture

CAS Number: Various see Section 16

EC Number: Not available.

REACH Registration Number: Not available.

Concentration: <85%

H Statements:

Symbols:

- Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts

CAS Number: 85940-28-9

EC Number: 288-917-4

REACH Registration Number: 01-2119521201-61-XXXX

Concentration: <1%

H Statements: H411, H315, H318, H319

Symbols:

Categories: Skin Irrit. 2, Eye Dam. 1

# Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 09 August 2021



Revision: 19 January 2017

Page 2 of 7

## 4. First-aid measures

### 4.1 Description of first aid measures

#### - Inhalation

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

#### - Contact with eyes

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.

#### - Contact with skin

Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.

#### - Ingestion

Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### 4.2 Most important symptoms and effects, both acute and delayed

- See Section 11 for more detailed information on health effects and symptoms.

### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment should be symptomatic and directed to relieving any effects.

- Note: High pressure applications.

- Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes.

## 5. Fire Fighting Measures

### 5.1 Extinguishing media

- Extinguishing media: Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2 Special hazards arising from the substance or mixture

- If heated or in cases of fire, pressure in a vessel will increase and container may burst.

- Combustion products may include: carbon oxides (CO, CO<sub>2</sub>) (carbon monoxide, carbon dioxide), metal oxide/ oxides, phosphorous oxides and sulphur oxides (SO, SO<sub>2</sub>, etc..)

### 5.3 Advice for firefighters

- Promptly isolate and secure the scene, remove all unnecessary and untrained persons from the vicinity if there is a fire.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European Standard EN 469 will provide a basic level of protection for chemical incidents.

## 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- Stop any leak if it is safe to do so.

- Absorb with sand or other inert absorbent. Collect in containers and seal securely.

- Adopt best manual handling considerations when handling, carrying and dispensing.

# Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 09 August 2021

**linelube**

Revision: 19 January 2017

Page 3 of 7

- Appropriate protective equipment must be worn when handling a spill of this material. See SECTION 8, Exposure Controls/Personal Protection, for recommendations. If exposed to material during clean-up operations, see SECTION 4, First Aid Measures, for actions to follow.

## 6.2 Environmental Precautions

- Do not allow product to enter drains. Prevent further spillage if safe. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

## 6.3 Methods and material for containment and cleaning up

- Stop any leak if it is safe to do so.
- Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.
- Dispose of in compliance with all local and national regulations.

## 6.4 Reference to other sections

- See Section 1 for emergency contact information.
- See Section 5 for firefighting measures.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 12 for environmental precautions.  
See Section 13 for additional waste treatment information.

## 7. Handling and Storage

### 7.1 Precautions for safe handling

- Use appropriate personal protective equipment.
- Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

- Store in accordance with local regulations.
- Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

### 7.3 Specific end use(s)

- The identified uses for this product are detailed in Section 1.2.

## 8. Exposure controls/personal protection

### 8.1 Control parameters

Substances

Chemical Name	WEL (short term)	WEL (long term)
Refined mineral base oil mixture	-	5mg/m3

If this product contains ingredients with exposure limits, personal and/or workplace atmosphere monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

# Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 09 August 2021



Revision: 19 January 2017

Page 4 of 7

## 8.2 Exposure controls

### - Engineering Controls

All activities involving chemicals should be assessed for their risks to health, to ensure exposures are adequately controlled. Personal protective equipment should only be considered after other forms of control measures (e.g. engineering controls) have been suitably evaluated. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained.

### - Eye Protection:

If contact is likely, safety glasses are recommended.

### Hand Protection

- As specific work environments and material handling practices vary, safety procedures should be developed for each intended application. The correct choice of protective gloves depends upon the chemicals being handled and the conditions of work and use.

Recommended: Nitrile or alternative suitable glove.

Breakthrough time represents how long a glove can be expected to provide effective permeation resistance. Always consult with your glove supplier for up-to-date technical information on breakthrough.

### Skin and Body Protection

Wear appropriate clothing as protection against splashing.

In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.

### - Hygiene Measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking.

Routinely wash work clothing and protective equipment to remove contaminants.

### - Respiratory Protection

No Special requirements under ordinary conditions of use and with adequate ventilation.

## 9. Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

- Appearance: Brown
- Odour: Characteristic.
- Density: <1 kg/m<sup>3</sup> at 20 °C
- Initial boiling point and boiling range: No data available.
- Freezing point/Range: No data available.
- Boiling Point/Range: No data available.
- Flashpoint: >160°C
- Oxidising Properties: No information available
- Autoignition Temperature: No information available

### 9.2 Other information

- The figures in this section are for guidance only please always use them in conjunction with the technical data sheet.

## 10. Stability and Reactivity

### 10.1 Reactivity

- No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.

### 10.2 Chemical stability

- Considered stable under normal conditions

### 10.3 Possibility of hazardous reactions

- None under normal processing.
- Hazardous polymerisation does not occur.

# Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 09 August 2021



Revision: 19 January 2017

Page 5 of 7

## 10.4 Conditions to avoid

- Avoid heat, flames and other sources of ignition.

## 10.5 Incompatible materials

- Reactive or incompatible with the following materials: oxidizing materials.

## 10.6 Hazardous decomposition products

- Under normal conditions of storage and use, hazardous decomposition products should not be produced

## 11. Toxicological Information

### 11.1 Information on toxicological effects

- Eye contact: No known significant effects or critical hazards. Potential risk of transient stinging or redness if accidental eye contact occurs.
- Inhalation: Vapour inhalation under ambient conditions is not normally a problem due to low vapour pressure. Inhalation of oil mist or vapours at elevated temperatures may cause respiratory irritation.
- Ingestion: No known significant effects or critical hazards. Ingestion of large quantities may cause nausea and diarrhoea.
- Skin contact: Defatting to the skin. May cause skin dryness and irritation and/or dermatitis.
- No other specific data and information available.

## 12. Ecological Information

### 12.1 Toxicity

- No data available.

### 12.2 Persistence and degradability

- Not expected to be rapidly degradable.

### 12.3 Bioaccumulation potential

- The product has limited potential for bioaccumulation. The product is not expected to bioaccumulate through food chains in the environment.

### 12.4 Mobility in soil

- Immiscible with water.

### 12.5 Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

### 12.6 Other adverse effects

- Spillages are unlikely to penetrate the soil.

## 13. Disposal Considerations

### 13.1 Waste treatment methods

- Dispose of in compliance with all local and national regulations.

# Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 09 August 2021



Revision: 19 January 2017

Page 6 of 7

## 13.2 Classification

- Where possible, arrange for product to be recycled.
- Arrange for collection by specialised disposal company.

## 14. Transport Information

### 14.1 UN Number

- Not regulated.

### 14.2 Un Proper Shipping Name

- Not applicable.

### 14.3 Transport hazard class(es)

- Not classified.

### 14.4 Packing group

- Not applicable.

### 14.5 Environmental hazards

- Not classified.

### 14.6 Special precautions for user

- Not available.

### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC code

- Not available.

## 15. Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Regulation (EC) No 1907/2006 of the European Parliament and the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
- Regulation (EC) No 1272/2008 of the European Parliament and the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

### 15.2 Chemical safety assessment

- A chemical safety assessment (CSA) for this product has not yet been completed

## 16. Other Information

Text not given with phrase codes where they are used elsewhere in this safety data sheet: - H315: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation. H411: Toxic to aquatic life with long lasting effects.

# Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 09 August 2021



Revision: 19 January 2017

Page 7 of 7

May contain one or more of the following: 101316-69-2 / RRN 01-2119486948-13, 101316-70-5, 101316-71-6, 101316-72-7 / RRN 01-2119489969-06, 64741-88-4 / RRN 01-2119488706-23, 64741-89-5 / RRN 01-2119487067-30, 64741-95-3 / RRN 01-2119487081-40, 64741-96-4 / RRN 01-2119483621-38, 64741-97-5 / RRN 01-2119480374-36, 64742-01-4 / RRN 01-2119488707-21, 64742-44-5 / RRN 01-2119985177-24, 64742-45-6, 64742-52-5 / RRN 01-2119467170-45, 64742-53-6 / RRN 01-2119480375-34, 64742-54-7 / RRN 01-2119484627-25, 64742-55-8 / RRN 01-2119487077-29, 64742-56-9 / RRN 01-2119480132-48, 64742-57-0 / RRN 01-2119489287-22, 64742-58-1, 64742-62-7 / RRN 01-2119480472-38, 64742-63-8, 64742-64-9, 64742-65-0 / RRN 01-2119471299-27, 64742-70-7 / RRN 01-2119487080-42, 72623-85-9 / RRN 01-2119555262-43, 72623-86-0 / RRN 01-2119474878-16, 72623-87-1 / RRN 01-2119474889-13, 74869-22-0 / RRN 01-2119495601-36, 90669-74-2 / RRN 01-2119970171-43

## Disclaimer

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process