




# ARQUUS W75

blackout edition


EN

## ► Product Overview




- 1 Display Side
- 2 Source Side
- 3 Micro USB

## ► Micro USB Set-up



Please make sure to plug in Micro USB cable FIRST before plug the HDMI cable in.

## ► HDMI Set-up



## ► Product Specification

Name	VIVIFY ARQUUS W75 blackout edition
HDMI Version	HDMI 2.1
Cable Length	15 FT / 4.5 M
Bandwidth	48 Gbps
Operation Environment	0° C ~ 50° C
Storage Environment	-10° C ~ 60° C / 85% RH
Pull Testing	10 kgf
Image / Video Support	Support up to 8K 60Hz or 4K 120Hz (7680x4320), YCbCr 4:2:0, YCbCr 4:4:4, HDCP 2.3, Dynamic HDR, 1080 3D
Audio Support	192kHz, 24-bit, Dolby 7.1 surround sound 32-channel, DTS-HD MA, DTS:X, Dolby Atmos, Fixed rate link (FRL)

## RoHS compliant

VIVIFY ARQUUS W75 blackout edition has been certified as RoHS compliant in accordance with Directive 2011/65/EU.

Designed in USA. Made in Taiwan.

VIVIFY is a division of BKSTEC.

The specifications depicted in this document may be subject to change without prior notice.

All trademarks are copyright of their respective owners.

© BKSTEC Corp. 2020. All rights reserved.

VIVIFY- IT'S A GAME CHANGER

[vivify.cc](http://vivify.cc)