

LIAW SELECTED PUBLICATIONS:

Swystun LL, **Liaw PC**. The role of leukocytes in thrombosis. *Blood*. 2016 Aug 11;128(6):753-62.

Gould TJ, Lysov Z, Swystun LL, Dwivedi DJ, Zarychanski R, Fox-Robichaud AE, **Liaw PC**. Extracellular Histones Increase Tissue Factor Activity and Enhance Thrombin Generation by Human Blood Monocytes. *Shock*. 2016 Jul 11 [Epub ahead of print].

Dwivedi DJ, Grin PM, Khan M, Prat A, Zhou J, Fox-Robichaud AE, Seidah NG, **Liaw PC**. Differential Expression of PCSK9 Modulates Infection, Inflammation and Coagulation in a Murine Model of Sepsis. *Shock*. 2016 Jul 11. [Epub ahead of print].

Lysov Z, Dwivedi DJ, Gould TJ, **Liaw PC**. Procoagulant effects of lung cancer chemotherapy: impact on microparticles and cell-free DNA. *Blood Coagul Fibrinolysis*. 2016 Feb 25. [Epub ahead of print].

Wu C, Kim PY, Swystun LL, **Liaw PC**, Weitz JI. Activation of protein C and thrombin activable fibrinolysis inhibitor on cultured human endothelial cells. *J Thromb Haemost*. 2016 Feb;14(2):366-74.

Liaw PC, Ito T, Iba T, Thachil J, Zeerleder S. DAMP and DIC: The role of extracellular DNA and DNA-binding proteins in the pathogenesis of DIC. *Blood Rev*. 2016 Jul;30(4):257-61.

Gould TJ, Vu TT, Stafford AR, Dwivedi DJ, Kim PY, Fox-Robichaud AE, Weitz JI, **Liaw PC**. Cell-Free DNA Modulates Clot Structure and Impairs Fibrinolysis in Sepsis. *Arterioscler Thromb Vasc Biol*. 2015; Dec;35(12):2544-53.

Yang J, Selvaganapathy PR, Gould TJ, Dwivedi DJ, Liu D, Fox-Robichaud AE, **Liaw PC**. A microfluidic device for rapid quantification of cell-free DNA in patients with severe sepsis. *Lab Chip*. 2015; Oct 7;15(19):3925-33.

Yalavarthi S, Gould TJ, Rao AN, Mazza LF, Morris AE, Núñez-Álvarez C, Hernández-Ramírez D, Bockenstedt PL, **Liaw PC**, Cabral AR, Knight JS. Antiphospholipid antibodies promote the release of neutrophil extracellular traps: A new mechanism of thrombosis in the antiphospholipid syndrome. *Arthritis Rheumatol*. 2015; Nov;67(11):2990-3003.

Pepler L, Dwivedi D, Liaw PC. Pepler L, Dwivedi D, **Liaw PC**. Characterization of mice harboring an EPCR variant with impaired ability to bind protein C: Novel role of EPCR in hematopoiesis *Blood*. 2015; Jul 30;126(5):673-82.

Gould TJ, Lysov Z, **Liaw PC**. Extracellular DNA and histones: Double-edged swords in immunothrombosis. *J Thromb Haemost* 2015; Jun;13 Suppl 1:S82-91.

Blom C, Deller BL, Fraser DD, Patterson EK, Martin CM, Young B, **Liaw PC**, Yazdan-Ashoori P, Ortiz A, Webb B, Kilmer G, Carter DE, Cepinskas G. Human severe sepsis cytokine mixture increases β 2-integrin-dependent polymorphonuclear leukocyte adhesion to cerebral microvascular endothelial cells in vitro. *Crit Care*. 2015; Apr 7;19:149.

Mai SH, Khan M, Dwivedi DJ, Ross CA, Zhou J, Gould TJ, Gross PL, Weitz JI, Fox-Robichaud AE, **Liaw PC**. Delayed But Not Early Treatment With DNase Reduces Organ Damage and Improves Outcome in a Murine Model of Sepsis. *Shock*. 2015; Aug;44(2):166-72.

Bhagirath VC, Dwivedi DJ, **Liaw PC**. Comparison of the Pro-Inflammatory and Pro-Coagulant Properties of Nuclear, Mitochondrial, and Bacterial DNA. *Shock*. 2015; Sep;44(3):265-71.

Gould TJ, Vu T, Swystun LL, Dwivedi D, Mai S, Weitz JI, **Liaw PC**. Neutrophil Extracellular Traps promote thrombin generation through platelet-dependent and -independent mechanisms. *Arterioscler Thromb Vasc Biol*. 2014 Sep;34(9):1977-84.

Lysov Z, Swystun LL, Kuruvilla S, Arnold A, **Liaw PC**. Lung cancer chemotherapy agents increase procoagulant activity via protein disulfide isomerase-dependent tissue factor decryption. *Blood Coag Fibrinolysis*. 2015 Jan;26(1):36-45.

Wu C, Dwivedi D, Pepler L, Lysov Z, Waye J, Julian J, Desch K, Ginsburg D, Weitz JI, Kearon C, **Liaw PC**. Targeted Gene Sequencing to Identify Polymorphisms in the Protein C and EPCR Genes in Patients with Unprovoked Venous Thromboembolism. *Arterioscler Thromb Vasc Biology*. 2013;Nov;33(11):2674-81.

Taneja R, **Liaw PC**, Al Ghazaly S, Priestrap F, Murkin J, Martin C. Effect of cardiopulmonary bypass on thrombin generation and protein C pathway. *J Cardiothorac Vasc Anesth*. 2013;Feb;27(1):35-40.

Dwivedi D, Toltl LJ, Swystun LL, Pogue J, Dyal L, Liaw KL, Weitz JI, Cook DJ, Fox-Robichaud A, **Liaw PC**. Prognostic utility and characterization of cell-free DNA in patients with severe sepsis. *Crit Care*. 2012;Aug 13;16(4):151-162.

Swystun LL, Mukherjee S, **Liaw PC**. Breast cancer chemotherapy induces the release of cell free DNA, a novel procoagulant stimulus. *J Thromb Haemost*. 2011; Nov; 9(11): 2313–2321.

Swystun LL, Mukherjee S, Levine M, **Liaw PC**. Cyclophosphamide and its metabolite acrolein upregulate thrombin generation and impair the protein C anticoagulant pathway in animal- and cell-based models. *J Thromb Haemost*. 2011;Apr;9(4):767-75.

Ricciuto DR, dos Santos CC, Hawkes M, Toltl LJ, Conroy AL, Rajwans N, Lafferty EI, Cook DJ, Fox-Robichaud A, Kahn moui K, Kain KC, **Liaw PC**, Liles C. Angiopoietin-1 and-2 are clinically informative prognostic biomarkers of morbidity and mortality in a longitudinal cohort of patients with severe sepsis. *Crit Care Med*. 2011;Apr;39(4):702-710.

Toltl LJ, Austin RC, **Liaw PC**. Activated protein C protects against inflammation, apoptosis, and tissue factor procoagulant activity by regulating endoplasmic reticulum calcium depletion in blood monocytes. *J Thromb Haemost*. 2011; Mar;9(3):582-92.

Mukherjee S, Swystun LL, Mackman N, Wang J.G., Pond G, Beaudin S, Shin LYY, Levine MN, **Liaw PC**. Impact of chemotherapy on thrombin generation and on the protein C in patients with early stage breast cancer patients. *Pathophysiology Haemost Thromb*. 2010;37(2-4):88-97.

Hirayama S, Cypel M, Sato M, Anraku M, **Liaw PC**, Liu M, Waddell TK, Kashavjee S. Activated protein C in ischemia-reperfusion injury after experimental lung transplantation. *J Heart and Lung Transplantation*. 2009;Nov;28(11):1180-1184.

Swystun, LL, Shin LYY, Beaudin S, **Liaw PC**. Chemotherapeutic agents doxorubicin and epirubicin induce a procoagulant phenotype on endothelial cells and blood monocytes. *J Thromb Haemost*. 2009; Apr;7(4):619-26.

- Toltl LJ, Swystun LL, Pepler L, **Liaw PC**. Protective effects of activated protein C in sepsis. *Thromb Haemost*. 2008; Oct;100(4):582-92.
- Toltl LJ, Beaudin S, **Liaw PC**. Activated protein C upregulates interleukin-10 and inhibits tissue factor in blood monocytes. *J Immunol*. 2008; 181: 2165-2173.
- Toltl LJ, Shin LYY, **Liaw PC**. Activated protein C in sepsis and beyond: Update 2006. *Frontiers in Bioscience*.2007; 12:1963-72.
- Stephenson DA, Toltl L, Beaudin S, **Liaw PC**. Modulation of monocyte function by activated protein C. *J Immunol*. 2006; 177(4):2115-22.
- Woodley-Cook J, Shin LYY, Caruso S, Beaudin S, **Liaw PC**. Effects of the chemotherapeutic agent doxorubicin on the protein C anticoagulant pathway. *Molecular Cancer Therapeutics*. 2006;Dec;5(12):3303-11.
- Yano K, **Liaw PC**, Mullington JM, Shih S, Okada H, Bodyak N, Kang PM, Belikoff B, Buras J, Mizgerd JP, Toltl L, Karumanchi SA, Aird WC. VEGF is an important determinant of sepsis morbidity and mortality. *J Exp Med*. 2006; June 12;203(6):1447-58.
- Liaw PC**, Esmon CT, Kahnamoui K, Schmidt S, Kahnamoui S, Ferrell G, Beaudin S, Julian JA, Weitz JI, Crowther M, Loeb M, Cook DJ. Patients with severe sepsis vary markedly in their ability to generate activated protein C. *Blood* 2004; 104:3958- 3964.
- Liaw PC**. Endogenous protein C activation in patients with severe sepsis. *Crit Care Med*. 2004;32[Suppl.]:S214-S218.
- Liaw PC**, Ferrell GL, Esmon CT. (2003) A monoclonal antibody against activated protein C allows rapid detection of activated protein C in plasma and reveals a calcium ion dependent epitope involved in Factor Va inactivation. *J Thromb Haemost* 2003; 1(4):662-670.
- Liaw PC**, Becker DL, Stafford AR, Fredenburgh JC, Weitz JI. Molecular basis for the susceptibility of fibrin-bound thrombin to inactivation by heparin cofactor II in the presence of dermatan sulfate, but not heparin. *J. Biol. Chem*. 2001; 276:20959-20965.
- Liaw PC**, Mather T, Oganessian N, Ferrell GL, Esmon CT (2001). Identification of the protein C/Activated protein C binding sites on the endothelial cell protein C receptor: Implications for a novel mode of ligand recognition by an MHC class 1-type receptor. *J. Biol. Chem*. 2001; 276:8364-8370.
- Liaw PC**, Neuenschwander PF, Smirnov M, Esmon CT. Mechanisms by which soluble endothelial cell protein C modulates protein C and activated protein C function. *J. Biol. Chem*. 2000; 275:5447-5452.
- Liaw PC**, Austin RC, Fredenburgh JC, Stafford AR, Weitz JI. Comparison of heparin-and dermatan sulfate-mediated catalysis of thrombin inhibition by heparin cofactor II. *J. Biol. Chem*. 1999; 274:27597-27604.
- Liaw PC**, Fredenburgh JC, Stafford AR, Tulinsky A, Austin RC, Weitz JI. Localization of the Thrombin-binding Domain on Prothrombin Fragment 2. *J. Biol. Chem*. 1998; 273:8932-8939.