



# falmec

QUIET | POWERFUL | RANGEHOODS



PRODUCT COLLECTION





# WHY FALMEC?



Founded in 1981, Falmec has evolved from a small manufacturing company to a leading force both in the national and international market, gaining extensive experience in the design and production of rangehoods.

With over 35 years experience in manufacturing premium rangehoods, Falmec has become an absolute leading international player in terms of quality, innovation, design and sustainability.



## No-Drop™ System

The phenomenon of condensation is extremely unpleasant during cooking activities. This happens when the hot air, coming from the stove on, collides with a cold surface, such as: tiles, hood, furniture and glass. With the contact the hot air decreases in temperature and the excess steam is transformed into water, or rather, into tiny droplets that are deposited on the cold surface of furniture and hanging deteriorate it over time.

To solve this problem Falmec conceived a sophisticated system, particularly efficient and innovative, named No-Drop™ System. Falmec No-Drop™ System has the ambitious goal of eliminating every drop of water in the kitchen.



## Quiet

Falmec are bringing silence and performance back to the kitchen. By placing a powerful motor remotely, away from your kitchen, Falmec is able to achieve high performance with minimal noise. There's no need to pause the conversation with a Falmec hood.



## Powerful

Falmec rangehoods are designed to perform with maximum power and minimal noise. Every possible cooking style is considered with extraction rates ranging from 600m³/h to 2010m³/h.



## Innovation - E.ION®

The only hoods that sanitise the air. Falmec has developed a unique technology which, through Bipolar Controlled Ionisation, allows to recreate the air ions that not only eliminate unpleasant odours in a natural way but also to restore the optimal ionic balance, with considerable benefits to your physical and psychological well-being.




## Innovation - NRS®


Finally a hood that makes minimal noise. With the innovative technology Noise Reduction System (NRS®), Falmec has successfully created a product that combines high performance with significant comfort in the home. Beyond the figures certifying the excellent results achieved with scientific evidence, the other important fact to stress is that the hood is incredibly quiet.

# OFF-BOARD MOTOR

**Please note:** Some products are special order only.  
Please ask your sales consultant for more information.

**LEGEND**  
IR = In-Roof  
ER = External Roof  
EW = External Wall

 Remote Included

 BBQ Rangehood

**GENOVA+ 120** 



2010 m³/h (ER/EW)

**MILANO+ 60**



765 m³/h (IR/ER/EW)  
1140 m³/h (IR/ER/EW)

**MILANO+ 90**



765 m³/h (IR/ER/EW)  
1140 m³/h (IR/ER/EW)

**NUVOLA 140** 



1300 m³/h (IR)  
1500 m³/h (EW)  
Available in White or Stainless

**STELLA** 



1300 m³/h (IR)  
1500 m³/h (EW)  
Available in White or Stainless

**DOWNDRAFT 90**



Refer to spec sheet

**MILANO+ 90 DEEP**



1140 m³/h (IR/ER/EW)  
2010 m³/h (IR/ER/EW)

**MILANO+ 120 DEEP**



1140 m³/h (IR/ER/EW)  
2010 m³/h (IR/ER/EW)

**ROMA 90**



765 m³/h (IR/ER/EW)  
1140 m³/h (IR/ER/EW)

**DOWNDRAFT 120**



Refer to spec sheet

**TRENTO 120 WALL** 



2010 m³/h (ER/EW)

**TRENTO 120 ISLAND** 



2010 m³/h (ER/EW)

**TREVISO+ 90**



765 m³/h (IR/ER/EW)  
1140 m³/h (IR/ER/EW)

**NUBE 90** 




1300 m³/h (IR)  
1500 m³/h (EW)

**NUBE 140** 



1300 m³/h (IR)  
1500 m³/h (EW)

**NUVOLA 90** 



1300 m³/h (IR)  
1500 m³/h (EW)  
Available in White or Stainless

# ON-BOARD MOTOR

Coming Soon

**VIRGOLA NO DROP 60**



800 m³/h - 60cm  
Available in Stainless or Black

Coming Soon

**VIRGOLA NO DROP 90**



800 m³/h - 90cm  
Available in Stainless or Black

Coming Soon


**VIRGOLA NO DROP 120**



800 m³/h - 120cm  
Available in Stainless or Black

# ON-BOARD MOTOR

**Please note:** Some products are special order only.  
Please ask your sales consultant for more information.

**LEGEND**  
 Remote Included

**GRUPPO INCASSO**



800 m³/h - 60cm/80cm/105cm  
Available in Stainless Steel

**GRUPPO INCASSO NRS®**



800 m³/h - 60cm/80cm  
Available in Stainless Steel

**GRUPPO INCASSO PRO**



950 m³/h - 80cm  
Available in Stainless Steel

**LUMINA NRS® ISLAND**



800 m³/h - 90cm  
Facia available in Black, White or Stainless

**PLANE BLACK WALL**



800 m³/h - 90cm  
Available in Matte Black

**PLANE BLACK ISLAND**



800 m³/h - 90cm  
Available in Matte Black

**SIENA+ 60**



950 m³/h - 60cm  
Available in Stainless Steel

**SIENA+ 90**



950 m³/h - 90cm  
Available in Stainless Steel

**SIENA+ 90 DEEP**



950 m³/h - 90cm  
Available in Stainless Steel

**PLANE NRS® WALL**



800 m³/h - 90cm/120cm  
Available in Stainless Steel

**PLANE NRS® ISLAND**



800 m³/h - 90cm/120cm  
Available in Stainless Steel

**PLANE TOP WALL**



800 m³/h - 90cm/120cm  
Available in Fasteel

**MOVE**



800 m³/h - 60cm/90cm/120cm  
Available in Black or White

**LUCE WALL**



800 m³/h - 90cm  
Black facia

**LUCE ISLAND**



800 m³/h - 90cm  
Black facia

**PLANE TOP ISLAND**



800 m³/h - 90cm  
Available in Fasteel

**POLAR WALL**



800 m³/h - 35cm  
Available in Black or White

**POLAR ISLAND**



800 m³/h - 35cm  
Available in Black or White

**LUMEN WALL**



800 m³/h - 60cm/90cm/120cm  
Available in Stainless

**LUMEN ISLAND**



800 m³/h - 90cm/120cm  
Available in Stainless

**LUMINA NRS® WALL**



800 m³/h - 90cm/120cm  
Facia available in Black, White or Stainless

**POLAR LIGHT WALL**



800 m³/h - 35cm  
Available in Stainless Steel

**POLAR LIGHT ISLAND**



800 m³/h - 35cm  
Available in Stainless Steel


OFF-BOARD MOTOR SOLUTIONS

	IN ROOF MOTOR		EXTERNAL ROOF MOTOR			EXTERNAL WALL MOTOR		
	IR-765	IR-1140	ER-765	ER-1140	ER-2010	EW-765	EW-1140	EW-2010
MILANO <sup>+</sup> 60	•	•	•	•		•	•	
MILANO <sup>+</sup> 90	•	•	•	•		•	•	
MILANO <sup>+</sup> 90 DEEP		•		•	•		•	•
MILANO <sup>+</sup> 120 DEEP		•		•	•		•	•
GENOVA <sup>+</sup> 120					•			•
TREVISO <sup>+</sup> 90		•		•	•		•	•
ROMA 90	•	•	•	•		•	•	
TRENTO 120					•			•
TRENTO 120 ISLAND					•			•

Motor Installation Methods



In-Roof Motor



External Roof Motor



External Wall Motor

\*HBX200MET & HBX200TILE available as optional accessories for all roof motors

Motors



In-Roof Motor

MOTOR SPEEDS

765m³/h      1140m³/h



External Roof Motor

MOTOR SPEEDS

765m³/h      1140m³/h      2010m³/h



External Wall Motor

MOTOR SPEEDS

765m³/h      1140m³/h      2010m³/h

OFF-BOARD MOTOR SOLUTIONS

	RECIRCULATING MOTOR	EXTERNAL WALL MOTOR		IN-LINE MOTOR	
	UC-600	EW-1000	EW-1500	IN-950	IN-1300
NUBE			•		•
NUVOLA 90			•		•
NUVOLA 140			•		•
ECLISSE			•		•
STELLA			•		•
DOWNDRAFT 90	•	•			•
DOWNDRAFT 120	•	•			•

Downdraft Motor Installation Methods



Recirculating Motor



External Wall Motor



Remote Inline Motor

Cassette Motor Installation Methods



External Wall Motor



Remote Inline Motor

Motors



Recirculating Motor

MOTOR SPEEDS

600m³/h

*\*For Downdraft rangehoods only*



External Wall Motor

MOTOR SPEEDS

1000m³/h

1500m³/h

*\*For Downdraft and cassette rangehoods only*



Remote Inline Motor

MOTOR SPEED

950m³/h



1300m³/h




AVAILABLE ACCESSORIES

HBX200MET - 200mm Metal Roof Kit (For External Roof Motor)


INCLUDED ACCESSORIES



Metal roof flashing (x1)





Rigid duct mount (x2)




Threaded rod & fixings (x2)

HBX200TILE - 200mm Tile Roof Kit (For External Roof Motor)


INCLUDED ACCESSORIES



Tile roof flashing (x1)




Rigid duct mount (x2)




Threaded rod & fixings (x2)


FAN.RSK200 - 200MM BACKDRAFT DAMPER (FOR EXTERNAL MOTORS)



FAN.SJK200 - 200MM BACKDRAFT DAMPER (FOR IN-ROOF MOTOR)



HBX200DUCT - DUCT EXTENSION KIT



MODEL CODE INDEX

UNDERMOUNT	
Genova+	FP3GV12S2
Gruppo Incasso 60	F3GI60S1
Gruppo Incasso 80	F3GI80S1
Gruppo Incasso 105	F3GI10S1
Gruppo Incasso NRS	F3GN60S1
Gruppo Incasso NRS	F3GN80S1
Gruppo Incasso Pro	F3GP80S1
Milano+ 60	FP3ML60S2
Milano+ 90	FP3ML90S2
Milano+ 90 Deep	FP3MLD90S2
Milano+ 120 Deep	FP3MLD12S2
Move	F3MV60B1 / F3MV60W1*
Move	F3MV90B1 / F3MV90W1*
Move	F3MV12B1* / F3MV12W1*
Siena+ 60	FP3SN60S2
Siena+ 90	FP3SN90S2
Siena+ 90 Deep	FP3SND90S2
CEILING CASSETTE	
Nube 90	F5NB90S1
Nube 140	F5NB14S1
Nuvola 90 Stainless/White	F5NV90S1 / F5NV90W1
Nuvola 140 Stainless/White	F5NV14S1 / F5NV14W1
Stella 90 Stainless/White	F5ST90S1 / F5ST90W1
Stella 120	F9ST12S1*
DOWNDRAFT	
Downdraft 90 Black/Stainless	F8DD90B1* / F8DD90S1*
Downdraft 120 Black/Stainless	F8DD12B1* / F8DD12S1*

CANOPY	
Luce Wall	F5LC90B1
Luce Island	F7LC90B1
Lumen Wall	F5LM60S1
Lumen Wall	F5LM90S1
Lumen Wall	F5LM12S1*
Lumen Island	F7LM90S1*
Lumen Island	F7LM12S1*
Lumina NRS Wall	F5LA90B1 / S1 / W1*
Lumina NRS Wall	F5LA12B1* / S1* / W1*
Lumina NRS Island	F7LA90B1
Plane Black Wall	F5PB90B1
Plane Black Island	F7PB90B1
Plane NRS Wall	F5PN90S1
Plane NRS Wall	F5PN12S1*
Plane NRS Island	F7PN90S1
Plane NRS Island	F7PN12S1*
Plane Top Wall	F5PT90S1
Plane Top Wall	F5PT12S1*
Plane Top Island	F7PT90S1*
Roma 90	F5RM90B1
Trento 120 Wall	F5TN12S1
Trento 120 Island	F7TN12S1
Treviso+ 90	FPTV90S2
CYLINDER / OTHER	
Polar Wall	F5PR35B1* / F5PR35W1*
Polar Island	F7PR35B1 / F7PR35W1*
Polar Light Wall	F5PL35S1*
Polar Light Island	F7PL35S1*

\* SPECIAL ORDER

# OFF-BOARD MOTOR RANGEHOOD MATRIX

Rangehood	Suitable Cooking Size	Cut-Out Dimensions	Accessories Available	Accessories Included
Downdraft 90	50cm - 90cm Surfaces	810 x 98mm	Remote Control	6m Ducting
Downdraft 120	75cm - 100cm Surfaces	1110 x 98mm	Remote Control	6m Ducting
Genova+ 120	90cm - 130cm Surfaces	1110 x 420mm	Remote Control	6m Ducting
Milano+ 60	50cm - 75cm Surfaces	512 x 250mm	Remote Control	6m Ducting
Milano+ 90	75cm - 100cm Surfaces	822 x 250mm	Remote Control	6m Ducting
Milano+ 90 Deep	75cm - 110cm Surfaces	824 x 330mm	Remote Control	6m Ducting
Milano+ 120 Deep	90cm - 130cm Surfaces	1110 x 330mm	Remote Control	6m Ducting
Nube 90	75cm - 150cm Surfaces	940 x 505mm		Remote Control, 6m Ducting
Nube 140	75cm - 150cm Surfaces	1325 x 590mm		Remote Control, 6m Ducting
Nuvola 90	65cm - 100cm Surfaces	940 x 505mm		90° Elbow Wall Vent Remote Control, Ducting
Nuvola 140	90cm - 150cm Surfaces	1325 x 590mm		90° Elbow Wall Vent Remote Control, 6m Ducting
Roma 90	75cm - 100cm Surfaces	N/A	Remote Control	6m Ducting
Stella 90	75cm - 100cm Surfaces	940 x 505mm		90° Elbow Wall Vent Remote Control, 6m Ducting
Stella 120	90cm - 130cm Surfaces	1240 x 505mm		90° Elbow Wall Vent Remote Control, 6m Ducting
Trento 120 Wall	90cm - 130cm Surfaces	N/A		Remote Control, 6m Ducting
Trento 120 Island	90cm - 130cm Surfaces	N/A		Remote Control, 6m Ducting
Treviso+ 90	75cm - 100cm Surfaces	N/A	Remote Control	6m Ducting

# ON-BOARD MOTOR RANGEHOOD MATRIX

Rangehood	Suitable Cooking Size	Cut-Out Dimensions	Accessories Available	Accessories Included
Gruppo Incasso 60	50cm - 90cm Surfaces	506 x 262mm	Remote Control	Charcoal Filter
Gruppo Incasso 80	75cm - 100cm Surfaces	751 x 262mm	Remote Control	Charcoal Filter
Gruppo Incasso 105	75cm - 110cm Surfaces	1029 x 262mm	Remote Control	Charcoal Filter
Gruppo Incasso NRS® 60	50cm - 90cm Surfaces	506 x 262mm	Charcoal Filter	Remote Control
Gruppo Incasso NRS® 80	75cm - 100cm Surfaces	751 x 262mm	Charcoal Filter	Remote Control
Gruppo Incasso Pro	75cm - 100cm Surfaces	762 x 245mm	Remote Control	
Luce Wall	75cm - 100cm Surfaces	N/A	Carbon Filters	
Luce Island	75cm - 100cm Surfaces	N/A	Carbon Filters	
Lumen Wall	Refer to spec sheet	N/A	Carbon Filters	
Lumen Island	Refer to spec sheet	N/A	Carbon Filters	
Lumina NRS® Wall	Refer to spec sheet	N/A	Carbon Filters	
Lumina NRS® Island	75cm - 100cm Surfaces	N/A	Carbon Filters	
Move	Refer to spec sheet	Refer to manual	Carbon Filters	
Plane Black Wall	75cm - 100cm Surfaces	N/A	Carbon Filters	
Plane Black Island	75cm - 100cm Surfaces	N/A	Carbon Filters	
Plane NRS® Wall	Refer to spec sheet	N/A	Charcoal Filters	
Plane NRS® Island	Refer to spec sheet	N/A	Charcoal Filters	
Plane Top Wall	Refer to spec sheet	N/A	Carbon Filters	
Plane Top Island	75cm - 100cm Surfaces	N/A	Carbon Filters	
Polar Wall	60cm	N/A		Charcoal Filter
Polar Island	60cm	N/A		Charcoal Filter
Polar Light Wall	60cm	N/A		Charcoal Filter
Polar Light Island	60cm	N/A		Charcoal Filter
Siena+ 60	50cm - 75cm Surfaces	512 x 250mm	Remote Control	
Siena+ 90	75cm - 100cm Surfaces	822 x 250mm	Remote Control	
Siena+ 90 Deep	75cm - 100cm Surfaces	824 x 330mm	Remote Control	



# falmec

QUIET | POWERFUL | RANGEHOODS



## AUSTRALIA

83 Bangholme Rd  
Dandenong South  
VIC 3175  
Australia

Phone +61 3 9700 9100  
Fax +61 3 9700 9191

## NEW ZEALAND

P.O. Box 53171, Auckland Airport  
Auckland 2150  
New Zealand

Phone 09 964 0400  
Fax 09 964 0401

PRINTED SEPTEMBER 2022  
BRO.FALMECMATRIX

**FALMEC  
INTERACTIVE  
CATALOGUE**  
Scan to view



falmec.com.au



@FalmecAustralia



@falmecaustalia

