### Certification.

10

The European Commission has published a certain number of standards intended to control the design and use of rescue and personal protection equipment against falls from height. These standards must be adhered to, and are applicable in all the member states.

EN353-1

EN353-2

a flexible anchor line

CE

EN360

**€** EN355

Energy absorbers

EN358

lanyards for work

positioning

type fall arresters

**€** EN362

Connectors

EN363

Personal fall protection systems **(€** EN364

Test methods

**€** EN365

**€** EN397

General requirements for instructions for use, maintenance, periodic examination, repair, marking & packaging

Industrial safety helmets

CE

**(E**N813

harnesses

EN1497

Rescue

EN


1496

## Prime Ship.

We carry nearly 1000 of the fastest moving items in our European warehouses. Most items within this catalogue are in stock and ready to ship the same day for orders placed before 14:00 CET. Your customer service agent will be able to advise on inventory and any items not available for same day shipping.

### **Personalisation** service.

3M<sup>™</sup> Fall Protection offer a customisation service for all of our standard Harnesses and Lanvards on bulk orders. For more information on this service please contact your local sales representative.



### Harness icons.





Chest



Leg

Adjustable

Leg





Shoulders

Adjustable

Shoulder

Point

QC











Adjustable Waist

with Back Pad



Dorsal

D-Ring



Sternal

D-Ring



Positioning

Work



Pectoral

D-Ring

(DL

Adjustable

Chest





Rescue

Attachment

Point







TQC

Adjustable

Waist







Rigid Hip

Padding Loops

TRV













3M™ DBI-SALA® Duo-Lok™ Quick Connect Buckle

Pass Through

(PT)

Quick Connect

Tri-Lock Quick-

3M™ DBI-SALA® **Connect Buckles** 

Tongue & Grommet

(TG)

3M™ DBI-SALA® Tri-Lock Revolver™ Connectors

Comfort Padding

3M™ DBI-SALA® TechLite™



### 3M™ DBI-SALA® ExoFit™ **STRATA™** Harness

**Applications** 



The revolutionary 3M™ DBI-SALA® LIFTech™ Load Distribution System\* features an adjustable "spine" that lifts the weight off your shoulders and transfers it to the base of your torso.

Tests resulted in a reduction of forces on shoulders up to 85% compared to leading competitor harnesses.

That means more comfort and productivity with less fatigue all day long.

\*On selected models.





### 3M™ DBI-SALA® Polarmesh™ Padding keeps your back cool

Allows greater airflow to your back, providing superior breathability to keep you cool.

#### 3M™ DBI-SALA® Revolver™ **Vertical Torso Adjuster** unleashes your mobility

Easily stores excess webbing, locking it in place and out of your way while maintaining the ideal fit.

#### 3M™ DBI-SALA® Tri-Lock Revolver<sup>™</sup> Connectors locks down loose ends

Stores additional excess webbing and provides an extra layer of security around your legs.

3M™ DBI-SALA® Tech-lite™ Aluminium Side, Dorsal & Shoulder\* D-Rings secures

\*Applicable on the Rescue Style only.

Maximise reliability without adding extra weight.

Simplifies connecting and

self-retracting line.


disconnecting your personal

your safety











Redistributes the weight from pressure points on your shoulders and spreads it out to the base of your hips.

\*On selected models.



140 kg.








CE EN361 CE EN1497

1

CP CEN358

**C**€ EN361



# 3M<sup>™</sup> DBI-SALA® ExoFit<sup>™</sup> STRATA<sup>™</sup> Construction Style Harness with 3M<sup>™</sup> DBI-SALA® LIFTech<sup>™</sup> Load Distribution System



	1
3.000	СР
M An	$\cup$
	<b>C€</b> EN358
A Comment	<b>€</b> EN361
00	c kg

1

CP CE EN361

	<b>∢····</b> ≻		0	0	kg
1114049	S	TRV	TRV	TG	4.25
1114050	М	TRV	TRV	ெ	4.30
1114051	L	TRV	TRV	TG	4.40
1114052	XL	TRV	TRV	©	4.50

### ExoFit STRATA Rescue Style Harness with LIFTech Load Distribution System





	<b>∢····</b> ≻		0	0	kg
1114045	S	TRV	TRV	TG	4.25
1114046	М	TRV	TRV	எ	4.30
1114047	L	TRV	TRV	எ	4.40
1114048	XL	TRV	TRV	ெ	4.50

### **ExoFit STRATA Light Vest Style Harness**



1112037						
	<b>∢····&gt;</b>		0	kg		
1112655	S	TRV	<b>™</b>	2.50		
1112656	М	TRV	(S)	2.55		
1112657	L	TRV	100	2.60		
1112658	XL	TRV	(S)	2.65		
1112659	XXL	TRV	100	2.70		

### ExoFit STRATA Light Vest Style Harness



	<b>∢····</b> ≻		0	0	kg
1112660	S	TRV	TGC	TG	3.53
1112661	М	TRV	TQC	G	3.56
1112662	L	TRV	TGC	G	3.60
1112663	XL	TRV	TGC	T	3.65
1112664	XXL	TRV	TQC	TG	3.70