

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Code:** BGALF  
**Product Name:** Brewguard Acid LF  
**Company Name:** Shepard Bros., Inc.  
 503 S. Cypress St.  
 La Habra, CA 90631  
**Phone Number:** +1 (562)697-1366  
**Web site address:** www.shepardbros.com  
**Emergency Contact:** CHEMTREC +1 (800)424-9300  
**Product Category:** CIP Acid Cleaner


## 2. HAZARDS IDENTIFICATION

### Skin Corrosion/Irritation, Category 1B



**GHS Signal Word:** **Danger**  
**GHS Hazard Phrases:** H314 - Causes severe skin burns and eye damage.  
**GHS Precaution Phrases:** P260 - Do not breathe dust/fume/gas/mist/vapors/spray.  
 P264 - Wash hands thoroughly after handling.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
**GHS Response Phrases:** P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P363 - Wash contaminated clothing before reuse.  
 P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P310 - Immediately call a POISON CENTER or doctor/physician.  
 P321 - Specific treatment see Section 4 reference to supplemental first aid instruction - if immediate measures are required.  
**GHS Storage and Disposal Phrases:** P501 - Dispose of contents/containers in accordance with local/regional/national/international regulations.

### Hazard Rating System:



**Potential Health Effects (Acute and Chronic):** Chronic: High concentrations may cause acute pulmonary edema.

**Inhalation:** Causes chemical burns to the respiratory tract.  
 Prolonged or repeated inhalation may cause lung damage. May cause acute pulmonary edema, asphyxia, chemical pneumonitis, and upper airway obstruction caused by edema.

**Skin Contact:** Can cause severe injury (reddening and swelling). Causes skin burns.

**Eye Contact:** Can cause severe eye irritation. Causes eye burns.

**Ingestion:** Can burn mouth, throat and stomach. Causes gastrointestinal tract burns.



### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
7664-38-2	Phosphoric acid	<40.0 %

### 4. FIRST AID MEASURES

#### Emergency and First Aid

#### Procedures:

- In Case of Inhalation:** Remove from exposure and move to fresh air immediately. If breathing is difficult, give oxygen. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical device such as a bag and a mask. Get medical attention immediately.
- In Case of Skin Contact:** Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Gently wash with plenty of soap and water. Wash contaminated clothing separately before reuse. Get medical aid immediately.
- In Case of Eye Contact:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to do after 5 minutes and continue rinsing for an additional 15 minutes. Get medical attention if irritation persists.
- In Case of Ingestion:** Do NOT induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately.

**Note to Physician:** Treat symptomatically and supportively. Show this safety data sheet to the doctor in attendance.

### 5. FIRE FIGHTING MEASURES

- Flash Pt:** > 212 F (100 C) Method Used: Estimate
- Explosive Limits:** LEL: No data. UEL: No data.
- Autoignition Pt:** NA
- Suitable Extinguishing Media:** Dry chemical, CO<sub>2</sub>, water spray or regular foam.
- Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH approved (or equivalent), and full protective gear. Use a NIOSH/MSHA approved respirator, with a full-facepiece and supplied air or a full-facepiece respirator with acid gas cartridges when concentrations are unknown.
- Flammable Properties and Hazards:** Contact of this product with many "active" metals such as aluminum, copper and zinc, can cause formation of flammable hydrogen gas.

### 6. ACCIDENTAL RELEASE MEASURES

- Protective Precautions, Protective Equipment and Emergency Procedures:** Use proper personal protective equipment as indicated in Section 8.
- Environmental Precautions:** Do not let product enter drains, sewers, watersheds or water systems.
- Steps To Be Taken In Case Material Is Released Or Spilled:** Spills/Leaks: Provide ventilation. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Contain spill using an inert diking material. Transfer material into an approved container for possible recovery and reuse or for disposal. Neutralize acid with soda ash or sodium bicarbonate. Do not let this chemical enter the environment.



### 7. HANDLING AND STORAGE

**Precautions To Be Taken in Handling:** Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse.

**Precautions To Be Taken in Storing:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from sources of ignition. Store away from oxidizers. Do not store near chlorine-containing products. Store in a tightly closed container. Protect containers against damage. Keep container closed when not in use.

**Other Precautions:** Handle in accordance with good industrial hygiene and safety practices. Keep out of reach of children.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7664-38-2	Phosphoric acid	PEL: 1 mg/m3	TLV: 1 mg/m3 STEL: 3 mg/m3	No data.

**Respiratory Equipment (Specify Type):** Avoid breathing vapors and mists. Use a NIOSH/MSHA approved respirator, with a full-facepiece and supplied air or a full-facepiece respirator with acid gas cartridges when concentrations are unknown.

**Eye Protection:** Wear chemical splash goggles and a full-face shield where there is potential for eye contact.

**Protective Gloves:** Wear appropriate protective gloves to prevent skin exposure. Rubber or neoprene gloves.

**Other Protective Clothing:** Wear appropriate protective clothing to prevent skin exposure. Chemical resistant apron. Rubber or neoprene boots.

**Engineering Controls (Ventilation etc.):** Use adequate mechanical or local exhaust ventilation to minimize exposure levels, particularly in areas where the air contacts open process equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

**Work/Hygienic/Maintenance Practices:** Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical States:** [ ] Gas [ X ] Liquid [ ] Solid

**Appearance and Odor:** Appearance: Transparent. colorless. Liquid.  
Odor: Odorless.

**Melting Point:** < 32.0 F (0 C)

**Boiling Point:** > 212 F (100 C)

**Decomposition Temperature:** NA

**Autoignition Pt:** NA

**Flash Pt:** > 212 F (100 C) Method Used: Estimate

**Explosive Limits:** LEL: No data. UEL: No data.

**Specific Gravity (Water = 1):** 1.32

**Density:** NA



# SAFETY DATA SHEET

## Brewguard Acid LF

<b>Bulk density:</b>	NA
<b>Vapor Pressure (vs. Air or mm Hg):</b>	NA
<b>Vapor Density (vs. Air = 1):</b>	NA
<b>Evaporation Rate:</b>	NA
<b>Solubility in Water:</b>	Complete
<b>Saturated Vapor Concentration:</b>	NA
<b>Viscosity:</b>	NA
<b>pH:</b>	1.9 - (1% soln)
<b>Percent Volatile:</b>	NA
<b>VOC / Volume:</b>	NA
<b>Particle Size:</b>	NA
<b>Heat Value:</b>	NA
<b>Corrosion Rate:</b>	NA
<b>Molecular Formula &amp; Weight:</b>	Proprietary Mixture      0.0

### 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	Contact of this product with many "active" metals such as aluminum, copper and zinc, can cause formation of flammable hydrogen gas.
<b>Stability:</b>	Unstable [ <input type="checkbox"/> ]      Stable [ <input checked="" type="checkbox"/> ]
<b>Conditions To Avoid - Instability:</b>	High temperatures, Incompatible materials, Ignition sources.
<b>Incompatibility - Materials To Avoid:</b>	Avoid contact with sodium tetrahydroborate. Exothermic reactions may occur with aldehydes, amines, amides, alcohols, glycols, azo-compounds, carbamates, esters, caustics, phenols, cresols, ketones, organophosphates, epoxides, explosives, combustible materials, unsaturated halides, organic peroxides and halogenated organics. organic peroxides, Mixtures with nitromethane are explosive. Contact of this product with many "active" metals such as aluminum, copper and zinc, can cause formation of flammable hydrogen gas.
<b>Hazardous Decomposition Or Byproducts:</b>	High temperatures and fires may produce toxic carbon monoxide, carbon dioxide and oxides of phosphorus and sulfur.
<b>Possibility of Hazardous Reactions:</b>	Will occur [ <input type="checkbox"/> ]      Will not occur [ <input checked="" type="checkbox"/> ]
<b>Conditions To Avoid - Hazardous Reactions:</b>	No data available.



# SAFETY DATA SHEET

## Brewguard Acid LF

### 11. TOXICOLOGICAL INFORMATION

**Toxicological Information:** Epidemiology: No information available.  
 Teratogenicity: No information available.  
 Reproductive Effects: No data available.  
 Mutagenicity: No information available.  
 Neurotoxicity: No data available.  
 Other Studies: CAS# 7664-38-2:  
 Acute toxicity, LD50, Oral, Rat, 1530 mg/kg  
 Acute toxicity, LD50, Skin, Rabbit, 2740 mg/kg  
 Acute toxicity, LC50, Inhalation, Rat, 850.0 mg/m3, 1 H.

**Irritation or Corrosion:** Other Studies: CAS# 7664-38-2:  
 Standard Draize Test, Eyes, Species:Rabbit, 119.0 mg.

**Carcinogenicity/Other Information:** CAS# 7664-38-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

**Carcinogenicity:** NTP? No      IARC Monographs? No      OSHA Regulated? No

### 12. ECOLOGICAL INFORMATION

**General Ecological Information:** Environmental: No information available.  
 Physical: No information available.

**Results of PBT and vPvB assessment:** Other Studies: CAS# 7664-38-2:  
 Not reported. Rainbow Trout (*Oncorhynchus mykiss*), fingerling, 5.190%, 27 W.

**Persistence and Degradability:** No data available.

**Bioaccumulative Potential:** No data available.

**Mobility in Soil:** No data available.

### 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Method:** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all federal, state, and local environmental regulations.  
 RCRA P-Series: None listed.  
 RCRA U-Series: None listed.

### 14. TRANSPORT INFORMATION

#### LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Phosphoric Acid, Liquid.  
**DOT Hazard Class:** 8      CORROSIVE  
**UN/NA Number:** UN1805      **Packing Group:** III





# SAFETY DATA SHEET

## Brewguard Acid LF

### 15. REGULATORY INFORMATION

#### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7664-38-2	Phosphoric acid	No	Yes 5000 LB	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
7664-38-2	Phosphoric acid	TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC, Title 8

**Regulatory Information:** PROPOSITION 65 (Chemicals known to the state of California to cause cancer or reproductive toxicity): This product may contain traces of: ethylene oxide (CAS 75-21-8).

### 16. OTHER INFORMATION

**Revision Date:** 04/06/2015  
**Additional Information About This Product:** No data available.

**Company Policy or Disclaimer:** Information presented herein is believed to be accurate and reliable to the best of our knowledge. However, we make no warranty or merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process. Users should make their own investigations to determine the suitability of the information for their particular purposes.