



Side storage model

Chassis & Body

SLIDE OUTS

Hydraulic slide outs 3 pcs. in side storage model in the front on the right side

in the front rear on the left side

2 pcs. in garage models in the front on the right side In the front on the left side with pneumatic sealing system

COMPARTMENTS

Bottom luggage Fully insulated, felt covered, with heating, lighting, electric door compartments lock, without door handle

ompartments lock, without add harian

AWNING

Awning 600x350 cm Integrated in the side wall of the vehicle with auto-

matic wind sensor LED lighting without outrigger leg.

For up to 39 kmph windspeed

SEATS

Driver/passenger With pneumatic suspension and massage function

WINDOWS

| Electric window lift system | In cabin doors |
|-----------------------------|--|
| Windscreen | Heated, made of tinted composite glass |
| Skylight in the cockpit | Electrically operated With blinds and mosquito net |
| Real glass window | Integrated into the plane of the vehicle, can be opened, thermally insulated |
| Skylight | Heat-insulated, with electrically operated blinds, window heating option |

STAIRS

Tilting side stairs Electrically operated TÜV certified, EU type approval

LIGHTS

| Daytime running light /curve light | LED |
|------------------------------------|--|
| Headlights | Bi-XENON |
| Lights | Hella LED rear fog light, reverse light, rear lights |

PARTS

| Auxiliary chassis made of galvanized steel profiles. MB Actros 2553 LLL 6×2 390 kW (530 PS) Euro VI engine, 2600 Nm |
|---|
| Made of stainless steel. Insulated sandwich panel roof, floor plate, side walls. Side walls with 3mm aluminium casing |
| |
| Diesel, Six-cylinder, With turbocharger, Charge air cooling and exhaust gas recirculation (EGR) |
| With SCR catalytic converter, 12,800 cm³, 390 kW/530 HP, 1800 RPM, EURO VI, 2600 Nm, 1100 RPM |
| Electropneumatic (EPB), ABS, ASR and ESP |
| High performance |
| |
| Automatic 12-speed, Mercedes-Benz PowerShift 3 |
| |

Chassis & Body INCLUDED

| Tank | Diesel: 390 I, AdBlue: 60 I |
|--------------------------|---|
| Secondary water retarder | for iVm with CCS1I |
| Steering wheel | multi-function, with immobilizer, with leather cover, power-assisted steering, adjustable steering column |
| Wheel rims | 8 pcs. aluminium, ALCOA Dura Bright 11.75×22.5" VA/9" × 22.5" HA / 11.75×22.5" |
| Hydraulic outriggers | 4 pcs. automatic horizontal adjusting of vehicle, with LCD monitor |

FUNCTIONS

| Differential lock | |
|-----------------------------|--|
| Air conditioning | automatic in the driver's cabin |
| Lane departure warning + a | ctive brake assist (emergency brake assist) |
| Remote assistant | including start-stop in traffic and monitoring assistant |
| Adaptive Cruise control | |
| Outdoor temperature displa | ay |
| Electronic anti-theft/immob | ilizer system |
| Radio | FM radio RDS-EON, MW, LW, KW, front AUX port, bluetooth hands-free system |
| Truck navigation | The system (takes into account the length /width/height/weight of the vehicle) The MB-Predictive Powertrain Control supports adaptive cruise control based on GPS data from the navigation system and taking into account the topography |
| Camera monitor system | Brigade electronics BN360-200 for large rigid vehicles 26 cm (10.4") LCD TFT monitor vertical orientation, four pcs. of 180° cameras active from 0 to 30 kmph, does not distract the driver's attention at higher speeds |
| Front door lock | electrically operated control options: pushbutton, fingerprint sensor or card |

Chassis & Body

UNIQUE DESIGN

Custom combination of internal and external colours

Leather covered dashboard elements

In beige colour

BED IN THE CAB

Double bed in the cab

electrically operated 1550×2000 mm cold foam mattress textile

wall covering custom storage compartment

AWNING

Awning

 630×350 cm integrated in the side wall of the vehicle with automatic wind sensor LED lighting without outrigger

leg for up to 39 kmph wind speed

600×300 cm integrated in the side wall of the vehicle with electrical Valance function automatic wind sensor.

LED lighting without outrigger leg for up to 39 kmph wind speed

SEATS

Second row of seats in the driver's cabin*

2 pcs. GRAMMER comfort seats with leather cover with integrated three-point seat belt rotatable height and tilt adjustment seat cushion depth adjustment armrests and integrated headrest

seat heating and seat ventillation.

*Windows in the driver's cab next to the auxiliary seats

on the right and left side cannot be opened

WINDOWS

Electric opening skylights in the lounge area and/or in the sleeping area

ACCESSORIES

Mosquito net on the entrace door


Snow chain for the driving wheel

Winter tyres M + S on all wheels

Drag hook 3500 kg, 12 V socket

Load distribution plates 4 pcs. for 400×400 mm sleepers, for loose ground, 40 mm high,

10t load capacity, 6 kg/pcs.



Model with side storage INCLUDED

INTERIOR

| Interior furniture | Real wood veneer, veneered interior, multiple colour options, real wood floor finish. With electric locks that close automatically when the vehicle is started. |
|--------------------|---|
| Bed | 1800×2000 mm bed with spring-mattress according to individual needs for the highest comfort. Bedding with logo. |
| Living area | Removable carpet |
| Tableware | Genuine ceramic and glass, with anti-crash stainless steel spikes in the cabinets |

KITCHEN

| Made of tempered glass |
|---|
| Wood veneer |
| Real wood veneer, veneered interior, several colours to choose from |
| MIELE, two zones, 230 V |
| LIEBHERR, net refrigerating volume 184 litres, net freezing volume 59 litres |
| FISHER&PAYKEL, six place settings, four recessed 230 V sockets |
| MIELE, microvawe/hot air |
| MIELE, with external outlet |
| Covered with genuine wood |
| |

BATHROOM

| Wall covering | Ceramic bath |
|-----------------------|---|
| Washbasin | Ceramic |
| Mirrors | Uniquely designed bathroom mirror with round lighting, beautifying mirror with lighting |
| Bathroom accessories | GEDY |
| Floor | Heated, Covering of genuine lacquered wood |
| Towel drying radiator | |
| Toilet | TECMA BREEZE |
| Wasching machine | MIELE |
| Tumble dryer | MIELE |

MULTIMEDIA

| TV in the living area | 50" flat screen LED TV, Ultra HD, 4K |
|-------------------------|--|
| TV in the sleeping area | 50" flat screen LED TV, Ultra HD, 4K |
| Amplifier | HARMAN KARDON, with bluetooth connection |
| Ceiling speaker | BOSE VIRTUALLY INVISIBLE 590, 2 pcs. |

ELECTRICAL

| Batteries | 24V energy storage system, Board batteries 4×25.9V/130Ah (520Ah) with mechanical isolating switches, intelligent charge/load isolation. |
|---------------------------------------|---|
| On-the-go charging of board batteries | with 140A charging current, with intelligent control, power supply for a group of 230V consumers from a sinusoidal inverter with a power output of 6500-13000 W |

Model with side storage INCLUDED

| Stationary start batteries | With 16A charging current with intelligent control when the vehicle is stationary |
|----------------------------|---|
| Power supply | Each 230V supply and output circuit of the vehicle is protected by a residual-current device, its 24/12V circuits are protected by a fuse. 2×230 V/16A power supply (Priority + Alternative) from shore side + generator's Auto Start/Stop system. Priority supply can be set between 1-16 A. Board batteries have a maximum charging current of 200 A. |
| Touch screen | Full monitoring/controlling with touch screen display, accessible from remote devices (mobile phone, tablet) 10" Garmin display in the living area, 10" Tablet display in the driver's cab Lighting circuits with dimming control, soft on/off. |

GENERATOR

| Diesel generator | ONAN, 4.8 kW, 230 V, 2400 RPM |
|------------------|--|
| Engine | Two cylinder KUBOTA diesel engine, water-cooled, with cooling/fan unit, built-in sound-insulated box, exhaust system |
| Control panel | LCD control panel in external storage compartment |

AIR CONDITIONING

| Air conditioner | FUJITSU duct-type, multi split air conditioner 6.8 kW, R410A Invert, heat pump |
|---------------------------|---|
| Sleeping area indoor unit | cooling: 3.5 kW, heating: 4.1 kW |
| Living area indoor unit | cooling: 4.3 kW, heating: 5.0 kW |

HEATING

| Boiler | SCHEER MH 10/17 Hybrid combi boiler, heat output: 10,000/17,000 W, Automatic burn control for max. 3,000 metres above sea level (9,842 feet), 100% sootless burning, efficiency: approximately 92%, buffer tank for hot water preparation with constant temperature |
|--------------------------|---|
| Temperature control | In each room |
| Radiator | In each room (towel drying radiator in the bathroom) |
| Underfloor heating | In the living area, kitchen, bathroom and sleeping area |
| Storage rooms and garage | heating |
| Electric heating | 230 V/1000 - 2000 W, (if the vehicle is connected to an external electrical system, heating to a moderate temperature can also be achieved electrically) |

WATER SUPPLY

| Fresh water tank | Capacity 1000 I, fill up the fresh water tank with GARDENA® connection and automatic level control |
|------------------|--|
| | Built-in water disinfection device (UV lamp) |
| Grey water tank | Insulated and heated with connection for 1.5 $^\circ$. The electric drain valve can be controlled from the interior or tablet, capacity 460 l |
| Pump | With a delivery rate of 18.9 l \prime min and with 3.8 - 4.5 bar water pressure |
| Toilet cistern | Insulated and heated, with 3 ""connection. With electric drain valve can be controlled from the interior or tablet, capacity 400 l |

PAINTING

The highest category ""A"" AXALTA metallic, four-layer metallic paint, four-layer anti-graffiti crystal lacquer

Model with side storage OPTIONAL

| KITCHEN | |
|-----------------------------|--|
| Induction hob | MIELE, four zones, 230 V |
| BATHROOM | |
| Toilet | TECMA BREEZE, clean and modern design, extremely silent operation, easy and fast installation, reliable operation, high quality components, iintegrated bidet |
| | TECMA E-BREEZE, electronic bidet features, Posterior, feminine and 'kids' cleaning program, Massage function, Heated seat with variable temperature setting, Warm water with variable temperature setting, Dryer, Deodorized, Function IIP (intensive impulse pulsation). Variable spray, Automatic cleansing of the wands |
| Rain shower | |
| MULTIMEDIA | |
| Sound | HARMAN KARDON Citation Amp multiroom amplifier Two BOSE 791® II Virtually Invisible® ceiling speakers BOSE Bass Module 500B subwoofer |
| Satellite reception system | 85 cm parabolic antenna, fully automatic adjustment, control panel |
| Wi-Fi router | with SIM card adapter |
| Repeater unit for remote ac | cess |
| Multimedia system | JVC KW-R930BT 2DIN, with Bluetooth, CD/USB/AUX |
| | |

ELECTRICAL

| Inverter | A total capacity 600 Ah or 800 Ah |
|------------------------------|---|
| | VICTRON Quattro 24/8000/200-100/100 charger/sine wave inverter combination, charging power 24 V/max. 200 A, external power supply connection adjustable between 2-16 A, sinusoidal inverter with 24 - 230 V/6500 VA, Colour Control GX panel, three lithium batteries, LFP smart 25.9/200 A |
| Battery | VICTRON lithium battery LFP smart 25.9/200 Ah |
| Solar system | 1×330 W or 2×330 W or 3×330 W |
| | with intelligent charging controller, mechanical isolating switch |
| Phone chargers | induction-type, integrated in the bedside table, 2 pcs. |
| Central vacuum cleaner | |
| Ultrasonic alarm system | With door/storage area opening sensors, interior protection, can be deactivated with remote control |
| CO sensor | HONEYWELL, in the sleeping area and living area |
| Gas detector | HONEYWELL PB, in the sleeping area and living area |
| Lights | Additional reverse lights, four mounted on the vehicle chassis |
| Electric mosquito nets and b | olinds |

GENERATOR

Diesel generator FISCHER PANDA, 8 kW, 230 V, 2200-2800 RPM

Model with side storage OPTIONAL

STORAGE

| Ladder | Telescopic, 4.1 m straight + ladder fixing in the garage |
|-------------------|--|
| | Foldable, multifunctional telescopic aluminium ladder, 280 to 560 cm + ladder fixing in the garage |
| Support structure | For two bicycles in the rear garage with floor rails |
| Handwashing basin | For the side-loading design built into the door |
| Integrated cooler | For the side-loading design in the storage compartment |
| Fire extinguisher | 2 kg |
| Scooter holder | With electric winch, including brackets and ramp |
| Hydraulic pusher | 3 pcs. with pneumatic, sealing system in the rear left |

GAS

| Gas stove | With two burners, MIELE CS 7102-1 FL |
|--------------------|---|
| | With five burners, MIELE KM 3054-1 |
| Compartment | For two 11 kg gas bottles, if needed, TRUMA DuoControl safety controller with remote display Duo C and Eis-Ex |
| | For two 11 kg gas bottles |
| Fuel tank | 116 l, (80% refillable), safety controller, remote display, remote control |
| Gas recovery valve | Under outdoor storage compartment |
| Gas remote switch | For the gas bottle system |
| | |

HEATING

Windows Heated side windows and skylights for even more comfort

WATER SUPPLY

Positioning camera for an electric wastewater drain valve

PAINTING

The highest category ""A"" AXALTA metallic, four-layer metallic pearl paint, five-layer anti-graffiti crystal lacquer

Contact us

Experience land yachting. We will help you in finding the right model for you. Reach out, write us your needs. Our sales manager will contact you shortly.



Peter Gerhard FeigeSales Manager

Gabor Filo CEO, Co-founder



mobile: 0049 (0) 16092399099 email: sales@dembell.com visit our website: **dembell.com**