

SPX PROPYLENE GLYCOL

PROPYLENE GLYCOL AND WATER

SPX Propylene Glycol is clear, practically colorless and odorless, hygroscopic liquid at room temperature. Propylene glycol is a safer alternative heat transfer fluid to ethylene glycol with respect to health risks and the environment.

Applications

- Gas pipeline heaters
- Gas processing
- Gas/Air dehydration
- Natural gas storage
- Gas field gathering
- Line and bath heaters
- Waste heat recovery

TYPICAL PROPERTIES

Concentration	100%	60%	50%
Appearance	Clear	Clear	Clear
Specific Gravity @ 70°F	1.037	1.039	1.037
Density, lbs/gal @ 70°F	8.65	8.67	8.65
Freezing Point, °F(°C)	---	-55(-48)	-29(-34)
Boiling Point, °F(°C)	---	225(107)	222(106)
Propylene Glycol, wt%	99.0 min	58 - 62	48 - 52
Water, wt%	1.0 max	38 - 42	48 - 52

Minor variations in typical properties data are to be expected in normal manufacturing.

Health & Safety Information

For recommendations on safe handling and use of this product, please refer to the Safety Data Sheet (SDS).



Industrial



Web: www.pilotthomas.com

Email: info@spx-usa.com

Tel: 844.785.8326



Page: 1 of 1

Date: 10.22.21