

AGRICULTURE



EQUESTRIAN



GAMEKEEPING



FORESTRY



GROUND CARE



WINTER MAINTENANCE



PRICE LIST

23rd April 2021



All prices GBP ex-Logic works, plus delivery plus VAT

www.LogicToday.co.uk



| Price | Ref | Notes: |
|-------|-----|--------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

Your local Dealer:

Tel:

Contact:



| | Page |
|--|---------|
| Off Road Trailers | 3 & 4 |
| Road Legal Trailers | 5 & 6 |
| Grass/Groundcare/Weed Wipers | 7 & 8 |
| On Board Sprayers/Deck Mount, 3 Point | 9 & 10 |
| Linkage Sprayers and Electro Broadcasters | |
| System 20 Front Mounted Equipment | 11 & 12 |
| System 40 Chassis and Equipment | 13 & 14 |
| Trailed Sprayers & Spreaders | 15 |
| Salt/De-Icing Spreaders | 16 |
| Feeders | 17 |
| Bowers | 18 |
| Forestry Equipment | 18 |
| Accessories | 19 - 22 |

Check the Spec!

To comply with H.S.E. recommendations all Logic trailed equipment is now fitted with Swivel Hitch and Bead Lock Rims for added safety

NOTE: Due to continuous product development, Logic reserves the right to alter specification and/or prices without prior notice.

NORTH & EXPORT

LOGIC MANUFACTURING LTD

Foundry Industrial Estate

Bridge End

Hexham

Northumberland NE46 4JL

Tel: 01434 606661 Fax: 01434 608143

E mail: sales@LogicToday.co.uk

www.LogicToday.co.uk

SOUTH

LOGIC MH LTD

New Whiteway Works

Fossecross Industrial Estate

Chedworth, Cheltenham,

Gloucestershire GL54 4NW

Tel: 01285 720930 Fax: 01285 720840

E mail: sales@LogicToday.co.uk

www.LogicToday.co.uk



OFF ROAD TRAILERS

| PART No | | PRICE | code |
|-----------------------------------|---|---------|------|
| UNI-BUILT TRAILERS | | | |
| BODY SIZE 1.5m x 1.0m HIGH | | | |
| UET403 | High sided trailer, 0.8m High, complete kit for self assembly | 1005.00 | S1 |
| UET403A | As above supplied assembled | 1030.00 | S1 |
| UET402 | Low sided trailer, 0.38m High, complete kit for self assembly | 890.00 | S1 |
| UET402A | As above supplied assembled | 900.00 | S1 |
| UET400 | Trailer base unit (inc 0.10m High sides, 22 x 11 – 8 flotation wheels, no tailgate) | 650.00 | S1 |

OPTIONS

| | | | |
|--------|---|-------|----|
| STT120 | Wheel Guard - Bolt on deflector skids to guard wheels. (Priced each side) | 26.00 | S2 |
| STT106 | Mesh dividing gate kit | 75.00 | S2 |

STT TRAILERS

BODY SIZE 1.5m x 1.0m x 0.38m HIGH

| | | | |
|--------|---|--------|----|
| STT300 | Low sided without tailgate - 165 x 8 wheels | 760.00 | S1 |
| STT400 | Low sided without tailgate - 22 x 11 – 8 flotation wheels | 860.00 | S1 |
| STT403 | Low sided c/w standard STT103 tailgate – 22 x 11 – 8 flotation wheels | 925.00 | S1 |

OPTIONS

| | | | |
|--------|--|--------|-----|
| STT103 | Tailgate, standard 0.38m high | 65.00 | S2 |
| STT104 | Tailgate, extended 0.8m high | 95.00 | S2 |
| STT108 | Half mesh/half side hinged door, ramp tailgate | 150.00 | S2 |
| STT101 | Headboard, extended weld mesh | 100.00 | S2 |
| STT105 | Headboard, extended galvanised sheet | 105.00 | S2 |
| STT102 | Sides, extended (pair) To give 0.8m Total Height. | 195.00 | S2 |
| STT106 | Mesh dividing gate kit (for STT Trailer with extension sides fitted) | 75.00 | S2 |
| STT120 | Wheel Guard - Bolt on deflector skids to guard wheels (Priced each side) | 26.00 | S2 |
| MGXXX | Mudguard kit, to fit STT/SST Trailer (Priced each side) | 45.00 | S20 |

SST TRAILERS Fitted with alloy treadplate floors (wood floor option available)

BODY SIZE 1.5m x 1.0m x 0.87m HIGH

| | | | |
|----------|--|---------|----|
| SST404TP | High Sided including ramp tailgate, 22 x 11 – 8 flotation wheels | 1135.00 | S1 |
| SST407TP | As above but with side hinged mesh rear gate. | 1135.00 | S1 |
| SST408TP | As above but with half mesh/half side hinged door, ramp tailgate | 1185.00 | S1 |

BODY SIZE 1.8m x 1.0m x 0.8m HIGH

| | | | |
|------------|---|---------|----|
| SST454TP | High sided including ramp tailgate, 22 x 11 – 8 flotation wheels | 1325.00 | S1 |
| SST457TP | As above but with side hinged mesh rear gate | 1325.00 | S1 |
| SST458TP | As above but with half mesh/half side hinged door, ramp tailgate | 1385.00 | S1 |
| SST854TP | High sided including ramp tailgate, 25 x 10 – 12 flotation wheels | 1505.00 | S1 |
| SST857TP | As above but with side hinged mesh rear gate | 1505.00 | S1 |
| SST858TP | As above but with half mesh/half side hinged door ramp tailgate | 1555.00 | S1 |
| SST454TATP | High sided including ramp tailgate, tandem axle, 22 x 11 – 8 flotation wheels | 2020.00 | S1 |
| SST457TATP | As above but with side hinged mesh rear gate | 2020.00 | S1 |
| SST458TATP | As above but with half mesh/half side hinged door, ramp tailgate | 2070.00 | S1 |

OPTIONS

| | | | |
|--------|--|-------|-----|
| STT106 | Mesh dividing gate kit | 75.00 | S2 |
| STT120 | Wheel Guard - Bolt on deflector skids to guard wheels (Priced each side) | 26.00 | S2 |
| MGXXX | Mudguard kit, to fit STT/SST Trailer (Priced each side) | 45.00 | S20 |

SMT TRAILERS

BODY SIZE 1.5m x 1.16m x 0.5m HIGH

| | | | |
|--------|--|---------|----|
| SMT120 | General purpose trailer, step sided, 22 x 11 – 8 flotation wheels. | 1215.00 | S1 |
|--------|--|---------|----|

Turf Tyre Option available.

OFF ROAD TRAILERS



| PART No | | PRICE | code |
|---|--|---------|------|
| SDT TRAILERS BODY SIZE 1.5m x 1.0m x 0.4m HIGH | | | |
| SDT400 | Standard Dump trailer - 22 x 11 – 8 flotation wheels | 1200.00 | S1 |
| OPTION | | | |
| STT120 | Wheel Guard - Bolt on deflector skids to guard wheels. (Priced each side) | 26.00 | S2 |
| TST TRAILERS BODY SIZE 1.5m x 1.0m x 0.5m HIGH | | | |
| TST400 | Low sided Tipping Trailer – including tailgate and 22 x 11 – 8 flotation wheels | 1395.00 | S1 |
| OPTIONS | | | |
| RT710-01 | Jockey wheel | 35.00 | S2 |
| RT710-02 | Prop stand c/w clamp (priced each side) | 13.00 | S21 |
| STT120 | Wheel Guard – Bolt on deflector skids to guard wheels. (priced each side) | 26.00 | S2 |
| TGT TRAILERS BODY SIZE 1.5m x 1.0m x 0.8m HIGH | | | |
| TGT400 | High sided tipping trailer - including tailgate and 22 x 11 – 8 flotation wheels | 1475.00 | S1 |
| OPTIONS | | | |
| RT710-01 | Jockey wheel | 35.00 | S2 |
| RT710-02 | Prop stand c/w clamp (priced each side) | 13.00 | S21 |
| STT120 | Wheel Guard – Bolt on deflector skids to guard wheels. (priced each side) | 26.00 | S2 |
| OXR TRAILERS BODY SIZE 2.25m x 1.31m x 0.3m HIGH | | | |
| OXR400 | Low sided without tailgate – 22 x 11 – 8 flotation wheels | 1270.00 | S1 |
| OXR800 | Low sided without tailgate – 25 x 10 – 12 flotation wheels | 1470.00 | S1 |
| OXR400TA | Low sided without tailgate – tandem axle and 4 off 22 x 11 – 8 flotation wheels | 1965.00 | S1 |
| OPTIONS | | | |
| XT103 | Standard metal tailgate 0.3m high | 135.00 | S2 |
| XT106 | Mesh ramp tailgate | 235.00 | S2 |
| XT108 | Ext ramp tailgate c/w stock gate | 215.00 | S2 |
| XT116 | Metal loading ramp/tailgate | 320.00 | S2 |
| XT101 | Ladder rack | 65.00 | S2 |
| XT105 | Ext panel headboard panel 0.9m | 115.00 | S2 |
| XT202 | Ext mesh sides, hinged, to give 0.9m total height | 375.00 | S2 |
| XT205 | Ext panel sides, fixed to give 0.9m total height | 240.00 | S2 |
| XT109 | Divider gate | 185.00 | S21 |
| DST TRAILERS BODY SIZE 1.97m x 1.4m | | | |
| DST400 | Flat bed trailer - 22 x 11 – 8 flotation wheels | 1350.00 | S1 |
| DST800 | Flat bed trailer - 25 x 10 – 12 flotation wheels | 1550.00 | S1 |
| OPTIONS | | | |
| DST103 | Drop side kit, standard, 0.3m high | 460.00 | S2 |
| DST104 | Extended hinged sides and tailgate to suit DST | P.O.A. | |
| LBT TRAILERS | | | |
| LBT100 | Logic Bale Carrier (max load 600kg) | 1745.00 | S1 |
| GBT GAS BOTTLE TRAILERS | | | |
| GBT500 | Trailer to carry 4x 47kg bottles. Tongue hitch and 22 x 11 – 8 flotation wheels | 1625.00 | S1 |
| GBT501 | As above with 50mm swivel coupling | 1670.00 | S1 |
| GBT502 | As above with 50mm non-swivel coupling | 1645.00 | S1 |

Turf Tyre Option available.

Alloy Treadplate floor option available on most models.

ROAD LEGAL TRAILERS



TYPE APPROVAL FOR NEW TRAILERS

All new Logic road legal trailers are compliant with European Community Whole Vehicle Type Approval (ECWVTA) This is a legal requirement for all new trailers that will be used on the highway. To allow us to Type Approve trailers we have also had to undergo assessment for Conformity of Production, a requirement set out by the UK Department for Transport Vehicle Certification Agency (VCA). We are now fully compliant in both areas giving our customers peace of mind that what they buy is legal to use in the UK and throughout Europe.

NEW 13 PIN CONNECTIONS FOR LIGHTS

The new legislation will see new vehicles fitted with 13 pin lighting sockets when a tow bar is fitted for towing. This is to facilitate a reversing light for trailers with brakes as well as supplying auxiliary power for caravans. To cover all options we offer adaptors to convert 7 to 13 pin and 13 to 7 pin. These are listed on page 6 of this price list.

Connection Adaptors

7 pin male 13 pin female (ME-C057)



13 pin male 7 pin female (ME-C060)



XRT740 Trailer



SXR726BT Trailer



ROAD LEGAL TRAILERS

| PART No | | PRICE | code |
|--|--|---------|------|
| XRT TRAILERS BODY SIZE 2.25m x 1.31m x 0.3m HIGH (750KG Gross) | | | |
| XRT610E | Low sided without tailgate – c/w lights (7 Pin Plug), and 20.5 x 8 – 10 wheels and tyres | 1620.00 | S1 |
| XRT630 | Low sided without tailgate – c/w lights (7 Pin Plug), and 165 x 13 wheels and tyres | 1630.00 | S1 |
| XRT740 | Low sided without tailgate – c/w lights (7 Pin Plug), and 195 x 60 – R14 wheels and tyres (To give good off road performance) | 1695.00 | S1 |
| XRT740B | Braked model – as above c/w overrun brakes, 1000kg Gross . 13 Pin electrics with adaptor supplied to reduce to 7 Pin | 2095.00 | S1 |
| OPTIONS For XRT Trailers | | | |
| XT103 | Standard metal tailgate 0.3m High | 135.00 | S2 |
| XT106 | Mesh ramp tailgate | 235.00 | S2 |
| XT108 | Ext ramp tailgate c/w stock gate | 215.00 | S2 |
| XT116 | Metal loading ramp/tailgate | 320.00 | S2 |
| XT101 | Ladder rack | 65.00 | |
| XT105 | Ext panel headboard panel 0.9m | 115.00 | S2 |
| XT202 | Ext mesh sides, hinged, to give 0.9m total height | 375.00 | S2 |
| XT202-10A | Support Wire Kit for XT202 ext mesh sides | 45.00 | S2 |
| XT205 | Ext panel sides, fixed to give 0.9m total height | 240.00 | S2 |
| XT109 | Divider gate | 185.00 | S21 |
| WT811 | Flotation wheel 25 x 10 – 12, off road use only, for above trailers (priced each) | 215.00 | S16 |
| RT710-01 | Jockey wheel | 35.00 | S2 |
| RT710-02 | Prop stand c/w clamp (priced each side) | 13.00 | S21 |
| SPARE WHEELS/MOUNTING BRACKETS - For XRT Trailers | | | |
| WT610 | Spare wheel for XRT610E, 20.5 x 8 – 10 | 85.00 | S16 |
| WT630 | Spare wheel for XRT630, 165 x 13 | 90.00 | S16 |
| WT740 | Spare wheel for XRT740, XRT740B, 195 x 60 – R14 | 110.00 | S16 |
| WB103 | Spare wheel mounting bracket to fit spare wheel to trailer | 65.00 | S16 |
| LOCKING COUPLING | | | |
| | *Product No + L security coupling with lock – additional cost to trailer | 100.00 | |
| SXR BEAVERTAIL TRANSPORT TRAILER | | | |
| BODY SIZE 2.995m x 1.5m x 0.3m High (1300KG Gross) | | | |
| SXR726BT | Beavertail trailer for transport of ATVs, Small UTVs, Golf Cars and Ride on Mowers Loading ramp, overrun brakes, lights (13 pin electrics with adaptor supplied to reduce to 7 pin) jockey wheel, rear prop stands and 195 x 70 – R14 wheels and tyres | 3300.00 | S1 |
| SPARE WHEEL | | | |
| WB103 | Wheel mounting bracket to fit spare wheel to trailer | 65.00 | S16 |
| WT760 | Spare wheel for SXR trailer 195 x 70 – R14 | 140.00 | S16 |
| VT TRANSPORTER TRAILER BODY SIZE 2.995m x 1.750m x 0.3m High (1300KG Gross) | | | |
| VT726 | Logic Transporter trailer - H/D loading ramp, overrun brakes, lights, (13 Pin electrics with adaptor supplied to reduce to 7 Pin) jockey wheel, rear prop stands and 195 x 70 – R14 wheels and tyres. | 3425.00 | S1 |
| OPTIONS | | | |
| VT105 | Ext panel headboard panel to give 0.9m total height | P.O.A. | S2 |
| VT202 | Ext mesh sides, hinged, to give 0.9m total height | P.O.A. | S2 |
| VT205 | Ext panel sides, fixed to give 0.9m total height | P.O.A. | S2 |
| WT811 | Flotation wheel 25 x 10 – 12, off road use only, for above trailers (priced each) | 215.00 | S16 |
| WBXXX | Wheel mounting bracket to mount flotation wheels to side of trailer (each) | P.O.A. | |
| SPARE WHEELS | | | |
| WB103 | Wheel mounting bracket to fit spare wheel to trailer | 65.00 | S16 |
| WT 760 | Spare wheel for VT trailer 195 x 70 – R14 | 140.00 | S16 |
| TRAILER LIGHT PLUG/SOCKET ADAPTORS | | | |
| ME-C057 | Adaptor, 7 pin male 13 pin female | 9.50 | S24 |
| ME-C060 | Adaptor, 13 pin male 7 pin female | 9.50 | S24 |

Alloy Treadplate Floor option available.

GRASS/GROUNDCARE



| PART No | | PRICE | code |
|--|---|--------------|------|
| MFP FLAIL MOWERS | | | |
| 1.2m MODELS (Quick Offset Drawbar) | | | |
| Wheels alongside with: | | | |
| MFP320B16 | 16hp Briggs & Stratton 'V' Twin engine | 4940.00 | S5 |
| Wheels behind with: | | | |
| MFP320B16R | 16hp Briggs & Stratton 'V' Twin engine | 5155.00 | S5 |
| 1.5m MODELS (Quick Offset Drawbar) | | | |
| Wheels alongside with: | | | |
| MFP350B18 | 18hp Briggs & Stratton 'V' Twin engine | 5280.00 | S5 |
| MFT FLAIL MOWERS - SCRUB BUSTER RANGE | | | |
| 1.0m MODELS (Quick Offset Drawbar) | | | |
| Wheels alongside with: | | | |
| MFT100B18 | 18hp Briggs & Stratton 'V' Twin engine | 5300.00 | S5 |
| Wheels behind with: | | | |
| MFT100B18R | 18hp Briggs & Stratton 'V' Twin engine | 5500.00 | S5 |
| 1.2m MODELS (Quick Offset Drawbar) | | | |
| Wheels alongside with: | | | |
| MFT120B18 | 18hp Briggs & Stratton 'V' Twin engine | 5405.00 | S5 |
| Wheels behind with: | | | |
| MFT120B18R | 18hp Briggs & Stratton 'V' Twin engine | 5555.00 | S5 |
| OPTIONS | | | |
| PROD No + FW | Flotation wheels 22 x 11 – 8 (available on wheels along side mowers only) | 200.00 | S5 |
| PROD No + ES | Electric Start | 455.00 | S5 |
| PROD No + X | Fine grass blades (MFP Models only) to give good quality lawn finish (Factory fitted) at additional cost to above | | |
| | 1.2m+ | 60.00 | |
| | 1.5m+ | 65.00 | |
| TRAILED ROTARY MOWER | | | |
| TRM120B12FW | 1.2m Cut, 12.5hp Briggs & Stratton engine, remote throttle control & with flotation wheels 20 x 7 – 8 | 3095.00 | S5 |
| TRM120B13FWES | 1.2m Cut, 13hp Briggs & Stratton engine, with electric start. Deck mounted control panel with key start and throttle control (12v battery included) Fitted with flotation wheels 20 x 7 – 8 | 3680.00 | S5 |
| TRM120H13FW | 1.2m Cut, 13hp Honda engine, remote throttle control & flotation wheels 20 x 7 – 8 | 3345.00 | S5 |
| TRM120H13FWES | As above with electric start engine | 3825.00 | S5 |
| TRM150B16FW | 1.5m Cut, 16hp Briggs & Stratton engine, remote throttle control & with flotation wheels 20 x 7 – 8 | 3785.00 | S5 |
| TRM150B16FWES | 1.5m Cut, 16hp Briggs & Stratton engine, with electric start. Deck mounted control panel with key start and throttle control (12v battery included) Fitted with flotation wheels 20 x 7 – 8 | 4360.00 | S5 |
| BALLAST ROLLERS | | | |
| BR150 | 1.5m (5') wide, 508mm (20") diameter drum | 1085.00 | S1 |
| BR180 | 1.8m (6') wide, 508mm (20") diameter drum (not for ATV use) | 1145.00 | S1 |
| TERR-ATOR (Aerator/Slitter) | | | |
| LTA160 | 1.6m working width, c/w transport wheels | 2225.00 | S5 |
| LTA161 | Ballast Weights (22.5kg) for above (max 5 per machine) | (each) 90.00 | S30 |



GRASS/GROUNDCARE

| PART No | | PRICE | code |
|-------------------|--|-----------------|------|
| CH100 | BASIC CHAIN HARROWS 4ft wide Conventional dragged chain Harrow | 265.00 | S27 |
| CH200 | 6ft wide Conventional dragged chain Harrow | 360.00 | S27 |
| LPH200 | PRO HARROW 2.0m Pro Harrow c/w manual raise lower | 1665.00 | S5 |
| LSH 200P | SUPER HARROW 2.0m Super Harrow c/w lifting actuator & control box | 2850.00 | S5 |
| LSH 200PD | As above but c/w depth control | 2900.00 | S5 |
| LSP150P | SURFACE-PRO LEVELLER Surface-Pro 1.5m c/w lifting actuator & control box | 3450.00 | S5 |
| LSP150PP | As above but c/w perimeter plough | 3595.00 | S5 |
| PG250 | PRO-GRADE SURFACE GRADER Pro-Grade 2.5m wide c/w perimeter plough and wheel track levelling kit | 1370.00 | S1 |
| PG250T | As above but with tine bar fitted | 1575.00 | S1 |
| PG251 | Pro-Grade 2.5m wide c/w perimeter plough & WITHOUT wheel track levelling kit | 1265.00 | S1 |
| MSP120W | SWEeper-COLLECTOR/HORSE MUCK COLLECTOR 1.2m brushing width, 588 Lt hopper, 5.5hp centrifugal clutch Honda engine, c/w remote throttle and geared winch for emptying | 4265.00 | S5 |
| MSP120WT | As above with adjustable tine bar fitted | 4525.00 | S5 |
| MSP121 | Tine bar kit to fit MSP120W Sweeper (supplied to retrofit) | 260.00 | S30 |
| MSP120R | 1.2m brushing width, 588 Lt hopper, 5.5hp centrifugal clutch Honda engine, c/w remote throttle control and tipping rope | 4095.00 | S5 |
| MSP120RM | As above fitted with mesh floor | 4275.00 | S5 |
| MSH420 | SEED HARVESTERS Heather seed, wild flower and meadow grass seed collector Height range 0 - 21" with full offset drawbar, electric raise/lower and bagging off facility | P.O.A. | S5 |
| MSH320 | Wild flower and meadow grass seed collector Height range 3" - 12", centre pull drawbar, manual raise/lower | P.O.A. | S5 |
| CTF250DSK | WEED WIPER / CONTACT 2000 ALL INCLUSIVE SINGLE UNITS 2.5m wide single trailed unit c/w 22 x 11 - 8 wheels, offset drawbar facility, chemical control system, CTF640S 60 lt tank and pump unit and CTF908 drawbar mounting kit | 3395.00 | S5 |
| CTF150DSK | 1.5m wide single unit spec as above c/w 20 x 7 - 8 wheels. | 3100.00 | S5 |
| CTF500 | GANG UNITS 5.0m wide two gang unit (2 x 2.5m units) complete with chemical control system | 6450.00 | S5 |
| CTF750 | 7.5m wide 3 gang unit (3 x 2.5m units) complete with chemical control system. | 9400.00 | S5 |
| CTF250 | NOTE: Gang units have a choice of tank sizes so need to be specified separately. Please speak to Logic for advice. NOTE: For all gang units minimum pump requirement is 9 lt/min @ 3bar Working Pressure | | |
| CTF150 | INDIVIDUAL PRODUCT COMPONENTS 2.5m wide single unit c/w 22 x 11 - 8 wheels, offset drawbar facility, chemical control system | 3000.00 | |
| | 1.5m wide single unit c/w 20 x 7 - 8 wheels, offset drawbar facility, chemical control system | 2685.00 | |
| CTF640S | CHEMICAL SUPPLY SYSTEM Suitable Logic On Board Sprayers CTF640S, OBS125, OBS640, OBS690, OBS134B, OBS135, OBS136, OBS640S, OBS690S, OBS134S, OBS135S. (See relevant page) For other makes/models of Sprayer, check with supplying dealer or Logic for confirmation of suitability. | 340.00 | S29 |
| OBS620-02A | 60 lt tank and pump unit for Contact 2000 (suitable for gang units, speak to Logic for details) | 40.00 | S30 |
| CTF 908 | T Bolt and clamp kit to fit CTF640S to ATV rear carrier (pair) | 125.00 | S30 |
| LBM 100 | Drawbar mounting bracket for 60 lt Sprayer | 650.00 | S29 |
| CTM600W | Logic Bout marker to suit above machine - Ground driven from Contact 2000 | | |
| LBM300 | CTM TRACTOR MOUNTED MODELS 6.0m wide (Hydraulic folding) 3 Point linkage unit with Hydraulic brush drive, 270 L integral tank and c/w chemical control unit and height control wheels | 16675.00 | S40 |
| CTM250TSK | As above but without wheel kit for use in row crops | 15000.00 | S40 |
| CTM250P | Logic Bout marker - driven from CTM600/W | 650.00 | S29 |
| LBM200 | 2.5m wide single 3 Point linkage unit with Hydraulic brush drive c/w chemical control system and CTF640S 60 lt tank and pump unit mounted to 3 Point Linkage frame | 4540.00 | S5 |
| | 2.5m wide single unit for Hydraulic Power Arm mounting with Hydraulic brush drive c/w chemical Control system. Requires CHEMICAL SUPPLY SYSTEM ask for details | 4000.00 | S5 |
| | Logic Bout marker to fit hydraulically driven machines - driven from Contact 2000 | 650.00 | S29 |



ON BOARD SPRAYERS/ ELECTRO BROADCASTERS

| PART No | | PRICE | code |
|--|---|---------|------|
| 60 LTR TANK CAPACITY ON-BOARD SPRAYER RANGE | | | |
| OBS640S | 60 litre capacity spot/boom Sprayer - c/w 9 ltr/min recirculating pump, in line filter, drain plug, and filter basket (See options 1-8 & 10-14 for all options) | 400.00 | S29 |
| OBS690S | 60 litre capacity spot/boom sprayer - c/w 9 ltr/min pump, full pressure control system Agitation pressure gauge, in line filter, drain plug and filter basket. (See options 1-8 and 10-14 for all options) | 635.00 | S29 |
| NOTE: - ALL 60LT SPRAYERS REQUIRE AE500/AE500L WIRING HARNESS. - TO FIT ANY BOOM OR HOSE REEL OPTION ON THE OBS60 RANGE YOU WILL REQUIRE OPTION 10-HOSE REEL/BOOM BRACKET | | | |
| 135 LTR TANK CAPACITY ON-BOARD SPRAYER RANGE | | | |
| OBS134S | 135 litre capacity spot/boom sprayer - c/w 9 ltr/min recirculating pump, in line filter, drain plug and filter basket, ATV Wiring loom and Boom/hose reel bracket (See options 1-8 & 10-14 for all options) | 615.00 | S29 |
| OBS135S | 135 litre capacity spot/boom sprayer 9 ltr/min pump c/w full pressure control system, Agitation pressure gauge, in line filter, drain plug, filter basket, ATV wiring loom and Boom/Hose reel bracket. (See options 1-8 and 11 for all options) | 875.00 | S29 |
| OBS137SE | 135 litre capacity sprayer c/w 14.4l/min pump, control box with pump on/off & spray/agitate functions (see options 1-9 & 11). Not suitable for ATV use | 1090.00 | S29 |
| OPTIONS | | | |
| 1. OBS113 | Hand lance c/w 10m hose and wrap around bracket | 95.00 | S30 |
| 2. OBS114 | Hand lance c/w 15m hose and wrap around bracket | 105.00 | S30 |
| 3. OBS112PH | Hose reel c/w 15m hose and hand lance | 170.00 | S30 |
| 4. OBS116 | Y Piece – to give 2 x outlets for boom/lance operation | 22.00 | S6 |
| 5. OBS101 | 1.5m (3 nozzle) boom c/w hedgerow nozzle | 215.00 | S30 |
| 6. OBS102 | 2.0m (4 nozzle) boom c/w hedgerow nozzle | 240.00 | S30 |
| 7. OBS104 | 3.0m (6 nozzle) boom c/w hedgerow nozzle | 440.00 | S30 |
| 8. OBS107 | Single broadcast nozzle (XT020) to give up to 4.8m coverage on one side. Ideal for spraying bank sides, between trees, paddocks etc. (Requires 9 ltr/min pump) | 140.00 | S30 |
| 9. OBS108 | 4m (8 nozzle) boom c/w hedgerow nozzle (NOTE: Requires 14.4 ltr/min pump) | 485.00 | S30 |
| 10. OBS601 | Boom/Hose reel bracket (suitable for OBS60 series) | 44.00 | S6 |
| 11. OBS118 | Hose reel bracket to allow fitting of hose reel with twin legged boom | 25.00 | S6 |
| 12. AE500 | ATV Wiring Harness c/w on/off switch | 65.00 | S6 |
| 13. AE500L | As above with longer cables for UTV and other vehicle use | 70.00 | S6 |
| 14. ATV110 | Ratchet straps to attach tank (if required) (pair) | 20.00 | S6 |
| OBS610 | 60 Litre front tank (for use with OBS60/OBS135 Sprayers) See below | 265.00 | S29 |
| OBS611 | Fitting kit OBS 610 to 135 Ltr Sprayer | 70.00 | S30 |
| OBS612 | Fitting Kit OBS 610 to 60 Ltr Sprayer | 70.00 | S30 |
| OBSXXX | Hand wash tank | P.O.A. | |
| N.B. Protective clothing is essential when spraying. | | | |
| ATV130 | SPRAYING SAFETY KIT Includes: Face shield with visor, Goggles, Apron, Nitrile gloves, Nitrile gauntlets, Respirator and Eye irrigation fluid (500ml bottle). Also required, Coverall with hood, please order separately from below size options. | 165.00 | S28 |
| | Coverall with hood, chemical resistant, for use with above safety kit, | 55.00 | S28 |
| PLEASE SELECT YOUR SIZE: ATV130M or ATV130L or ATV130XL or ATV130XXL | | | |



ON BOARD SPRAYERS/ ELECTRO BROADCASTERS

| PART No | | PRICE | code |
|---------------|--|---------|------|
| | 3 POINT LINKAGE MOUNTING FRAME | | |
| TPL115 | 3 Point linkage mounting frame to allow use of On-Board Sprayers and Electro Broadcaster with compact tractors | 295.00 | S30 |
| | 3 POINT LINKAGE SPRAYERS - 270 LTR | | |
| TPS390SE | 270 Lt capacity sprayer c/w 9.0 ltr/min pump, control box with pump on/off & spray/agitate functions (see options 1-8 & 11 on page 9) | 1695.00 | S29 |
| TPS397SE | As above but with 14.4l/min pump (see options 1-9 & 11 on page 9) | 1755.00 | S29 |
| | DECK MOUNTED SPRAYERS - 270 LTR | | |
| DMS390SE | 270 Lt capacity sprayer c/w 9.0 ltr/min pump, control box with pump on/off & spray/agitate functions (See options 1-8 & 11 on page 9) | 1550.00 | S29 |
| DMS397SE | As above but with 14.4l/min pump (see options 1-9 & 11 on page 9) | 1610.00 | S29 |
| ATV130 | SPRAYING SAFETY KIT Includes: Face shield with visor, Goggles, Apron, Nitrile gloves, Nitrile gauntlets, Respirator and Eye irrigation fluid (500ml bottle). Also required, Coverall with hood, please order separately from below size options. | 165.00 | S28 |
| | Coverall with hood, chemical resistant, for use with above safety kit, | 55.00 | S28 |
| | PLEASE SELECT YOUR SIZE: ATV130M or ATV130L or ATV130XL or ATV130XXL | | |
| | ELECTRO BROADCASTERS | | |
| | STANDARD MOTOR MODELS – for ATV/UTV /mounting on implements/ general tractor use. Spreads slug pellets at 12 – 24mtr. It is recommended and beneficial to keep to a 12m spread width with ATV/UTVs when applying slug pellets, this will allow you to drive at a higher speed with an open aperture to cover maximum acreage per hour. (For ATV use, EBC112 mounting frame is recommended - see below) | | |
| EBC-TFS80 | 12 to 24m spread, 85 Lt capacity, manual shut-off (Requires AE500/AE500L wiring harness) | 750.00 | S31 |
| AE500 | ATV Wiring Harness c/w on/off switch | 65.00 | S6 |
| AE500L | As above with longer cables for UTV and other vehicle use | 70.00 | S6 |
| EBC-TFS80P | 12 to 24m spread, 85 Lt capacity, Power ON/OFF: Factory fitted kit includes Power Actuator, Control Box, 8m cable/plugs/sockets etc to enable remote control of feed and disc | 1000.00 | S31 |
| EBC-TFS80PS | As EBC-TFS80P with 'Synchro' Control box to give variable motor speeds of between 20% and 100% - ideal for mounting on implements and reducing spread width to desired width. | 1285.00 | S31 |
| | HIGH PERFORMANCE MOTOR MODELS with Turbo Drive feature for 24m + spreading of good quality slug pellets - not required or suitable for use with ATVs. Designed for UTV/self- propelled sprayer/large tractor/mounting on implements | | |
| EBC-TFS120P | Will spread good quality slug pellets in excess of 24m, 85 Lt capacity, Power ON/OFF: Factory fitted kit includes Power actuator, Control Box, 8m cable/plugs/sockets etc to enable remote control of feed and disc For tractor and sprayer use (not recommended for ATV use) | 1135.00 | S31 |
| EBC-TFS120PL | As above but with 130 Lt hopper | 1235.00 | S31 |
| EBC-TFS120PS | As EBC-TFS120P with 'Synchro' Control box to give variable motor speeds of between 20% and 100% with additional turbo drive switch - ideal for mounting on implements and reducing spread width to desired width as well as maximum width slug pelleting. | 1455.00 | S31 |
| EBC-TFS120PSL | As above but with 130 Lt hopper | 1555.00 | S31 |
| | OPTIONS | | |
| EBC112 | Universal ATV mounting kit (to suit EBC Models) | 120.00 | S6 |
| EBC-TFSC01 | Calibration kit for EBC-TFS120 Powered models | 100.00 | S6 |
| EBC-TFSC02 | Calibration kit for EBC-TFS80 Powered models | 75.00 | S6 |
| EBC-TFSC03 | Calibration kit for EBC-TFS80 Manual models | 62.00 | S6 |

N.B. FOR GAMEFEEDER VERSION OF ELECTRO BROADCASTER SEE PAGE 17



SYSTEM 20 FOR ATVS

| PART No | | | PRICE | code |
|--------------------|---|-----------------|--------|------|
| SUB CHASSIS | | | | |
| S271 | Suzuki LTF500 4wd Quadrunner | (manual lift) | 545.00 | S3 |
| S285 | Suzuki LTF400 Eiger | (manual lift) | 575.00 | S3 |
| S292 | Suzuki LTA450, 500, 700 and 750 King Quad | (manual lift) | 575.00 | S3 |
| S294 | Suzuki King Quad 400 2010 | (manual lift) | 560.00 | S3 |
| S262 | Yamaha YFB 250 Timberwolf 2wd | (manual lift) | 535.00 | S3 |
| S265 | Yamaha YFB 250 FW Timberwolf 4x4 | (manual lift) | 535.00 | S3 |
| S252 | Yamaha YFM 225 and 250 Moto 4* | (manual lift) | 540.00 | S3 |
| S251 | Yamaha YFM 400 Kodiak 4x4, YFM 350U 4x2/YFM 350 4x4 Big Bear (Not YFM 350 FWB 4x4) | (manual lift) | 535.00 | S3 |
| S274 | Yamaha YFM 350 FWB 4 x 4 | (manual lift) | 585.00 | S3 |
| S253 | Yamaha YFU-1 and YFU-1T Pro-hauler* | (manual lift) | 535.00 | S3 |
| S276 | Yamaha YFM400 FWA Kodiak Ultramatic | (manual lift) | 560.00 | S3 |
| S268 | Yamaha YFM 600 4x4 Grizzly | (manual lift) | 560.00 | S3 |
| S280 | Yamaha YFM 660 4x4 Grizzly | (manual lift) | 555.00 | S3 |
| S282 | Yamaha 400/450 FW 2003. BRUIN 350, Grizzly 350/450 IRS & Kodiak 450FWB/D | (manual lift) | 560.00 | S3 |
| S293 | Yamaha Grizzly 550/700 - Pre 2013 | (manual lift) | 555.00 | S3 |
| S297 | Yamaha Grizzly 550/700 - 2013 onwards | (manual lift) | 560.00 | S3 |
| S299 | Yamaha Kodiak 700 | (winch model**) | 500.00 | S3 |
| S264 | Honda TRX 300 2wd & 4wd FW93 models | (manual lift) | 535.00 | S3 |
| S266 | Honda TRX 400 4wd | (manual lift) | 535.00 | S3 |
| S269 | Honda TRX 450 S/ES 98/TRX450 S/ES 2001/2002 | (manual lift) | 535.00 | S3 |
| S277 | Honda TRX 350 S/ES (post Y2k models) | (manual lift) | 565.00 | S3 |
| S279 | Honda TRX 500 | (manual lift) | 565.00 | S3 |
| S286 | Honda TRX 350FM S/ES 4x4 2004/TRX400AT 4x4 2004 | (manual lift) | 565.00 | S3 |
| S288 | Honda TRX 500 S 2005 - 2011 | (manual lift) | 565.00 | S3 |
| S289 | Honda TRX 420 2007 - 2013 | (manual lift) | 590.00 | S3 |
| S295 | Honda TRX 500 FM/FE 2012 | (manual lift) | 605.00 | S3 |
| S296 | Honda TRX 420/500/520 2014 onwards | (manual lift) | 615.00 | S3 |
| SXXX | POLARIS MODELS, PLEASE ENQUIRE | | P.O.A. | S3 |
| S208 | Kawasaki KLF 300 B1, B2, B3, B4* | (manual lift) | 495.00 | S3 |
| S209 | Kawasaki KLF 300 C1, C2 and C3 4x4* | (manual lift) | 495.00 | S3 |
| S261 | Kawasaki KLF 400B Water Cooled 4x4 | (manual lift) | 535.00 | S3 |
| S272 | Kawasaki KVF 400 | (manual lift) | 570.00 | S3 |
| S275 | Kawasaki KVF 300 | (manual lift) | 575.00 | S3 |
| S281 | Kawasaki KVF 360 | (manual lift) | 575.00 | S3 |
| S298K1 | Can Am Outlander 500/570/L 25" Tyres | (manual lift) | 590.00 | S3 |
| S298K2 | Can Am Outlander (as above for winch model**) | (winch model**) | 500.00 | S3 |
| S298K3 | Can Am Outlander 500/570/L 26" Tyres | (manual lift) | 590.00 | S3 |
| S298K4 | Can Am Outlander (as above for winch model**) | (winch model**) | 500.00 | S3 |

(** Some ATVs are fitted with a winch as standard and where indicated, the ATV winch is used to raise/lower Snow Ploughs and Yard Scrapers. Not applicable to S215 Power brush options)

OPTIONS FOR ABOVE

| | | | | |
|------|--|--|--------|----|
| S254 | Electric lift conversion for manual lift System 20 | | 790.00 | S3 |
|------|--|--|--------|----|

**N.B. ALL SYSTEM 20 CHASSIS ARE QUICK RELEASE FROM ATV WITH THE EXCEPTION OF THOSE MARKED WITH AN *
IF YOUR ATV MODEL IS NOT LISTED, PLEASE ASK AS WE ARE ADDING NEW MODELS ON AN ON-GOING BASIS.**



SYSTEM 20 ATTACHMENTS FOR ATVS

To fit all ATV sub-chassis on page 11

| PART No | | PRICE | code |
|---------|---|---------|------|
| | POWER BRUSHES - 1.35m wide | | |
| S215B | with 6.5hp Briggs & Stratton engine and manual lift | 3200.00 | S5 |
| S215BLA | as above with factory fitted adaptation to allow use with electric lift System 20 | 3375.00 | S5 |
| S215H | with 5.5hp Honda engine and manual lift | 3320.00 | S5 |
| S215HLA | as above with factory fitted adaptation to allow use with electric lift System 20 | 3495.00 | S5 |
| | SNOW PLOUGHS | | |
| S221 | 1.4m wide | 495.00 | S4 |
| S228 | 1.5m wide professional c/w break back | 750.00 | S4 |
| | YARDSCRAPER | | |
| S210 | 1.3m wide | 525.00 | S |

SYSTEM 20 FOR UTVS

| | SUB CHASSIS | | |
|---------|---|---------|----|
| UTS252K | Kawasaki Mule 610 4x4 and Mule SX 2017* (*note, no replacement bull bar available for this model) | 1120.00 | S3 |
| S258K | Kawasaki Mule 1000 | 1160.00 | S3 |
| S259K | Kawasaki Mule 2010 & Mule 2510 | 1160.00 | S3 |
| UTS250K | Kawasaki Mule 3010 & 3010D | 1050.00 | S3 |
| UTS251 | Bull bar only for Kawasaki Mule 4010D (Allows transfer of chassis from Mule 3010/D for customers upgrading to Mule 4010D) | 200.00 | S3 |
| UTS251K | Kawasaki Mule 4010D (includes UTS251 replacement bull bar) | 1250.00 | S3 |
| UTS253K | Kawasaki Mule Pro DX/DTX 2016 (Includes replacement Bull Bar) | 1250.00 | S3 |
| UTS254K | Kawasaki Mule Pro MX 2018 | 1145.00 | S3 |
| UTS220K | John Deere HPX | 1075.00 | S3 |
| UTS221K | John Deere XUV 855D & HPX 815E 2017 | 1085.00 | S3 |
| UTS222K | John Deere XUV 865M 2017 | 1090.00 | S3 |
| UTS231K | Kubota RTV 900 | 1085.00 | S3 |
| UTS232K | Kubota RTV 400 | 1080.00 | S3 |
| UTS233K | Kubota RTV X 900 2014 | 1050.00 | S3 |
| UTS234K | Kubota RTV X 1110 2019 | 1050.00 | S3 |
| UTS240K | Clubcar Carryall | 1050.00 | S3 |
| UTS260K | Yamaha Rhino | 1145.00 | S3 |
| UTS270K | JCB Groundhog/Workmax 6x4 06 | 1020.00 | S3 |
| UTS280K | JCB Groundhog/Workmax 4x4 | 1080.00 | S3 |
| UTS281K | JCB Workmax 800D | 1200.00 | S3 |
| UTS290K | Kiotti Mechron (includes replacement bull bar) | 1245.00 | S3 |
| UTS300K | Polaris Ranger 700/800 petrol & diesel | 1070.00 | S3 |
| UTS301K | Polaris Ranger 400/570/EV** | 1190.00 | S3 |
| UTS302K | Polaris Ranger 1000 Diesel 2015 | 1070.00 | S3 |
| UTS303K | Polaris XP1000D 2019 | 1155.00 | S3 |
| UTS400K | Honda Pioneer 700 2017 (Includes replacement Bull bar) | 1205.00 | S3 |
| UTS500K | Can Am Traxter 2017 | 1045.00 | S3 |

**Not available for use with UTS201 Snowplough, please use S228 plough only.

IF YOUR UTV MODEL IS NOT LISTED, PLEASE ASK AS WE ARE ADDING NEW MODELS ON AN ON-GOING BASIS.

SYSTEM 20 ATTACHMENTS FOR UTVS

| | | | |
|------------|--|---------|----|
| | POWER BRUSHES - 1.68m wide (Not for ATV use) | | |
| UTS215BR** | with 6.5hp Briggs & Stratton engine and to allow use with electric lift System 20. Functions include raise & lower and remote angling from straight across to left or right (actuator needs to be transferred to each side manually). | 4050.00 | S5 |
| UTS215HR** | as above with 5.5hp Honda engine. | 4150.00 | S5 |
| | SNOW PLOUGHS | | |
| S228 | 1.5m wide professional c/w break back | 750.00 | S4 |
| UTS201 | 1.8m wide professional c/w break back | 830.00 | S4 |
| | YARDSCRAPER | | |
| UTS210 | 1.7m wide | 600.00 | |

SYSTEM 40 CHASSIS



| <i>S4PART No</i> | | <i>PRICE</i> | <i>code</i> |
|------------------|---|----------------|-------------|
| | SINGLE AXLE MODELS | | |
| | With adjustable axle, raise/lower, control handle, 25 x 10 – 12 flotation wheels and: | | |
| S40S11 | - standard drive engine | 3245.00 | S7 |
| S40S13 | - centrifugal clutch reverse drive engine | 3825.00 | S7 |
| | BRAKED VERSIONS OF SINGLE AXLE SYSTEM 40 NOW AVAILABLE! ADDITIONAL COST P.O.A. (PLEASE SPECIFY BRAKES WHEN ORDERING) | | |
| | TANDEM AXLE MODELS | | |
| | With adjustable axle, raise/lower, control handle, 22 x 11 – 8 flotation wheels and: | | |
| S40T11 | - standard engine | 4000.00 | S7 |
| S40T13 | - centrifugal clutch reverse drive engine | 4590.00 | S7 |
| | Options for System 40 | | |
| S401-22A | Additional implement adapting x members | 75.00 | S8 |
| S422 | Equipment lifter, to enable easy lifting of equipment to and from System 40 chassis. | P.O.A. | S8 |

SYSTEM 40 EQUIPMENT



| <i>PART No</i> | | <i>PRICE</i> | <i>code</i> |
|----------------|---|---------------|-------------|
| | FERTILISER SPREADERS (TO FIT SYSTEM 40) | | |
| S407 | Vicon 503 Fertiliser spreader c/w fitting kit | P.O.A. | S32 |
| | SPRAYERS (TO FIT SYSTEM 40) | | |
| S409 | 400 litre capacity Hardi c/w 10m self levelling boom, hose extension kit, control mounting bracket, clean water tank and protective clothing locker | P.O.A. | S25 |
| S410 | 600 litre capacity Hardi as above but with 12m self levelling boom | P.O.A. | S25 |
| S419 | Boom adjusting bracket for Hardi S409/S410 tandem axle installation (Other sprayers and fitting kits available on request) | P.O.A. | S8 |
| | SYSTEM 40 FITTING KITS | | |
| | SPRAYERS - kits including extension hoses/ connectors/ control mountings/ nuts, bolts/ installation instructions etc, available to adapt customers own sprayers. Please ask. | | |
| | FERTILISER SPREADERS - kits including control adapters/ u bolts/ clamps/ nuts, bolts/ installation instructions etc, to adapt customers own fertiliser spreaders. Please ask. | | |
| | N.B. Protective clothing is essential when spraying. | | |
| ATV130 | SPRAYING SAFETY KIT Includes: Face shield with visor, Goggles, Apron, Nitrile gloves, Nitrile gauntlets, Respirator and Eye irrigation fluid (500ml bottle). Also required. Coverall with hood, please order separately from below size options. | 165.00 | S28 |
| | Coverall with hood, chemical resistant, for use with above safety kit, PLEASE SELECT YOUR SIZE: ATV130M or ATV130L or ATV130XL or ATV130XXL | 55.00 | S28 |

TRAILED SPRAYERS/SPREADERS



See also System 40 section for other Low Ground Pressure (L.G.P) equipment

| PART No | | PRICE | code |
|-------------|--|---------|------|
| | TRAILED SPRAYERS - 270 LTR | | |
| TS400S | Trailed sprayer, 270 Lt capacity c/w 9.0 ltr/min pump, c/w full pressure control system, agitation, pressure guage, inline filter, drain plug, filter basket and wiring with switch (without boom), fitted with 22 x 11 – 8 flotation wheels. (turf tyre option available) (See options 1-8 & 10) | 1520.00 | S29 |
| TS400SE | Trailed sprayer, 270 Lt capacity c/w 9.0 ltr/min pump, control box with pump on/off & spray/agitate functions (without boom), fitted with 22 x 11 – 8 flotation wheels. (turf tyre option available) (See options 1-8 & 10) | 1760.00 | S29 |
| TS497SE | As above but with 14.4 ltr/min pump (see options 1-10) Not suitable for ATV use | 1820.00 | S29 |
| | DECK MOUNTED SPRAYERS - 270 LTR | | |
| DMS390SE | 270 Lt capacity sprayer c/w 9.0 ltr/min pump, control box with pump on/off & spray/agitate functions (See options 1-8 & 10) | 1550.00 | S29 |
| DMS397SE | As above but with 14.4 ltr/min pump (see options 1-10) | 1610.00 | S29 |
| | BOOMS / HANDLANCE / HOSE REEL OPTIONS (To fit boom sprayers only) | | |
| | OPTIONS | | |
| 1. OBS113 | Hand lance c/w 10m hose and wrap around bracket | 95.00 | S30 |
| 2. OBS114 | Hand lance c/w 15m hose and wrap around bracket | 105.00 | S30 |
| 3. OBS112PH | Hose reel c/w 15m hose and hand lance | 170.00 | S30 |
| 4. OBS116 | Y Piece – to give 2 x outlets for boom/lance operation | 22.00 | S6 |
| 5. OBS101 | 1.5m (3 nozzle) boom c/w hedgerow nozzle | 215.00 | S30 |
| 6. OBS102 | 2.0m (4 nozzle) boom c/w hedgerow nozzle | 240.00 | S30 |
| 7. OBS104 | 3.0m (6 nozzle) boom c/w hedgerow nozzle | 440.00 | S30 |
| 8. OBS107 | Single broadcast nozzle (XT020) up to 4.8m coverage on one side. (Requires 9 ltr/min pump) | 140.00 | S30 |
| 9. OBS108 | 4m (8 nozzle) boom c/w hedgerow nozzle (NOTE: Requires 14.4 ltr/min pump) | 485.00 | S30 |
| 10. OBS118 | Hose reel bracket to allow fitting of hose reel with twin legged boom | 25.00 | S6 |
| OBSXXX | Hand wash tank | P.O.A. | |
| | 400/600 LTR TRAILED SPRAYERS | | |
| TS500 | 400 Litre capacity c/w 10m self levelling boom 5hp engine and 22 x 11 – 8 wheels, clean water tank and protective clothing locker | P.O.A. | S7 |
| TS600 | 600 litre capacity c/w 12m self levelling boom, 5hp engine and 25 x 10 – 12 wheels, clean water tank and protective clothing locker | P.O.A. | S7 |
| | OPTIONS: Hand wash tank, self fill, hand lance, hose reel & bout marker | P.O.A. | |
| | 600 LTR TRAILED SPRAYERS | | |
| TS660 | 600 Litre capacity trailed sprayer c/w 6m self-levelling boom with break-back facility. Winch for easy boom height adjustment. Supplied with 25 ltr/min engine diaphragm pump, remote electric spray/agitate and manual pressure regulation. 23 x 10.5 – 12 wheels. Supplied c/w 15lit clean water tank | 6295.00 | S5 |
| TS680 | As above but c/w 8m self-levelling boom with break-back facility | 6495.00 | S5 |
| TS625 | 'Boomless' version of above to give a spray width of 4.8m (1x nozzle) and up to 11m (2x nozzles) | 4230.00 | S5 |
| | N.B. Protective clothing is essential when spraying. | | |
| ATV130 | SPRAYING SAFETY KIT Includes: Face shield with visor, Goggles, Apron, Nitrile gloves, Nitrile gauntlets, Respirator and Eye irrigation fluid (500ml bottle). Also required, Coverall with hood, please order separately from below size options. Coverall with hood, chemical resistant, for use with above safety kit, | 165.00 | S28 |
| | PLEASE SELECT YOUR SIZE: ATV130M or ATV130L or ATV130XL or ATV130XXL | 55.00 | S28 |
| | FERTILISER SPREADERS, GROUND DRIVE | | |
| LDS120DS | Ground drive, 120 L, 115kg capacity (approx) c/w 16 x 6.50 – 8 wheels (includes lid) | P.O.A. | S7 |
| LDS240 | Ground drive, 240 L, 230kg capacity (approx) c/w 18 x 9.50 – 8 wheels (includes lid) | P.O.A. | S7 |
| LDS240-02 | Hopper extension to fit LDS240, to take total to 360lt capacity | P.O.A. | S10 |
| LDS380 | Ground drive, 380 L, 365kg capacity (approx) c/w 18 x 9.50 – 8 wheels(excludes cover) | P.O.A. | S7 |
| LDS387 | Hopper cover for above LDS 380 | P.O.A. | S10 |
| | FERTILISER SPREADERS, ENGINE DRIVEN | | |
| VC100 | Vicon 303, 5cwt, complete on L.G.P chassis, with 5.5hp engine and 22 x 11 – 8 wheels | P.O.A. | S7 |
| VC102 | As above but without Vicon 303 (i.e. chassis, wheels and engine) | P.O.A. | S7 |
| VC500 | Vicon 503, 10cwt, complete on L.G.P chassis, with 5.5hp engine and 25 x 10 – 12 wheels | P.O.A. | S7 |
| VC502 | As above but without Vicon 503 (i.e. chassis, wheels and engine) | P.O.A. | S7 |
| VC500TA | Vicon 503 10cwt complete on L.G.P chassis, with 5.5hp engine, tandem axle and 4 off 22 x 11 – 8 wheels | P.O.A. | S7 |
| VC502TA | As above but without Vicon 503 (i.e. chassis, wheels and engine) | P.O.A. | S7 |



SALT/DE-ICING SPREADERS

PART No

PRICE code

GDS150 SALT/SAND SPREADER, GROUND DRIVE (270 L capacity)

Stainless steel hopper and peripheral components to give spread width of 1.5m - 12m @4 - 15mph*

| | | | |
|---------|--|---------|----|
| GDS150S | Universal spreader, ground drive, 270 L capacity hopper | 6295.00 | S7 |
| GDS150R | As above but fitted with mudguards, road wheels & tyres and lights | 6685.00 | S7 |

OPTIONS

| | | | |
|-------------|---|--------|-----|
| GDS106 | Optional flashing beacon for above (supplied fitted) | 200.00 | S10 |
| GDS158 | Tonneau Cover c/w Support | 100.00 | S10 |
| GDS200-172A | Jack to assist hitching & unhitching | 80.00 | S10 |
| PDS210 | Disc shroud to reduce spread width for GDS/PDS trailed models | 135.00 | S10 |

GDS250 SALT/SAND SPREADER, GROUND DRIVE (465 L capacity)

Stainless steel hopper and peripheral components

STANDARD GEARBOX - to give spread width of 1.5m - 10m @5 - 15mph*

| | | | |
|---------|--|---------|----|
| GDS250S | Universal spreader, ground drive, 465 L capacity hopper | 7200.00 | S7 |
| GDS250R | As above but fitted with mudguards, road wheels & tyres and lights | 7585.00 | S7 |

HIGH SPEED GEARBOX - to give spread width of 3.0m - 14m @5 - 15mph*

| | | | |
|---------|--|---------|----|
| GDS251S | Universal spreader, ground drive, 465 L capacity hopper | 7260.00 | S7 |
| GDS251R | As above but fitted with mudguards, road wheels & tyres and lights | 7645.00 | S7 |

OPTIONS

| | | | |
|--------|---|--------|-----|
| GDS106 | Optional flashing beacon for above (supplied fitted) | 200.00 | S10 |
| GDS108 | Tonneau Cover c/w Support | 140.00 | S10 |
| PDS210 | Disc shroud to reduce spread width for GDS/PDS trailed models | 135.00 | S10 |

PDS SALT/SAND SPREADER, ENGINE OR HYDRAULICALLY DRIVEN

PDS models feature dual disc speed to give spread widths of 3m - 14m* S/Steel hopper & peripheral components

| | | | |
|----------|--|----------|----|
| PDS354D | De-mount model 585 L capacity hopper, Power Drive Spreader, 5.5hp engine | 8795.00 | S7 |
| PDS354RB | Trailed model 585 L capacity, Type approved to ECWVTA, high speed, Power Drive Spreader, 5.5hp engine. Fitted with suspension, overrun brakes, mudguards, lights & jockey wheel. C/W spare wheel & mounting bracket | 10440.00 | S7 |

| | | | |
|---------|---|---------|----|
| PDS150D | De-mount model 270 L capacity with 3.5hp engine and dual disc speed to give 3-14m spread widths, control box, Stainless steel components, lashing/lifting points & rubber buffer feet. | 7245.00 | S7 |
|---------|---|---------|----|

| | | | |
|----------|---|---------|----|
| PDS150T | 3 point linkage 270 L capacity hopper, hydraulic drive to give 3 - 14m spread widths | 6320.00 | S7 |
| PDS150F | Fork lift tine mounted models 270L for machines 1.5 - 3.5T (hydraulically driven) | 6545.00 | S7 |
| PDS150F1 | As above but for machines 3.5T Plus/Telehandlers | 6700.00 | S7 |

OPTIONS

| | | | |
|--------|--|--------|-----|
| PDS106 | Optional flashing beacon for above (supplied fitted) | 200.00 | S10 |
| PDS208 | Tonneau Cover c/w support for PDS354D and PDS354RB models | 150.00 | S10 |
| GDS158 | Tonneau Cover c/w Support - to fit PDS150 models | 100.00 | S10 |
| PDS210 | Disc shroud to reduce spread width for GDS/PDS trailed models (also fits PDS150T & PDS150F models) | 135.00 | S10 |

| | | | |
|--------|---|--------|-----|
| PDS211 | Disc shroud to reduce spread width for PDS150D and PDS354D Demount models | 135.00 | S10 |
|--------|---|--------|-----|

Coupling/hitch variations are available on trailed machines to order at extra cost.

Please specify when ordering.

*** Spread width quoted is based on dry rock salt, spread width may vary according to moisture content and material type.**

DRY SALT SPREADER (120 L capacity)

| | | | |
|----------|--|-------|-----|
| LDS120DS | Salt spreader, ground drive 120L capacity, for use with DRY BAGGED SALT only | P.O.A | S7 |
| LDS210 | Disc shroud to reduce spread width for LDS120DS | P.O.A | S10 |

12v DE - ICING SPREADERS

| | | | |
|-------------|--|---------|-----|
| EBC-TSS85PP | 85 Lt capacity spreader, 12v DC belt driven offset twin speed motor to give 2m and 6m spread widths. Frame allows fitment to flat or vertical surfaces Supplied with control box and power cables. | 1115.00 | S31 |
|-------------|--|---------|-----|

| | | | |
|--------------|---|---------|-----|
| EBC-TSS85PPL | As above - fitted to 3 Point Linkage mounting frame | 1410.00 | S31 |
| EBC-TSS130PP | 130 Lt capacity spreader, 12v DC belt driven offset twin speed motor to give 2m and 6m spread widths. Frame allows fitment to flat or vertical surfaces Supplied with control box and power cables. | 1215.00 | S31 |

| | | | |
|---------------|---|---------|-----|
| EBC-TSS130PPL | As above - fitted to 3 Point Linkage mounting frame | 1510.00 | S31 |
| EBC-TSS300PP | 300 Lt capacity, De-mount spreader, suitable for UTVs, pick ups and flat beds stainless steel hopper. 12v DC belt driven offset twin speed motor to give 2m and 6m spread widths. Supplied with control box and power cables. | 2190.00 | S31 |

FEEDERS



| PART No | | PRICE | code |
|--|---|---------|------|
| TRAILED FEEDERS | | | |
| MULTI-FEEDER | | | |
| ALL INCLUSIVE UNITS - 356 L capacity | | | |
| LMF570K | Multi-Feeder c/w Tonneau cover (LMF101), livestock fender (LMF102), mudguards (LMF103), re-settable counter & 22 x 11 – 8 wheels/tyres. | 2130.00 | S1 |
| LMF870K | As above but with larger 25 x 10 -12 wheels/tyres | 2335.00 | S1 |
| BASE UNITS AND OPTIONS | | | |
| LMF450 | Multi-Feeder, 356 L capacity, 22 x 11 – 8 Kenda Tyres. No counter | 1720.00 | S1 |
| LMF570 | Multi-Feeder, 356 L capacity, 22 x 11 – 8 Carlisle Tyres and re-settable drop counter. | 1885.00 | S1 |
| LMF870 | Multi-Feeder, 356 L capacity, 25 x 10 – 12 Carlisle Tyres and re-settable drop counter | 2090.00 | S1 |
| LMF570TA | Multi-Feeder, 356 L capacity, tandem axle, re-settable drop counter | 3095.00 | S1 |
| (NOTE: All Multi-Feeder control boxes are supplied with cable lengths long enough for a range of different vehicle installations (ATVs, UTVs, Tractors, 4x4s etc.). | | | |
| OPTIONS | | | |
| LMF101 | 1. Tonneau Cover c/w support | 60.00 | S2 |
| LMF112 | 2. Hard top Bale rack - 356 L model only | 305.00 | S2 |
| LMF102 | 3. Livestock Fender** | 65.00 | S2 |
| LMF103 | 4. Mudguards, galvanised c/w mounting brackets** | 120.00 | S2 |
| LMF108 | 5. Hopper extension to increase capacity to 625 L (LMF & LCF) 610 L (LGF) (We recommend LMF870, LMF570TA, LMF610R or LCF160 with this option) | 350.00 | S2 |
| LMF109 | 6. Tonneau Cover c/w support for LMF108 hopper extension | 75.00 | S2 |
| LMF207 | 7. Additional/replacement control box with counter for LMF models (** not for LMF570TA) | 238.00 | S2 |
| CHICK FEEDER | | | |
| LCF160 | Feed dispenser, 356 L capacity, c/w paper holder, 165 x 13 wheels & control box | 1960.00 | S1 |
| OPTIONS: See Multi-Feeder options 1, 5 & 6 above | | | |
| GAME FEEDERS | | | |
| LG850 | Game Feeder 340 L capacity, 25 x 10 – 12 wheels & tyres c/w control box | 2900.00 | S1 |
| OPTIONS: See Multi-Feeder options 1, 4, 5 & 6 above | | | |
| EBC-TSS300PH | 300 L capacity, Trailed broadcaster Game Feeder with high output metering system to feed high volumes quickly. 12v DC belt driven offset twin speed motor to give 2m and 6m spread widths. Supplied with control box and power cables. c/w 22 x 11 – 8 Flotation wheels | 2690.00 | S31 |
| OPTIONS | | | |
| LMF101 | Tonneau Cover c/w support | 60.00 | S2 |
| EBC-TS302 | Mudguard kit c/w brackets for EBC-TSS300 PHT | 150.00 | S2 |
| EBC-TS102 | Precision metering system for EBC-TS models to allow accurate spreading of low rates of seed and fertiliser. With this metering system fitted the machines are capable of spreading free flowing de-icing products | P.O.A. | S6 |
| MOUNTED FEEDERS | | | |
| GAME FEEDERS | | | |
| <i>(For ATV use, EBC112 mounting frame is recommended - see below)</i> | | | |
| EBC-TSS85 | 85 L capacity Broadcaster Game Feeder (manual shut off) with geared motor giving narrower spread width for feeding through Rides/Woods etc. (Requires AE500 wiring harness) | 875.00 | S31 |
| AE500 | ATV Wiring Harness c/w on/off switch | 65.00 | S6 |
| AE500L | As above with longer cables for UTV and other vehicle use | 70.00 | S6 |
| EBC 112 | ATV mounting kit to fit EBC- TSS85/PH Game Feeder | 120.00 | S6 |
| EBC-TSS85PH | 85 L capacity Broadcaster Game Feeder (powered shut off) with high output metering system to feed high volumes quickly. 12v DC belt driven offset twin speed motor to give 2m and 6m spread widths. Supplied with control box and power cables. | 1115.00 | S31 |
| EBC 112 | ATV mounting kit to fit EBC- TSS85/PH Game Feeder | 120.00 | S6 |
| EBC-TSS130PH | As above but with 130 L capacity hopper (Not recommended for ATV use) | 1215.00 | S31 |
| EBC-TSS300PH | 300 L capacity, De-mount broadcaster Game Feeder (powered shut off) with high output metering system to feed high volumes quickly. 12v DC belt driven offset twin speed motor to give 2m and 6m spread widths. Supplied with control box and power cables. | 2190.00 | S31 |
| OPTIONS | | | |
| LMF 101 | Tonneau Cover c/w support (300 L Model) | 60.00 | S2 |
| EBC-TS102 | Precision metering system for EBC-TS models to allow accurate spreading of low rates of seed and fertiliser. With this metering system fitted the machines are capable of spreading free flowing de-icing products. | P.O.A. | S6 |



BOWSERS

| PART No | | PRICE | code |
|-----------------------|--|---------|------|
| LIQUID BOWSERS | | | |
| | LIQUID BOWSERS 270 LITRE CAPACITY | | |
| DMB300 | BOWSER SKID UNIT - Suitable for mounting in a trailer or pick-up etc. 270lt plastic tank. 1.8m flexible outlet pipe 2" diameter c/w ¼ turn on/off tap Top filling with ventilated cap | 730.00 | S1 |
| TPB300 | 3 POINT LINKAGE BOWSER - 270lt plastic tank. 1.8m flexible outlet pipe, 2" diameter complete with ¼ turn on/off tap | 1060.00 | S1 |
| SLB400 | TRAILED BOWSER - Trailed chassis, c/w swivel 50mm ball hitch LGP tyres (22 x 11 – 8) Top filling with ventilated cap. 270lt plastic tank 1.8m flexible outlet pipe 2" diameter complete with ¼ turn on/off tap. | 1010.00 | S1 |
| | LIQUID BOWSERS 600 LITRE CAPACITY | | |
| SLB620 | TRAILED BOWSER - 600lt, gravity fed, 3.5m outlet hose with tap, 23 x 10.5 – 12 wheels | 2305.00 | S1 |
| SLB620H | TRAILED BOWSER - 600lt c/w 2" Honda pump (max output up to approx 400lt/min) 3.5m outlet hose, 23 x 10.5-12 wheels | 2965.00 | S1 |
| SLB620HM | TRAILED BOWSER - 600lt c/w 2" Honda pump + manege watering kit & 23 x 10.5 – 12 wheels | 3295.00 | S1 |
| SLB620-20A | SUCTION HOSE - SELF FILL - 2" x 5m for use with engined bowsers | 125.00 | S30 |
| | HANGING BASKET WATERING SYSTEM 600 LITRE CAPACITY | | |
| SLB610HB | HANGING BASKET WATERING SYSTEM - 600ltr trailed unit c/w 1" Honda Pump, manual hose reel +15m ½" hose, telescopic lance and 23 x 10.5 – 12 wheels. | 3100.00 | S1 |
| SLB610-20A | SUCTION HOSE - SELF FILL - 1" x 5m for use with above | 55.00 | S30 |

FORESTRY EQUIPMENT

| | | | |
|--------|--|---------|-----|
| | TIMBER TRAILERS | | |
| THT400 | TIMBER TRAILER tandem axle, 22 x 11 – 8 flotation wheels | 2595.00 | S7 |
| THT200 | TIMBER HAULER , c/w hand winch and 22 x 11 – 8 flotation wheels | 1825.00 | S7 |
| | ELECTRIC WINCHES | | |
| WINXXX | ELECTRIC WINCH - c/w steel rope with hook and remote switch. | P.O.A. | S1 |
| WIKXXX | FITTING KITS - Model specific for ATV and UTV models. (N.B - please specify make, model and year of ATV/UTV when ordering). | P.O.A. | S14 |
| | POLE BOGIE | | |
| PB800 | Pole Bogie for carrying telegraph poles or similar 25 x 10 – 12 flotation wheels (This product is made to order, please ring for delivery timescale) | P.O.A. | S1 |

ACCESSORIES



PART No

PRICE code

WEATHER PROTECTION/DRIVER COMFORT

LOGIC WINDSCREENS FEATURE A COLOUR CODED FAIRING AND ARE C/W ALL FIXINGS

| | | | |
|----------|--|--------|-----|
| ATV074 | LOGIC WINDSCREEN - Universal, Black | 225.00 | S15 |
| ATV076 | LOGIC WINDSCREEN - Honda TRX 450 Red | 230.00 | S15 |
| ATV077 | LOGIC WINDSCREEN - Honda 350, 420, 500/Foreman Red | 230.00 | S15 |
| ATVXXX | LOGIC WINDSCREEN - Honda TRX 300 with speed/hr meter - Red (ATV077 & ATV069 kit) | 255.00 | S15 |
| ATVXXX | LOGIC WINDSCREEN - Honda TRX250 Red (ATV077 & ATV079 kit) | 265.00 | S15 |
| ATV270 | LOGIC WINDSCREEN - Honda TRX420 2015 | 230.00 | S15 |
| ATV271 | LOGIC WINDSCREEN - Honda TRX500 IRS 2015 | 230.00 | S15 |
| ATV005 | HANDLEBAR MUFFS (Red) (Thermal lined) | 32.00 | S24 |
| ATV005B | HANDLEBAR MUFFS (Black) (Thermal lined) | 32.00 | S24 |
| ATV049L2 | HEATED HANDLEBAR GRIPS | 56.00 | S15 |
| KOL92145 | TANK BAG - (Black), petrol tank or carrying rack mountable | 60.00 | S15 |

PROTECTIVE HELMETS/CLOTHING

LOGIC ATV SAFETY HELMET C/W VISOR

(Meets the requirements for ATV general workplace use as per HSE information sheet AIS 33)

| | | | |
|-------------|---|-------|-----|
| ATV032 | Size range 54 - 57 (supplied with 2x sets of pads to cover size range) | 42.00 | S15 |
| ATV033 | Size range 58 - 62 (supplied with 2x sets of pads to cover size range) | 42.00 | S15 |
| ATV032-1001 | Replacement visor for Logic ATV Helmet (ATV032/ATV033) supplied c/w mounting screws | 10.00 | S20 |

CRASH HELMETS

Motor cycle type, open-faced with peak

| | | | |
|-----------|--------------------|--------|-----|
| ATV034BS | Size range 56 - 57 | P.O.A. | S15 |
| ATV034BM | Size range 58 - 59 | P.O.A. | S15 |
| ATV034BL | Size range 60 - 61 | P.O.A. | S15 |
| ATV034BXL | Size range 62 - 63 | P.O.A. | S15 |

| | | | |
|--------|---|--------|-----|
| ATV130 | SPRAYING SAFETY KIT Includes: Face shield with visor, Goggles, Apron, Nitrile gloves, Nitrile gauntlets, Respirator and Eye irrigation fluid (500ml bottle). Also required, Coverall with hood, please order separately from below size options. | 165.00 | S28 |
| | Coverall with hood, chemical resistant, for use with above safety kit, | 55.00 | S28 |
| | PLEASE SELECT YOUR SIZE: ATV130M or ATV130L or ATV130XL or ATV130XXL | | |

SECURITY

| | | | |
|--------|--|-------|----|
| ATV114 | SECURITY CHAIN AND LOCK , Thatcham™ approved heavy duty 2m chain with 12mm forged links and 11mm recessed hasp padlock. Supplied with 3x keys | 85.00 | S5 |
| ATV115 | GROUND ANCHOR WITH SWIVEL EYE . Sold Secure Gold™ approved | 55.00 | S5 |
| ATV116 | GROUND ANCHOR , double layered hardened steel. Sold Secure Gold™ approved | 45.00 | S5 |

PUNCTURE REPAIR KIT

| | | | |
|--------|---|-------|-----|
| ATV111 | TUBELESS TYRE REPAIR KIT c/w instructions, rasp, needle, glue solution and 40 repair inserts | 35.00 | S20 |
|--------|---|-------|-----|

AUXILLARY WIRING HARNESSSES

| | | | |
|--------|--|-------|----|
| AE500 | ATV Wiring Harness supplied c/w switch, switch housing, in-line fuse, waterproof 2-pin socket and mounting hardware. | 65.00 | S6 |
| AE500L | As above with longer cables for UTV and other vehicle use | 70.00 | S6 |

ACCESSORIES

| PART No | | PRICE | code |
|--|--|--------|------|
| SPARE WHEELS, TYRES & RIMS FOR LOGIC PRODUCTS | | | |
| OFF ROAD | | | |
| WT300 | 165 x 8 tyre & rim | 50.00 | S16 |
| WT400 | 22 x 11 – 8 Flotation tyre & rim (P323 pattern) | 80.00 | S16 |
| T400 | 22 x 11 – 8 Flotation tyre (P323 pattern) | 45.00 | S17 |
| WT400E | 22 x 11 – 8 Flotation tyres & rim (P322 pattern) | 83.00 | S16 |
| T400E | 22 x 11 – 8 Flotation tyre (P322 pattern) | 48.00 | S17 |
| WT500 | 22 X 11 – 8 Flotation tyre & rim (Carlisle) | 105.00 | S16 |
| T500 | 22 X 11 – 8 Flotation tyre (Carlisle) | 70.00 | S17 |
| WT510 | 22 X 11 – 8 Turf tyre & rim (Carlisle) | 128.00 | S16 |
| T510 | 22 X 11 – 8 Turf tyre & rim (Carlisle) | 93.00 | S16 |
| W500 | 8.5" x 8" rim 4 stud 100 PCD | 35.00 | S18 |
| WT801 | 25 X 10 – 12 Flotation tyre & rim (Carlisle) | 205.00 | S16 |
| WT811 | 25 X 10 – 12 Flotation tyre & extra offset rim (Carlisle) | 215.00 | S16 |
| T801 | 25 X 10 – 12 Flotation tyre (Carlisle) | 125.00 | S17 |
| WT831 | 23 X 10.5 – 12 Flotation tyre & rim (Carlisle) | 215.00 | S16 |
| T831 | 23 X 10.5 – 12 Flotation tyre (Carlisle) | 135.00 | S17 |
| W801 | 8.5" x 12" rim 4 stud 100 PCD | 80.00 | S18 |
| W811 | 8.5" x 12" Extra offset rim 4 stud 100 PCD | 90.00 | S18 |
| ON ROAD | | | |
| WT610 | 20.5 x 8 – 10 tyre & rim | 85.00 | S16 |
| WT630 | 165 x 13 tyre & rim | 90.00 | S16 |
| WT740 | 195 x 60 – R14 tyre & rim | 110.00 | S16 |
| WT760 | 195 x 70 – R14 tyre & rim | 140.00 | S16 |
| SUSPENSION UNITS/STUB AXLES/TOW BOXES ETC | | | |
| SA235 | Stub axle 35mm square-weld on, standard (each) | 44.00 | S20 |
| SA235D | Stub axle 35mm square – drilled (each) | 52.00 | S20 |
| SA240D | Stub axle 40mm square – drilled (each) | 65.00 | S20 |
| SA200 | Stub axles, heavy duty (each) | 85.00 | S20 |
| TA100B | Bolt in tandem axle unit (each) | 370.00 | S17 |
| TA100C | Channel mount Tandem axle unit (each) fits Logic axle mount channel | 355.00 | S17 |
| SA235DCK | Weld on axle mounting channel kit (2x) c/w nuts and bolts – for 35mm axles | 20.00 | S20 |
| SAX754 | Alko full axle un-braked 750kg gross weight capacity 1720mm wide | 250.00 | S20 |
| SU300B | Suspension units 750 kg (pair) | 230.00 | S20 |
| C100 | Coupling, 50mm, pressed steel | 20.00 | S20 |
| C300 | Coupling, 50mm, cast iron heavy duty | 50.00 | S20 |
| C900 | Coupling, 50mm, Winterhoff (for swivel hitches) | 18.00 | S20 |
| CM100 | Coupling, 50mm, swivel hitch, weld on | 70.00 | S20 |
| CM200 | Coupling, 50mm, swivel hitch, bolt on. Fits CT/OCT, RT/ORT, DST Trailers | 90.00 | S20 |
| CM230 | Coupling, 50mm, swivel hitch, bolt on. Fits XT and XRT trailers | 90.00 | S20 |
| CM231L | Locking coupling, 50mm, swivel hitch, bolt on. Fits XT and XRT trailers | 190.00 | S20 |
| CM240 | Coupling, 50mm, swivel hitch, bolt on. Fits SXT trailers | 90.00 | S20 |
| C920 | Clevis hitch to suit Logic accessories with swivel hitch | 33.00 | S20 |
| TB100 | Tow ball, 50mm, 3/4" threaded, designed for ATVs | 9.95 | S20 |
| MUDGUARDS | | | |
| MG220LH | Mudguard LH, galvanised, 220mm wide, c/w bolts and reflective triangles (ea) | 42.00 | S20 |
| MG220RH | Mudguard RH, galvanised, 220mm wide, c/w bolts and reflective triangles (ea) | 42.00 | S20 |
| MG240LH | Mudguard LH, galvanised, 240mm wide, c/w bolts and reflective triangles (ea) | 42.00 | S20 |
| MG240RH | Mudguard RH, galvanised, 240mm wide, c/w bolts and reflective triangles (ea) | 42.00 | S20 |
| MG290LH | Mudguard LH, galvanised, 290mm wide, c/w bolts and reflective triangles (ea) | 42.00 | S20 |
| MG290RH | Mudguard RH, galvanised, 290mm wide, c/w bolts and reflective triangles (ea) | 42.00 | S20 |

ACCESSORIES



| PART No | | PRICE | code |
|------------------------------|---|---------------|------|
| TOW BARS AND CARRIERS | | | |
| TB100 | Tow ball, 50mm, 3/8" threaded, designed for ATVs | 9.95 | S20 |
| YTB125 | H/D tow bar to fit Yamaha Breeze, c/w 50mm tow ball | 105.00 | S14 |
| YTB350 | H/D tow bar to fit Yamaha YFM 400 Kodiak 4x4, YFM 350U 4x2, YFM 350 4x4 Big Bear c/w 50mm tow ball (Not YFM 350 FWB 4x4, see YTB351) | 105.00 | S14 |
| YTB351 | Heavy duty tow bar to fit YFM 350 FWB Big Bear 5 speed c/w 50mm tow ball | 100.00 | S14 |
| YTB600 | Heavy duty tow bar to fit YFM 600 FWA Grizzly, c/w 50mm tow ball | 100.00 | S14 |

WINCH

| | | | |
|---------------|--|---------------|-----|
| WINXXX | ELECTRIC WINCH - c/w steel rope with hook and remote switch. | P.O.A. | S1 |
| WIKXXX | FITTING KITS - Model specific for ATV and UTV models. (N.B - please specify make, model and year of ATV/UTV when ordering). | P.O.A. | S14 |

REPLACEMENT SEAT COVERS

| | | | |
|---------------|--------------------------------------|--------------|-----|
| ATV085 | Honda TRX 250 | 28.00 | S24 |
| ATV080 | Honda TRX 350 | 28.00 | S24 |
| ATV081 | Honda TRX 300 2/4wd | 28.00 | S24 |
| ATV082 | Honda TRX 400 Foreman | 28.00 | S24 |
| ATV083 | Honda TRX 450 S/ES | 28.00 | S24 |
| ATV084 | Honda TRX 350 S/ES (post Y2k models) | 28.00 | S24 |
| ATV093 | Honda TRX 420 | 28.00 | S24 |
| ATV092 | Honda TRX 500 FE, FM, FA (post 2003) | 28.00 | S24 |
| ATV105 | Honda TRX 500 FM/FE 2012 | 28.00 | S24 |
| ATV086 | Yamaha Timberwolf 2/4wd | 28.00 | S24 |
| ATV087 | Yamaha Big Bear & Kodiak | 28.00 | S24 |
| ATV088 | Yamaha YFM 400 FWA Kodiak Ultramatic | 28.00 | S24 |
| ATV095 | Yamaha 450 Grizzly | 28.00 | S24 |
| ATV089 | Yamaha YFM 600 FWA Grizzly | 28.00 | S24 |
| ATV090 | Yamaha YFM 660 FWA Grizzly | 28.00 | S24 |
| ATV091 | Suzuki LT250 & King Quad | 28.00 | S24 |
| ATV094 | Suzuki LTA450 and 700 King Quad | 28.00 | S24 |
| ATV096 | Kawasaki KLF300 & 400 4wd | 28.00 | S24 |
| ATV097 | Kawasaki KLF300 2wd | 28.00 | S24 |
| ATV098 | Kawasaki KLF220 | 28.00 | S24 |

A Re-foaming/Recovering Service is available for ALL ATV seats - Price range from **60.00 to 120.00**
Please return seat to Logic and allow up to 28 days for this facility.
(Price dependent on condition)

ACCESSORIES



| <i>PART No</i> | | <i>PRICE</i> | <i>code</i> |
|-------------------------------|--|---------------|-------------|
| KOLPIN | | | |
| GUN BOOT CASES | | | |
| KOL20025 | Gun Boot 6.0 Impact (requires mounting bracket from below section) | 100.00 | S15 |
| GUN BOOT BRACKETS | | | |
| KOL20032 | Gun Boot 6.0 Loop Bracket | 85.00 | S24 |
| GUN/RATCHET GRIPS | | | |
| KOL21540 | Ratchet Grips (pair) | 75.00 | S24 |
| KOL21510 | ATV Rhino Grip XL (pair) | 48.00 | S24 |
| KOL21535 | UTV Rhino Grip XL (pair) | 48.00 | S24 |
| SAW PRESS BRACKETS | | | |
| KOL20044 | Universal fit sawpress II for ATVs & UTVs | 115.00 | S24 |
| KOL200429 | Pickup Beds | P.O.A. | S24 |
| TOOL PRESS BRACKETS | | | |
| KOL200458 | Front/Rear Composite Racks | P.O.A. | S24 |
| KOL200459 | Pickup Beds | P.O.A. | S24 |
| ATV HARD GOODS | | | |
| KOL93101 | Front/Rear Gear Box | 195.00 | S15 |
| KOL93201 | Contoured Cargo Box | 235.00 | S15 |
| ATV COVER | | | |
| KOL95104 | XXL Black | 88.00 | S24 |
| ATV SEAT COVER | | | |
| KOL93640 | Mossy Oak Breakup™ | 40.00 | S24 |
| GEARTECTOR ATV LUGGAGE | | | |
| KOL92145 | Tank Bag - (Black), petrol tank or carrying rack mountable | 60.00 | S24 |
| KOL93540 | Front/Rear Luggage - Mossy Oak Breakup™ | 56.00 | S15 |
| KOL93510 | Cargo Bag - Mossy Oak Breakup™ | 70.00 | S15 |
| UTV ACCESSORIES | | | |
| KOL21535 | UTV Rhino Grip XL (pair) | 48.00 | S24 |
| KOL20073 | UTV Gun Rack | 140.00 | S15 |
| KOL20074 | UTV Gun Rack Riser. To fit above to UTVs with centre hump. | 55.00 | S24 |
| KOL53200 | UTV Basket c/w mounting hardware | 130.00 | S24 |

An interesting quotation

Value...

It's unwise to pay too much, but it's unwise to pay too little. When you pay too much you lose a little money, that is all.

When you pay too little, you sometimes lose everything, because the thing you bought was incapable of doing the thing you bought it to do.

The common law of business balance prohibits paying a little and getting a lot. It can't be done. If you deal with the lowest bidder, it's well to add something for the risk you run.

And if you do that, you will have enough to pay for something better.

John Ruskin (1819-1900)