

BLAST XR TOURING



VEHICLE SPECS

ENGINE

	BLAST XR	BLAST XR TOURING
Engine Type		4000 Series, 2-Stroke
Displacement		397cc
Cooling		Liquid
Cylinders		1
Bore x Stroke		85 x 70 mm
Lubrication		Electronic Injection
Ignition		Digitally Controlled CDI
Engine Stator Output		270W @ 3000 RPM
Fuel Delivery		Electronic Fuel Injected (EFI)
Exhaust	APV with Tuned Pipe, Pipe Sensor, Manifold and Stainless Steel Muffler	
Fuel Capacity		11.7 gal.
Oil System Capacity		3.25 qt.
Coolant System Capacity		5.0 qt.
Minimum Octane		91

POWERTRAIN

	BLAST XR	BLAST XR TOURING
Drive Clutch		CVTech Trailbloc
Driven Clutch		CVTech Invince
Drive System		Arctic Drive System
Brakes	Stealth Hydraulic Master Cylinder w/ Lightweight Caliper	
Clutch Calibration		0-5,000 ft.
Gearing		19/50
Chain Pitch		90
Track Drive Sprocket		8 Tooth, 2.86 pitch, Involute
Reverse		Push-Button Engine

SUSPENSION

	BLAST XR	BLAST XR TOURING
Front Suspension	Arctic Mountain Suspension (AMS)	
Ski Shocks	Hydraulic Twin Tube	
Sway Bar	N/A	Standard
Front Travel		7.2 in.
Rear Suspension	Slide-Rail, Dual Shock and Adjustable Torsion Springs	Slide-rail, dual shock, adjustable torsion springs and overload springs
Front Track Shock		Hydraulic Twin Tube
Rear Track Shock		Hydraulic Twin Tube
Rear Travel		12.5 in.

DIMENSIONS



	BLAST XR	BLAST XR TOURING
Overall Chassis Length	128 in.	
Overall Chassis Width	44-45 in.	46-47 in.
Overall Chassis Height	50.5 in.	
Track Type	Cobra	Ripsaw
Track Width	15 in.	
Track Length	146 in.	
Lug	1.60 in.	1.25 in.
Pitch	2.86 in.	
Ski Stance	37.5-38.5 in. Adjustable	39.5-40.5 in. Adjustable
Ski Type/Width	Trail - 6 in.	
Runner Type	Single Runner	

INSTRUMENTATION

	BLAST XR	BLAST XR TOURING
Type of Gauge		Digital
Speedometer		Digital
Tachometer		Digital
Odometer		Digital
Fuel		Digital
Oil		Indicator Light
Coolant		Indicator Light
Clock		N/A
Battery Voltage		N/A

	BLAST XR	BLAST XR TOURING
Altimeter	N/A
Hours	Digital

FEATURES

	BLAST XR	BLAST XR TOURING
Color	Black/Gold
Heat Exchanger	Front/ Long Tunnel
Starter	Turnkey Electric Start
Handlebars	Hooked with Grab Handle, 4.5 in. Riser
Lighting	Halogen 1-Bulb
Seating	Mid-Size
Storage Components	
Additional Accessories	Front Bumper, Goggle Holder, Handguards, Ice Scratchers, Mirrors, Rear Rack, Rear Storage, Sno Pro Brake Lever, Tow Hitch	
Standard Accessories Hand & Thumb Warmer, Tether Switch	
Windshield	4 in. Low-Height	15.5 in. High Height

Vehicle specifications are subject to change.