

# Over 100 Scientists, Doctors, & Leading Authorities Call For Increased Vitamin D Use To Combat COVID-19

Scientific evidence indicates vitamin D reduces infections & deaths

Dec 7, 2020

To all governments, public health officials, doctors, and healthcare workers,

Research shows low vitamin D levels almost certainly promote COVID-19 infections, hospitalizations, and deaths. Given its safety, **we call for immediate widespread increased vitamin D intakes.**

Vitamin D modulates thousands of genes and many aspects of immune function, both innate and adaptive. The scientific evidence<sup>1</sup> shows that:

- Higher vitamin D blood levels are associated with lower rates of SARS-CoV-2 infection.
- Higher D levels are associated with lower risk of a severe case (hospitalization, ICU, or death).
- Intervention studies (including RCTs) indicate that vitamin D can be a very effective treatment.
- Many papers reveal several biological mechanisms by which vitamin D influences COVID-19.
- Causal inference modelling, Hill's criteria, the intervention studies & the biological mechanisms indicate that **vitamin D's influence on COVID-19 is very likely causal**, not just correlation.

Vitamin D is well known to be essential, but most people do not get enough. Two common definitions of inadequacy are deficiency < 20ng/ml (50nmol/L), the target of most governmental organizations, and insufficiency < 30ng/ml (75nmol/L), the target of several medical societies & experts.<sup>2</sup> Too many people have levels below these targets. **Rates of vitamin D deficiency <20ng/ml exceed 33% of the population in most of the world, and most estimates of insufficiency <30ng/ml are well over 50% (but much higher in many countries).**<sup>3</sup> Rates are even higher in winter, and several groups have notably worse deficiency: the overweight, those with dark skin (especially far from the equator), and care home residents. These same groups face increased COVID-19 risk.

It has been shown that 3875 IU (97mcg) daily is required for 97.5% of people to reach 20ng/ml, and 6200 IU (155mcg) for 30ng/ml,<sup>4</sup> intakes far above all national guidelines. Unfortunately, the report that set the US RDA included an admitted statistical error in which required intake was calculated to be ~10x too low.<sup>4</sup> Numerous calls in the academic literature to raise official recommended intakes had not yet resulted in increases by the time SARS-CoV-2 arrived. Now, many papers indicate that vitamin D affects COVID-19 more strongly than most other health conditions, with increased risk at levels < 30ng/ml (75nmol/L) and severely greater risk < 20ng/ml (50nmol/L).<sup>1</sup>

---

<sup>1</sup> The evidence was comprehensively reviewed (188 papers) through mid-June [[Benskin '20](#)] & more recent publications are increasingly compelling [[Merzon et al '20](#); [Kaufman et al '20](#); [Castillo et al '20](#)]. (See also [[Jungreis & Kellis '20](#)] for deeper analysis of Castillo et al's RCT results.)

<sup>2</sup> E.g.: 20ng/ml: National Academy of Medicine (US, Canada), European Food Safety Authority, Germany, Austria, Switzerland, Nordic Countries, Australia, New Zealand, & [consensus of 11 international organizations](#). 30ng/ml: Endocrine Society, American Geriatrics Soc., & [consensus of scientific experts](#). See also [[Bouillon '17](#)].

<sup>3</sup> [[Palacios & Gonzalez '14](#); [Cashman et al '16](#); [van Schoor & Lips '17](#)] Applies to China, India, Europe, US, etc.

<sup>4</sup> [[Heaney et al '15](#); [Veugelers & Ekwaru '14](#)]

---

Evidence to date suggests the possibility that the COVID-19 pandemic sustains itself in large part through infection of those with low vitamin D, and that deaths are concentrated largely in those with deficiency. The mere possibility that this is so should compel urgent gathering of more vitamin D data. Even without more data, **the preponderance of evidence indicates that increased vitamin D would help reduce infections, hospitalizations, ICU admissions, & deaths.**

Decades of safety data show that vitamin D has very low risk: Toxicity would be extremely rare with the recommendations here. The risk of insufficient levels far outweighs any risk from levels that seem to provide most of the protection against COVID-19, and this is notably different from drugs & vaccines. Vitamin D is much safer than steroids, such as dexamethasone, the most widely accepted treatment to have also demonstrated a large COVID-19 benefit. Vitamin D's safety is more like that of face masks. **There is no need to wait for further clinical trials to increase use of something so safe, especially when remedying high rates of deficiency/insufficiency should already be a priority.**

Therefore, we call on all governments, doctors, and healthcare workers worldwide to immediately recommend and implement efforts appropriate to their adult populations to increase vitamin D, at least until the end of the pandemic. Specifically to:

1. Recommend amounts from all sources sufficient to **achieve 25(OH)D serum levels over 30ng/ml (75nmol/L)**, a widely endorsed minimum with evidence of reduced COVID-19 risk.
2. Recommend to adults **vitamin D intake of 4000 IU (100mcg) daily** (or at least 2000 IU) in the absence of testing. 4000 IU is widely regarded as safe.<sup>5</sup>
3. Recommend that adults at increased risk of deficiency due to excess weight, dark skin, or living in care homes may need higher intakes (eg, 2x). Testing can help to avoid levels too low or high.
4. Recommend that adults not already receiving the above amounts get 10,000 IU (250mcg) daily for 2-3 weeks (or until achieving 30ng/ml if testing), followed by the daily amount above. This practice is widely regarded as safe. The body can synthesize more than this from sunlight under the right conditions (e.g., a summer day at the beach). Also, the NAM (US) and EFSA (Europe) both label this a “No Observed Adverse Effect Level” even as a daily maintenance intake.
5. **Measure 25(OH)D levels of all hospitalized COVID-19 patients** & treat w/ calcifediol or D3, to at least remedy insufficiency <30ng/ml (75nmol/L), possibly with a protocol along the lines of [Castillo et al '20](#) or [Rastogi et al '20](#), until evidence supports a better protocol.

Many factors are known to predispose individuals to higher risk from exposure to SARS-CoV-2, such as age, being male, comorbidities, etc., but **inadequate vitamin D is by far the most easily and quickly modifiable risk factor with abundant evidence to support a large effect.** Vitamin D is inexpensive and has negligible risk compared to the considerable risk of COVID-19.

### **Please Act Immediately**

---

<sup>5</sup> The following include 4000 IU within their tolerable intakes in official guidelines: NAM (US, Canada), SACN (UK), EFSA (Europe), Endocrine Society (international), Nordic countries, Netherlands, Australia & New Zealand, UAE, and the American Geriatrics Soc. (USA, elderly). No major agency specifies a lower tolerable intake limit. The US NAM said 4000 IU “is likely to pose no risk of adverse health effects to almost all individuals.” See also [[Giustina et al '20](#)].

---

## Signatories (115)

recom-  
mended  
intake

personal  
daily  
intake

<b>Dr. Karl Pflieger</b> , PhD AI & Computer Science, Stanford. Former Google Data Scientist. Biotechnology Investor, AgingBiotech.info, San Francisco, CA, USA. (organizing signatory)	4000 IU	6000 IU
<b>Dr. Gareth Davies</b> , PhD Medical Physics, Imperial College, London, UK. Codex World's Top 50 Innovator 2019. Independent Researcher. Lead author of " <a href="#">Evidence Supports a Causal Role for Vitamin D Status in COVID-19 Outcomes.</a> " (organizing signatory)	4000 IU	5000 IU
<b>Dr. Bruce W Hollis</b> , PhD. Professor of Pediatrics, Medical University of South Carolina, USA.	4000 IU	6000 IU
<b>Dr. Barbara J Boucher</b> , MD, FRCP (London). Honorary Professor (Medicine), Blizard Institute, Bart's & The London School of Medicine and Dentistry, Queen Mary University of London, UK. (significantly contributing signatory)	4000 IU	2000 IU
<b>Dr. Ashley Grossman</b> , MD FRCP FMedSci. Emeritus Professor of Endocrinology, University of Oxford, UK. Professor of Neuroendocrinology, Barts and the London School of Medicine. 2020 Endocrine Society Laureate Award.	2000 IU	2200 IU
<b>Dr. Gerry Schwalfenberg</b> , MD, CCFP, FCFP. Assistant Clinical Professor in Family Medicine, University of Alberta, Canada.	4000 IU	5000 IU
<b>Dr. Giovanna Muscogiuri</b> , MD PhD. Associate Editor, European Journal of Clinical Nutrition. Department of Clinical Medicine and Surgery, Section of Endocrinology, University "Federico II" of Naples, Naples, Italy..	4000 IU	1000 IU
<b>Dr. Michael F. Holick</b> , PhD MD. Professor Medicine, Physiology and Biophysics and Molecular Medicine, Director Vitamin D, Skin and Bone Research Laboratory, Boston University Medical Center, USA. (6000 IU) Disclosure: Consultant Biogena and speaker's Bureau Abbott Inc.	4000 IU	6000 IU
<b>Dr. John Umhau</b> , MD, MPH. CDR, USPHS (ret). President, Academy of Medicine of Washington, DC, USA. Ex-NIH: co-author of the first peer-reviewed report linking vitamin D deficiency with acute respiratory infection. (significantly contributing signatory)	4000 IU	5000 IU
<b>Dr. Pawel Pludowski</b> , MD, dr hab. Associate Professor, Biochemistry, Radioimmunology and Experimental Medicine, Children's Memorial Health Institute, Warsaw, Poland. Chair, European Vitamin D Association (EVIDAS) [non-profit].	4000 IU	2000 IU
<b>Dr. Cedric F. Garland</b> , DrPH. Professor Emeritus, Department of Family Medicine and Public Health, University of California, San Diego, USA.	4000 IU	6000 IU
<b>Dr. Jose M. Benlloch</b> , Professor, Director of the Institute for Instrumentation on Molecular Imaging, CSIC-UPV, Valencia, Spain.	2000 IU	3000 IU
<b>Dr. Samantha Kimball</b> , PhD, MLT. Professor, St. Mary's University, Calgary, Alberta, Canada. Research Director, GrassrootsHealth Nutrient Research Institute [non-profit]. (significantly contributing signatory)	4000 IU	6000 IU
<b>Dr. William B. Grant</b> , PhD Physics, U. of California, Berkeley. Director at Sunlight, Nutrition, and Health Research Center [non-profit], San Francisco, CA, USA. Disclosure: Receives funding from Bio-Tech Pharmacal, Inc.	4000 IU	5300 IU
<b>Dr. Carol L. Wagner</b> , MD. Professor, Medical University of South Carolina, USA.	4000 IU	5000 IU

<b>Dr. Paul Marik</b> , MD, FCCP, FCCM. Chief of Pulmonary and Critical Care Medicine and Professor of Medicine, Eastern Virginia Medical School, Norfolk, VA, USA.	2000 IU	2000 IU
<b>Dr. Morry Silberstein</b> , MD. Associate Professor, Curtin University, Australia.	4000 IU	
<b>Dr. Vatsal Thakkar</b> , MD. Founder, Reimbursify, NY, USA. Former faculty, NYU and Vanderbilt. Op-Ed writer on Vitamin D and COVID-19. (significantly contributing signatory)	4000 IU	10,000 IU
<b>Dr. Peter H Cobbold</b> , PhD. Emeritus Professor, Cell Biology, University of Liverpool, UK.	4000 IU	4000 IU
<b>Dr. Afrozul Haq</b> , PhD. Professor Dept of Food Technology, Jamia Hamdard University, New Delhi, India.	4000 IU	2000 IU
<b>Dr. Barry H. Thompson</b> , MD, FAAP, FACMG. Clinical Associate Professor (Pediatrics), Uniformed Services University of the Health Sciences, Bethesda, MD, USA.	4000 IU	5000 IU
<b>Dr. Reinhold Vieth</b> , PhD, FCACB. Professor, Departments of Nutritional Sciences and Laboratory Medicine & Pathobiology, University of Toronto, Canada. Director (retired), Bone and Mineral Group Laboratory, Mt Sinai Hospital. Disclosure: Receives patent royalties from Ddrops (an infant vitamin D supplement).	4000 IU	4000 IU
<b>Dr. Linda Benskin</b> , PhD, RN, SRN(Ghana), CWCN, CWS, DAPWCA. Independent Researcher for Tropical Developing Countries and Ferris Mfg. Corp, Texas, USA. (significantly contributing signatory)	4000 IU	4000 IU
<b>Jim O'Neill</b> , CEO, SENS Research Foundation. Former principal associate deputy secretary of Health and Human Services, USA.	4000 IU	6000 IU
<b>Dr. Eric Feigl-Ding</b> , PhD. Epidemiologist & Health Economist. Senior Fellow, Federation of American Scientists. USA.	4000 IU	5000 IU
<b>Rt Hon David Davis MP</b> , Member of British Parliament, BSc Joint Hons Molecular Science / Computer Science, Warwick University, UK.	4000 IU	6000 IU
<b>Dr. Susan J Whiting</b> , PhD. Professor Emerita, University of Saskatchewan, Canada.	4000 IU	4000 IU
<b>Dr. Richard Mazess</b> . PhD. Emeritus Professor, University of Wisconsin, Madison, USA.	4000 IU	5000 IU
<b>Dr. Helga Rhein</b> , MD (retired). Sighthill Health Centre, Edinburgh, UK. (significantly contributing signatory)	4000 IU	3500 IU
<b>Dr. Andrea Doeschl-Wilson</b> , PhD. Professor of Infectious disease genetics and modelling, The Roslin Institute, University of Edinburgh, UK.	2000 IU	
<b>Dr. Ute-Christiane Meier</b> , Dr med habil, PhD (Oxon), Dipl-Biol. Visiting lecturer, Institute of Psychiatry, Psychology & Neuroscience, King's College, London, UK and Privatdozentin, Ludwig Maximilian University of Munich, Germany. Disclosure: Patent 20160131666: "Biomarkers for inflammatory response."	4000 IU	2500 IU
<b>Dr. Luigi Gennari</b> , MD PhD. Full Professor, Internal Medicine, Department of Medicine, Surgery and Neurosciences, University of Siena, Siena, Italy.	4000 IU	3500 IU
<b>Dr. Ased Ali</b> , MBChB, PhD, FRCS. Consultant Urological Surgeon, Mid Yorkshire Hospitals NHS Trust, UK.	4000 IU	8000 IU
<b>Dr. Pavel Kocovsky</b> , PhD DSc FRSE FRSC. Professor Charles University, Prague, and Czech Academy of Sciences, Czech Republic.	4000 IU	6000 IU

<b>Dr. Ace Lipson</b> , MD. Endocrinologist. Clinical Professor, George Washington University, Washington, DC, USA.	4000 IU	2000 IU
<b>Dr. Attila R Garami</b> , MD, PhD Multidisciplinary Medical Sciences. Senior Biomarker Consultant, Switzerland.	4000 IU	2500 IU
<b>Dr. David S Grimes</b> , MD (retired), FRCP, University of Manchester, UK.	4000 IU	4000 IU
<b>Dr. Larry Callahan</b> , PhD. Chemist, FDA, Maryland, USA.	2000 IU	3000 IU
<b>Dr. Jeanne M Marconi</b> , MD, Pediatrics. Vice President of PM Pediatrics, New York, USA.	4000 IU	5000 IU
<b>Dr. Spiros Karras</b> , MD. Endocrinologist, Department of Endocrinology and Metabolism-Diabetes Center, 1st Department of Internal Medicine, AHEPA University Hospital, Thessaloniki, Greece.	2000 IU	2000 IU
<b>Dr. Joanna Byers</b> , MBChB, University of Birmingham, UK.	4000 IU	5000 IU
<b>Dr. Jaimin Bhatt</b> , MBChB, MMed(Surgery) FRCS(Urol) FEBU. Consultant Urological Surgeon, Queen Elizabeth University Hospital, NHS Greater Glasgow and Clyde, UK. (2000 IU)	4000 IU	2000 IU
<b>Dr. Christiane Northrup</b> , MD. Obstetrician/Gynecologist.	4000 IU	7500 IU
<b>Dr. Jörg Spitz</b> , Dr. med. Academy of Human Medicine, Schlangenbad, Germany.	4000 IU	10,000 IU
<b>Dr. Naghmeh Mirhosseini</b> , MD, PhD, MPH. Research Associate, School of Public Health, University of Saskatchewan, Canada..	4000 IU	5000 IU
<b>Dr. Iacopo Chiodini</b> , Associate Professor of Endocrinology, Dept. of Medical Biotechnology and Translational Medicine, University of Milan, Milan, Italy. Head, Unit for Bone Metabolism Diseases and Diabetes, Istituto Auxologico Italiano, IRCCS, Milan, Italy.	4000 IU	3500 IU
<b>Dr. David C Anderson</b> , MD MSc FRCP FRCPE FRCPath. Retired Physician and Endocrinologist, Former Professor of Endocrinology, Manchester University, UK and Professor of Medicine, The Chinese University of Hong Kong.	4000 IU	4000 IU
<b>Dr. Colin Bannon</b> , MBChB. GP (retired), Devon, UK.	4000 IU	5000 IU
<b>Dr. Patricia S. Latham</b> , MD EDD. Professor of Pathology & Medicine, George Washington University School of Medicine and Health Sciences, Washington, DC, USA.	2000 IU	2000 IU
<b>Dr. Teresa Fuller</b> , MD PhD. Pediatrician, Owings Mills, MD, USA.	4000 IU	5000 IU
<b>Dr. Omar Wasow</b> , PhD, Harvard. Assistant Professor, Politics, Princeton University, NJ, USA.	4000 IU	4000 IU
<b>Dr. Fabio Vescini</b> , MD PhD. Endocrinology and Metabolism Unit, University-Hospital S. Maria della Misericordia, Italy.	2000 IU	2000 IU
<b>Dr. Emily Grossman</b> , PhD Molecular Biology, University of Manchester, UK. Science Author, Broadcaster and Educator.	4000 IU	4000 IU
<b>Dr. David Carman</b> , MBChB, University of Cape Town, South Africa.	4000 IU	3000 IU
<b>Dr. Kalliopi Kotsa</b> , Professor, Endocrinology-Diabetes, Dept of Medicine, Aristotle University, Thessaloniki, Greece.	4000 IU	4000 IU

<b>Dr. Eva Kocovska</b> , PhD, Queen Mary University of London, UK. Gillberg Neuropsychiatry Centre, University of Gothenburg, Sweden. Medical College, Prague, Czech Republic.	2000 IU	2000 IU
<b>Dr. Benjamin Jacobs</b> , MBBS MD MRCP(UK) FRCPC. Royal National Orthopaedic Hospital, UK.	2000 IU	2000 IU
<b>Dr. Joan Lappe</b> , PhD RN FAAN. Professor, Creighton University, Omaha, Nebraska, USA.	4000 IU	
<b>Dr. Ronald A. Primas</b> , MD FACP FACPM DABIHM CTH. New York, NY, USA.	4000 IU	4000 IU
<b>Dr. Cristina Eller Vainicher</b> , MD. Unit of Endocrinology, Fondazione Ca'Granda IRCCS Ospedale Maggiore Policlinico Milan, Italy. Head of the outpatients clinic for osteoporosis.	4000 IU	3500 IU
<b>Dr. Matthias Gauger</b> , MD. General Practitioner, Switzerland.	2000 IU	3000 IU
<b>Dr. David Warwick</b> , DDS. Dentist, Alberta, Canada. Published Researcher.	4000 IU	8000 IU
<b>Dr. Sunil J. Wimalawansa</b> , MD PhD MBA FRCP FRCPATH FACE FACP DSc. Professor of Medicine, Endocrinology & Nutrition, Cardiometabolic & Endocrine Institute, New Jersey, USA.	4000 IU	5000 IU
<b>Perry S. Holman</b> . Executive Director, Vitamin D Society [non-profit], Canada.	4000 IU	4000 IU
<b>Sharon McDonnell</b> , MPH. Biostatistician, GrassrootsHealth Nutrient Research Institute [non-profit], Encinitas, CA, USA.	4000 IU	5000 IU
<b>Mike Fisher</b> . Founder, VitaminDassociation.org [non-profit]. Director of Research, Systems Biology Laboratory, UK.	4000 IU	4000 IU
<b>Dr. Lina Zgaga</b> , MD, PhD. Associate Professor of Epidemiology, Trinity College Dublin, University of Dublin, Ireland.	2000 IU	3000 IU
<b>Dr. Irwin Jungreis</b> , PhD, Harvard University. Research Scientist, Massachusetts Institute of Technology, Cambridge, MA, USA.	2000 IU	2700 IU
<b>Dr. Jane Coad</b> , PhD. Professor of Nutrition, Massey University, New Zealand.	4000 IU	2000 IU
<b>Dr. Cedric Annweiler</b> , MD PhD. Professor of Geriatric Medicine, School of Medicine, Health Faculty, University of Angers and Department of Medicine, Clinique de l'Anjou, Angers, France. Disclosure: occasional consultant for Mylan Laboratories Inc.	2000 IU	2000 IU
<b>Dr. Salvatore Minisola</b> , Full Professor of Internal Medicine, "Sapienza" Rome University, Italy.	4000 IU	
<b>Dr. Mats B. Humble</b> , MD PhD. Psychiatrist (retired), Senior lecturer, Department of Medical Sciences, Örebro University, Sweden.	2000 IU	3000 IU
<b>Dr. Andrea Fabbri</b> , MD PhD. Professor of Endocrinology, Head Endocrinology Division, Ospedale CTO A. Alesini, University of Rome Tor Vergata, Rome, Italy.	4000 IU	7000 IU
<b>Dr. Steve Jones</b> , PhD FRS. Emeritus Professor of Human Genetics, Dept of Genetics, Evolution and Environment, University College London, UK.	4000 IU	
<b>Dr. Hermann Brenner</b> , MD MPH. Professor of Epidemiology, Head of Clinical Epidemiology and Aging Research, German Cancer Research Center, Heidelberg, Germany.	2000 IU	2000 IU

<b>Dr. Helder F. B. Martins</b> , MD PhD (hon). Specialist & Emeritus Professor of Public Health. Former Minister of Health, Mozambique. Former WHO. Member, Mozambican Government COVID-19 advisory committee.	4000 IU	4000 IU
<b>Dr. G. Siegfried Wedel</b> , MD. Internist-Nephrologist (retired), Vierhöfen, Germany.	4000 IU	8000 IU
<b>Dr. Robin Weiss</b> , PhD FRCPATH FMedSci FRS. Emeritus Professor of Viral Oncology, Division of Infection & Immunity, University College London, UK.	4000 IU	2000 IU
<b>Dr. Giancarlo Isaia</b> , Full Professor, University of Turin. President of the Academy of Medicine of Turin, Italy.	2000 IU	
<b>Dr. Susanne Bejerot</b> , Professor, Örebro University, Sweden.	2000 IU	3000 IU
<b>Dr. Antonio D'Avolio</b> , Professor of Pharmacology, University of Turin, Italy.	4000 IU	4000 IU
<b>Dr. Gustavo Duque</b> , MD PhD FRACP FGSA. Chair of Medicine & Director of the Australian Institute for Musculoskeletal Science (AIMSS). The University of Melbourne and Western Health, Melbourne, Australia.	2000 IU	0 IU
<b>Dr. Giovanni Passeri</b> , Associate Professor, Internal Medicine, Dep. of Medicine and Surgery, University of Parma, Parma, Italy.	4000 IU	4000 IU
<b>Dr. Pankaj Kapahi</b> , Professor, Buck Institute for Research on Aging, Novato, California, USA.	4000 IU	
<b>Dr. Giuseppe Poli</b> , Emeritus Professor of General Pathology, University of Turin, Italy.	2000 IU	2000 IU
<b>Dr. Patrick McCullough</b> , MD. Chief of Medical Services, Summit Behavioral Healthcare, Cincinnati, Ohio USA.	4000 IU	50,000 IU
<b>Dr. Prashanth Kulkarni</b> , MD DM FSCAI FACC. Consultant Cardiologist, Hyderabad, India.	4000 IU	4000 IU
<b>Dr. Klaus Badenhoop</b> , MD PhD. Professor, Division of Endocrinology & Diabetes, Department of Internal Medicine, Goethe-University Hospital, Frankfurt am Main, Germany.	4000 IU	4000 IU
<b>Dr. José-María Sánchez-Puelles</b> , Senior Researcher, CIB Margarita Salas, CSIC, Spain	2000 IU	
<b>Dr. Carmelinda Ruggiero</b> , MD PhD. Professor of Geriatric Medicine, School of Medicine, University of Perugia, Italy. Head of the Orthogeriatric Unit, S Maria Misericordia Teaching Hospital, Perugia, Italy. Disclosure: Occasional consultant for UCB Pharma.	4000 IU	4000 IU
<b>Dr. Jose Manuel Quesada Gomez</b> , MD, PHD, Honorary Professor, University of Cordoba. Maimonides Research Institute, Cordoba. Spain.	2000 IU	Calcifediol 266µg/month
<b>Dr. Minisola Giovanni</b> , President Emeritus of Italian Society for Rheumatology. Scientific Director of "San Camillo - Forlanini" Foundation, Rome, Italy.	4000 IU	
<b>Christine French</b> , MS. Research Analyst at GrassrootsHealth Nutrient Research Institute [non-profit], Encinitas, CA, USA.	4000 IU	5000 IU
<b>Dr. Patrizia Presbitero</b> , MD. Clinical and interventional cardiology, Cardio Center, Humanitas Research Hospital Rozzano, Rozzano, Milan, Italy.	4000 IU	
<b>Dr. Ken Redcross</b> , MD. Doctor and on-camera medical expert, New York, USA. Disclosure: scientific advisory board of the Organic & Natural Health Association.	4000 IU	10,000 IU

<b>Dr. Rajeev Venugopal</b> , MBBS FRCS FACS DM. Consultant Plastic Surgeon/ Associate Lecturer in Surgery, University of the West Indies at Mona, Jamaica.	2000 IU	2000 IU
<b>Dr. Gianluca Isaia</b> , MD PhD. Geriatrician, Section of Geriatrics, Department of Medical Sciences, University of Turin, A.O.U. Città della Salute e della Scienza di Torino, Molinette, Turin, Italy.	2000 IU	2000 IU
<b>Dr. Piero Stratta</b> , Professor of Nephrology, University Piemonte Orientale, Italy.	4000 IU	4000 IU
<b>Dr. Ben Schöttker</b> , PhD. Scientist, Division of Clinical Epidemiology and Ageing Research, German Cancer Research Center, Heidelberg, Germany.	2000 IU	1400 IU
<b>Dr. Roberto Fantozzi</b> , MD. Full Professor of Pharmacology, University of Turin, Turin, Italy.	4000 IU	2000 IU
<b>Dr. Sheryl L Bishop</b> , PhD. Professor Emeritus, University of Texas Medical Branch, School of Nursing, Galveston, Texas, USA.	4000 IU	2000 IU
<b>Dr. Wayne Jonas</b> , MD. Professor of Family Medicine, Georgetown University. Former Director NIH Office of Alternative Medicine, USA.	2000 IU	
<b>Dr. Ferdinando Silveri</b> , Medical Director of the Rheumatology Clinic of the Marche Polytechnic University, Ancona, Italy.	4000 IU	
<b>Dr. Vatsalya Vatsalya</b> , MD. Department of Medicine, University of Louisville. National Institute on Alcohol Abuse and Alcoholism NIH, USA.	2000 IU	
<b>Dr. Rachel Nicoll</b> , PhD. Medical researcher, Umeå University, Sweden.	4000 IU	4000 IU
<b>Dr. Raimund von Helden</b> , Dr med. Family medicine. Institute VitaminDelta, Lennestadt, Germany. Disclosure: Institute VitaminDelta sells consumer advice including on vitamin D for modest cost, but with no ties to other commercial interests.	4000 IU	8000 IU
<b>Carole Baggerly</b> , Founder & Director, GrassrootsHealth Nutrient Research Institute [non-profit], Encinitas, CA, USA.	4000 IU	10,000 IU
<b>Dr. Edward Gorham</b> , PhD MPH. Adjunct Professor, University of California San Diego, School of Medicine, Dept of Family Medicine and Public Health, USA.	4000 IU	10,000 IU
<b>Dr. David Verhaeghen</b> , MD, Anesthesiology, Algology and Pain Medicine, Aalst, Belgium.	2000 IU	3000 IU
<b>Dr. Silvia Migliaccio</b> , MD PhD. Associate Professor at University Foro Italico of Roma, Italy. Secretary of the Italian Society of Food Sciences.	4000 IU	1000 IU
<b>Dr. Vítor Oliveira</b> , MD, Internal Medicine, Brazil.	4000 IU	5000 IU
<b>Dr. Djamel Deramchi</b> , MD. Functional medicine. GrassrootsHealth Certified Vitamin D*practitioner and Coimbra Protocol Certified Doctor. France.	4000 IU	10,000 IU
<b>Dr. Wim Soetaert</b> , PhD. Prof. Microbiology & Biotechnology, Ghent University, Centre for Industrial Biotechnology and Biocatalysis (InBio.be), Belgium.	4000 IU	5000 IU
<b>Dr. Mark S. Braiman</b> , PhD. Professor of Chemistry, Syracuse University, USA.	4000 IU	10,000 IU
<b>Dr. Mikko Paunio</b> , MD PhD MHS. Adjunct Professor in General Epidemiology, University of Helsinki. Medical Counselor Ministry of Social Affairs and Health, Finland.	4000 IU	6000 IU



Note: affiliations do not imply endorsement of this letter's content by the institutions themselves.

All signatories declare no conflicts of interest except as noted.

To emphasize: **The organizing signatories have no conflicts of interest in this area (financial or otherwise)**, nor have they done research in this area prior to 2020.

Our goal is to change policy and standard of care to save lives and help mitigate the pandemic, not simply to create the longest possible list of names. At this point, we welcome additional signature requests from those likely to help convince decision makers to implement the calls-to-action enumerated in the letter, such as respected professors, medical doctors with demonstrable additional expertise in vitamin D or the treatment of COVID-19, or other notable authorities likely to have relevant influence. If you are such an authority, please fill out [this form](#).

info@vitaminDforAll.org