



PRODUCT CATALOG

The Clear Leader
In Water Filtration



PROUDLY MADE IN THE U.S.A.

RUSCO.COM | 1.800.345.1033

TABLE OF CONTENTS

WHO WE ARE	1
APPLICATIONS.....	2
THE RUSCO SPIN-DOWN™ DIFFERENCE	3
Spin-Down™ Filters.....	4
Sediment Trapper™ Filters	4
FRESH WATER FILTERS.....	5
CHEMICAL RESISTANT FILTERS.....	7
HOT WATER FILTERS	8
HEAVY DUTY FILTERS	9
SMART BALL VALVE	10
PRODUCT LIST.....	11
Fresh Water Filters	11
Hot Water Filters	12
Chemical Resistant Filters.....	13
Heavy Duty Filters	14
Parts & Accessories.....	15
ORDERING INFORMATION.....	20



The Clear Leader in High Quality, Efficient, Water Filtration Products

Rusco is a leading manufacturer of high quality, efficient, sediment filtration products and accessories. We strive to always exceed our customers' expectations of quality and service and to provide the most effective solutions in the water filtration market.

Four decades in the making, Rusco has set the standard for sediment filtration. This foundation follows a tradition of designing and manufacturing filters for a number of industries across a wide variety of applications.

We not only house a team dedicated to meeting the needs of our customers today, but we consistently expand upon our Spin-Down™ filter housing to meet emerging potable water filtration needs.



Our commitment to quality, innovation, and family is reflected in our choice to manufacture all of our products in the United States of America since Russ Welte engineered our first filter in 1983.

Today, nearly 40 years after that first filter was made, our filters are sold around the world, and Rusco is recognized as an international leader in both quality and price for screen type filtration systems.

SINCE
1983

Filter Applications



Home Filtration

Quality of life depends on the quality of water entering a home. The water used in homes every day needs to be free from debris that can wreak havoc on appliances.



Municipal

The municipal system keeping your water clean and flowing performs best when heavy sediment is kept from degrading critical equipment.



Commercial

Our filters are capable of doing the heavy-lifting needed to keep commercial filtration systems operational longer. Extending the life of an entire system protects the investment and reduces cost.



Well Water

Wells provide water for drinking, cleaning and many other vital applications. Homes benefit from clean water without debris that can damage appliances and reduce the quality of potable water.

The Rusco Spin-Down™ Difference



DEFINED BY DURABILITY

For nearly 40 years Rusco sediment filters have earned the reputation of being the most durable sediment filter of choice. From the very beginning, Rusco filters were designed to be an easy-to-maintain sediment filter.



SPIN-DOWN® TECHNOLOGY

Water travels through the top of a Spin-Down™ filter and spins in a centrifugal motion causing the dirt and debris to be pushed to the outside of the housing, settling at the bottom.



NO NEED TO REPLACE FILTERS

Rusco's polyester and stainless steel screens are removable so if the flush doesn't clean the filter completely it can easily be removed from the housing, cleaned and reinstalled in minutes; saving time and money on costly replacement filters.



CONVENIENT COVER DESIGN

Our covers are designed with a durable thermoplastic construction with high chemical and heat resistance and are clear to provide visibility of debris buildup.

WHAT MAKES A RUSCO FILTER?

Filter Body

Rusco™ SPIN-DOWN™ Sediment Filter bodies are PVC material in 3/4" FPT, 1", 1-1/2" and 2" slip by slip connections in and out. Bushings are available to convert 1", 1-1/2" and 2" slip by slip connections to female pipe thread.

Filter Element

Polyester and stainless steel element screens are available in many mesh sizes to meet your requirements.

Clear Cover

Rusco™ Sediment Filter covers are made of high impact polymer resin for maximum strength and durability.

ELEMENT SCREEN SIZES

Mesh	Microns	Opening
24	711	.028"
30	533	.021"
40	381	.015"
60	254	.010"
100	152	.006"
140	104	.004"
250	61	.0024"
500	30	.0012"
1000	15	.0006"

30, 60, 100, 140 & 200 mesh sizes
also available in stainless steel

Spin-Down™ Filters



SPIN-DOWN™ FILTER SIZES

Body Size	3/4"	1"	1.5"	2"
Filter Length	11-3/8"	11-3/8"	15-3/8"	17-7/8"
Filter Width	5"	5"	5-1/4"	5-1/2"

- ▶ Sediment is visible through the clear cover indicating when the filter needs cleaning.
- ▶ Sediment is quickly and easily removed by opening the ball valve at the bottom of the filter cover.
- ▶ Clear cover is easily removed for total cleaning—no tools required.*
- ▶ Reusable polyester and stainless steel element screens in many mesh sizes from very fine to very coarse.
- ▶ No down time.

*Using tools voids warranty.

Sediment Trapper™ Filters



SEDIMENT TRAPPER™ FILTER SIZES

Body Size	3/4"	1"	1.5"	2"
Filter Length	14-3/8"	14-3/8"	15-3/8"	17-7/8"
Filter Width	5"	5"	5-1/4"	5-1/2"

The Sediment Trapper™ Filter brings all the advantages of our standard Spin-Down™ filter, but the unique design of the Sediment Trapper™ element allows debris to settle in the bottom of the clear cover, trapping sediment away from the screen. The 1-1/2" and 2" model elements make it easy to convert a standard Spin-Down™ filter to a Sediment Trapper™ by simply replacing the element. Sediment Trapper™ elements are available with either polyester or stainless steel screens to suit your needs.

Fresh Water Filters



Our highly flexible filters are designed to be utilized in a wide variety of potable water filtering applications. Whether your water source is a well, lake or municipality, Rusco Sediment Filters will do the heavy lifting, keeping sediment from causing damage in your home.

- ▶ Sediment is visible through the clear cover indicating when the filter needs cleaning.
- ▶ Sediment is quickly and easily removed by opening the ball valve at the bottom of the filter cover.
- ▶ Clear cover is easily removed for total cleaning—no tools required.*
- ▶ Reusable polyester and stainless steel element screens in many mesh sizes from very fine to very coarse.
- ▶ No down time.


**Using tools voids warranty.*

APPLICATIONS INCLUDE:

WELL WATER
PUMPS

WATER
SOFTENERS

YOUR WELL WATER SYSTEM WITH RUSCO



T-STYLE



**2"
Spin-Down™**



**1.5"
Spin-Down™**



**1"
Spin-Down™**



**3/4"
Spin-Down™**

FLOW RATE 18-100 GPM

SIZE 17 7/8" L X 5 1/2" W

SLIP SIZE 2" SLIP

10-50 GPM

15 3/8" L X 5 1/4" W

1.5" SLIP

1-25 GPM

11 3/8" L X 5" W

1" SLIP

1-25 GPM

11 3/8" L X 5" W

3/4" FPT



**2"
Sediment
Trapper™**



**1.5"
Sediment
Trapper™**



**1"
Sediment
Trapper™**



**3/4"
Sediment
Trapper™**

FLOW RATE 18-100 GPM

SIZE 17 7/8" L X 5 1/2" W

SLIP SIZE 2" SLIP

10-50 GPM

15 3/8" L X 5 1/4" W

1.5" SLIP

1-25 GPM

14 3/8" L X 5" W

1" SLIP

1-25 GPM

14 3/8" L X 5" W

3/4" FPT

COMBO STYLE CF



**2"
Spin-Down™**



**1.5"
Spin-Down™**



**2"
Sediment
Trapper™**



**1.5"
Sediment
Trapper™**

FLOW RATE 18-100 GPM

SIZE 18 7/8" L X 5 1/2" W

SLIP SIZE 2" SLIP

10-50 GPM

16 5/8" L X 5 1/4" W

1.5" SLIP

18-100 GPM

18 7/8" L X 5 1/2" W

2" SLIP

10-50 GPM

16 5/8" L X 5 1/4" W

1.5" SLIP

L-STYLE L



**2"
Spin-Down™**



**1.5"
Spin-Down™**



**2"
Sediment
Trapper™**



**1.5"
Sediment
Trapper™**

FLOW RATE 0-100 GPM

SIZE 18" L X 5 1/2" W

SLIP SIZE 2" SLIP

0-50 GPM

14 7/8" L X 4 1/2" W

1.5" SLIP

35-90 GPM

18" L X 5 1/2" W

2" SLIP

5-20 GPM(LP)
15-40GPM (HP)

14 7/8" L X 4 1/2" W

1.5" SLIP

Chemical Resistant Filters



Chemical Resistant Filters make the removal of particles simple and efficient. This filter cover is designed specifically to resist chemicals or corrosives and can handle large volumes of sediment. With a transparent cover, sediment buildup can be seen easily and flushed when needed. The cover is removable by hand without the use of tools. The unique spin-down action cleans the filter as water flows through.

APPLICATIONS INCLUDE:

LABORATORY

SAND SENSITIVE
VALVES

FAUCET
AERATORS

PRETREATMENT
FOR R.O.



**2"
Spin-Down™**



**1.5"
Spin-Down™**



**1"
Spin-Down™**



**3/4"
Spin-Down™**

FLOW RATE

18-100 GPM

10-50 GPM

1-25 GPM

1-25 GPM

SIZE

17 7/8" L X 5 1/2" W

15 3/8" L X 5 1/4" W

11-3/8" L X 5" W

11-3/8" L X 5" W

SLIP SIZE

2" SLIP

1.5" SLIP

1" SLIP

3/4" FPT



**2"
Sediment
Trapper™**



**1.5"
Sediment
Trapper™**



**1"
Sediment
Trapper™**



**3/4"
Sediment
Trapper™**

FLOW RATE

18-100 GPM

10-50 GPM

1-25 GPM

1-25 GPM

SIZE

17 7/8" L X 5 1/2" W

15 3/8" L X 5 1/4" W

14 3/8" L X 5" W

14 3/8" L X 5" W

SLIP SIZE

2" SLIP

1.5" SLIP

1" SLIP

3/4" FPT

Hot Water Filters



- ▶ Flush valve allows for quick, one-step sediment removal
- ▶ Clear cover shows sediment collected by the filter element
- ▶ Thermoplastic construction has high chemical resistance
- ▶ Durable, reusable stainless steel filter elements are available in 30, 60, 100, 140 and 200 mesh sizes
- ▶ No tools required as all parts are hand tighten only
- ▶ Maximum pressure: 150 PSI at 73°F (23°C)
- ▶ Maximum temperature: 220°F
- ▶ Flow rates: 1-100 gallons per minute

APPLICATIONS INCLUDE:

HYDRONIC
HEATING SYSTEMS





OUTDOOR
WOOD BOILERS

WATER
HEATERS

INSTANTANEOUS
WATER HEATERS

Rusco Filters vs. Y-Strainers: A Clear Advantage

	Rusco Filter	Y-Strainer
Protects expensive equipment from harmful sediment	✓	✓
Variety of filter sizes offered	✓	✓
Large filter surface area	✓	✗
Convenient cleaning with a built-in flush valve	✓	✗
See built up sediment through a transparent body	✓	✗

	 1.5" Spin-Down™	 1.25" Spin-Down™	 3/4" Spin-Down™	 3/4" Sediment Trapper™
FLOW RATE	18-100 GPM	10-50 GPM	1-25 GPM	1-25 GPM
SIZE	17 7/8" L X 5 1/2" W	15-3/8" L X 5-1/4" W	11-3/8" L X 5" W	14-3/8" L X 5" W
SLIP SIZE	1.5" FPT	1.25" FPT	3/4" FPT	3/4" FPT

Heavy Duty Filters



Rusco's Heavy Duty, or 'HD' filters are the ultimate in durability. HD filters can be used in domestic or commercial water supplies where the sediment is very abrasive. Rusco's HD filters include all of the standard features found in other lines.

SPECIFICATIONS

Size	Part No.	Length	Width
1"	1 - * SS	8 1/2"	5"
1 1/2"	1 1/2" - * SS	12"	5 1/2"
2"	2 - *SS	15"	6"


* Indicated perforation or mesh size when ordering

STAINLESS MICRON & PERFORATION SIZES

Mesh/Perf	Micron	Opening	Fraction
.156	3962	.156"	5/32"
.063	1600	.063"	1/16"
.046	1200	.046"	1/22"

PERFORATION SIZE EXAMPLES


.046



.063



.156



ORDERING INFORMATION

- ▶ Order complete perforated filters by replacing mesh in standard part number with perforated opening size
- ▶ Also available with high performance covers

Smart Ball Valve



If you are setting up a smart home system or looking to add a component to your existing system to control your water, try the Rusco Smart Ball Valve.

CONTROL THE SMART BALL VALVE FROM YOUR PHONE!

- Remotely monitor your smart water valve from your device
- Set it up to run on your schedule
- Program smart automation features based on customized scenarios



Smart Life

Compatible with
Alexa / Google Home



SPECIFICATIONS

Adjustable cycle time Programmable
Max Pressure 145 PSI
Seals Reinforced Teflon
Valve Construction SS304
Power cord 5 ft USB cable with waterproof aviation socket

Full-Port Ball Valve 1/2", 3/4", 1" NPT
Discharge Time 10 seconds - 24 hours
Voltage DC5V
Current 2 Amps

Fresh Water Filters

SPIN-DOWN™ | POLYESTER

Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
3/4-24-F	1-1/2-24-F	CF 1-1/2-24-F	L 1-1/2-24	PGB3/4-24-F	PGB1-1/2-24-F
3/4-30-F	1-1/2-30-F	CF 1-1/2-30-F	L 1-1/2-30	PGB3/4-30-F	PGB1-1/2-30-F
3/4-40-F	1-1/2-40-F	CF 1-1/2-40-F	L 1-1/2-40	PGB3/4-40-F	PGB1-1/2-40-F
3/4-60-F	1-1/2-60-F	CF 1-1/2-60-F	L 1-1/2-60	PGB3/4-60-F	PGB1-1/2-60-F
3/4-100-F	1-1/2-100-F	CF 1-1/2-100-F	L 1-1/2-100	PGB3/4-100-F	PGB1-1/2-100-F
3/4-140-F	1-1/2-140-F	CF 1-1/2-140-F	L 1-1/2-140	PGB3/4-140-F	PGB1-1/2-140-F
3/4-250-F	1-1/2-250-F	CF 1-1/2-250-F	L 1-1/2-250	PGB3/4-250-F	PGB1-1/2-250-F
3/4-500-F	1-1/2-500-F	CF 1-1/2-500-F	L 1-1/2-500	PGB3/4-500-F	PGB1-1/2-500-F
3/4-1000-F	1-1/2-1000-F	CF 1-1/2-1000-F	L 1-1/2-1000	PGB3/4-1000-F	PGB1-1/2-1000-F
1-24-F	2-24-F	CF 2-24-F	L 2-24	PGB1-24-F	PGB2-24-F
1-30-F	2-30-F	CF 2-30-F	L 2-30	PGB1-30-F	PGB2-30-F
1-40-F	2-40-F	CF 2-40-F	L 2-40	PGB1-40-F	PGB2-40-F
1-60-F	2-60-F	CF 2-60-F	L 2-60	PGB1-60-F	PGB2-60-F
1-100-F	2-100-F	CF 2-100-F	L 2-100	PGB1-100-F	PGB2-100-F
1-140-F	2-140-F	CF 2-140-F	L 2-140	PGB1-140-F	PGB2-140-F
1-250-F	2-250-F	CF 2-250-F	L 2-250	PGB1-250-F	PGB2-250-F
1-500-F	2-500-F	CF 2-500-F	L 2-500	PGB1-500-F	PGB2-500-F
1-1000-F	2-1000-F	CF 2-1000-F	L 2-1000	PGB1-1000-F	PGB2-1000-F

SPIN-DOWN™ | STAINLESS STEEL

Part No.	Part No.	Part No.	Part No.	Part No.
3/4-30SS-F	1-1/2-100SS-F	CF 1-1/2-200SS-F	L 2-60SS	PGB1-140SS-F
3/4-60SS-F	1-1/2-140SS-F	CF 2-30SS-F	L 2-100SS	PGB1-200SS-F
3/4-100SS-F	1-1/2-200SS-F	CF 2-60SS-F	L 2-140SS	PGB1-1/2-30SS-F
3/4-140SS-F	2-30SS-F	CF 2-100SS-F	L 2-200SS	PGB1-1/2-60SS-F
3/4-200SS-F	2-60SS-F	CF 2-140SS-F	PGB3/4-30SS-F	PGB1-1/2-100SS-F
1-30SS-F	2-100SS-F	CF 2-200SS-F	PGB3/4-60SS-F	PGB1-1/2-140SS-F
1-60SS-F	2-140SS-F	L 1-1/2-30SS	PGB3/4-100SS-F	PGB1-1/2-200SS-F
1-100SS-F	2-200SS-F	L 1-1/2-60SS	PGB3/4-140SS-F	PGB2-30SS-F
1-140SS-F	CF 1-1/2-30SS-F	L 1-1/2-100SS	PGB3/4-200SS-F	PGB2-60SS-F
1-200SS-F	CF 1-1/2-60SS-F	L 1-1/2-140SS	PGB1-30SS-F	PGB2-100SS-F
1-1/2-30SS-F	CF 1-1/2-100SS-F	L 1-1/2-200SS	PGB1-60SS-F	PGB2-140SS-F
1-1/2-60SS-F	CF 1-1/2-140SS-F	L 2-30SS	PGB1-100SS-F	PGB2-200SS-F

SPIN-DOWN™ CARBON

Part No.
3/4-10AC-F
1-10AC-F
1-1/2-10AC-F
2-10AC-F
CF 1-1/2-10AC-F
CF 2-10AC-F
PGB3/4-10AC-F
PGB1-10AC-F
PGB1-1/2-10AC-F
PGB2-10AC-F

SPIN-DOWN™ PLEATED

Part No.
3/4-25PLT-F
1-25PLT-F
1-1/2-25PLT-F
2-25PLT-F
CF 1-1/2-25PLT-F
CF 2-25PLT-F
PGB3/4-25PLT-F
PGB1-25PLT-F
PGB1-1/2-25PLT-F
PGB2-25PLT-F

SPIN-DOWN™ MELT BLOWN

Part No.
3/4-5MB-F
1-5MB-F
1-1/2-5MB-F
2-5MB-F
CF 1-1/2-5MB-F
CF 2-5MB-F
PGB3/4-5MB-F
PGB1-5MB-F
PGB1-1/2-5MB-F
PGB2-5MB-F

*NOTE: Carbon, Pleated and Melt Blown cartridges are specified in microns. Polyester and Stainless Steel elements are specified in mesh size.

SEDIMENT TRAPPER™ | POLYESTER

Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
3/4-24ST-F	1-1/2-24ST-F	CF 1-1/2-24ST-F	L 1-1/2-24ST-F	PGB3/4-24ST-F	PGB1-1/2-24ST-F
3/4-30ST-F	1-1/2-30ST-F	CF 1-1/2-30ST-F	L 1-1/2-30ST-F	PGB3/4-30ST-F	PGB1-1/2-30ST-F
3/4-40ST-F	1-1/2-40ST-F	CF 1-1/2-40ST-F	L 1-1/2-40ST-F	PGB3/4-40ST-F	PGB1-1/2-40ST-F
3/4-60ST-F	1-1/2-60ST-F	CF 1-1/2-60ST-F	L 1-1/2-60ST-F	PGB3/4-60ST-F	PGB1-1/2-60ST-F
3/4-100ST-F	1-1/2-100ST-F	CF 1-1/2-100ST-F	L 1-1/2-100ST-F	PGB3/4-100ST-F	PGB1-1/2-100ST-F
3/4-140ST-F	1-1/2-140ST-F	CF 1-1/2-140ST-F	L 1-1/2-140ST-F	PGB3/4-140ST-F	PGB1-1/2-140ST-F
3/4-250ST-F	1-1/2-250ST-F	CF 1-1/2-250ST-F	L 1-1/2-250ST-F	PGB3/4-250ST-F	PGB1-1/2-250ST-F
3/4-500ST-F	1-1/2-500ST-F	CF 1-1/2-500ST-F	L 1-1/2-500ST-F	PGB3/4-500ST-F	PGB1-1/2-500ST-F
3/4-1000ST-F	1-1/2-1000ST-F	CF 1-1/2-1000ST-F	L 1-1/2-1000ST-F	PGB1-1000ST-F	PGB1-1/2-1000ST-F
1-24ST-F	2-24ST-F	CF 2-24ST-F	L 2-24ST-F	PGB1-24ST-F	PGB2-24ST-F
1-30ST-F	2-30ST-F	CF 2-30ST-F	L 2-30ST-F	PGB1-30ST-F	PGB2-30ST-F
1-40ST-F	2-40ST-F	CF 2-40ST-F	L 2-40ST-F	PGB1-40ST-F	PGB2-40ST-F
1-60ST-F	2-60ST-F	CF 2-60ST-F	L 2-60ST-F	PGB1-60ST-F	PGB2-60ST-F
1-100ST-F	2-100ST-F	CF 2-100ST-F	L 2-100ST-F	PGB1-100ST-F	PGB2-100ST-F
1-140ST-F	2-140ST-F	CF 2-140ST-F	L 2-140ST-F	PGB1-140ST-F	PGB2-140ST-F
1-250ST-F	2-250ST-F	CF 2-250ST-F	L 2-250ST-F	PGB1-250ST-F	PGB2-250ST-F
1-500ST-F	2-500ST-F	CF 2-500ST-F	L 2-500ST-F	PGB1-500ST-F	PGB2-500ST-F
1-1000ST-F	2-1000ST-F	CF 2-1000ST-F	L 2-1000ST-F	PGB1-1000ST-F	PGB2-1000ST-F

SEDIMENT TRAPPER™ | STAINLESS STEEL

Part No.	Part No.	Part No.	Part No.	Part No.
3/4-30STSS-F	1-1/2-100STSS-F	CF 1-1/2-200STSS-F	L 2-60STSS-F	PGB1-140STSS-F
3/4-60STSS-F	1-1/2-140STSS-F	CF 2-30STSS-F	L 2-100STSS-F	PGB1-200STSS-F
3/4-100STSS-F	1-1/2-200STSS-F	CF 2-60STSS-F	L 2-140STSS-F	PGB1-1/2-30STSS-F
3/4-140STSS-F	2-30STSS-F	CF 2-100STSS-F	L 2-200STSS-F	PGB1-1/2-60STSS-F
3/4-200STSS-F	2-60STSS-F	CF 2-140STSS-F	PGB3/4-30STSS-F	PGB1-1/2-100STSS-F
1-30STSS-F	2-100STSS-F	CF 2-200STSS-F	PGB3/4-60STSS-F	PGB1-1/2-140STSS-F
1-60STSS-F	2-140STSS-F	L 1-1/2-30STSS-F	PGB3/4-100STSS-F	PGB1-1/2-200STSS-F
1-100STSS-F	2-200STSS-F	L 1-1/2-60STSS-F	PGB3/4-140STSS-F	PGB2-30STSS-F
1-140STSS-F	CF 1-1/2-30STSS-F	L 1-1/2-100STSS-F	PGB3/4-200STSS-F	PGB2-60STSS-F
1-200STSS-F	CF 1-1/2-60STSS-F	L 1-1/2-140STSS-F	PGB1-30STSS-F	PGB2-100STSS-F
1-1/2-30STSS-F	CF 1-1/2-100STSS-F	L 1-1/2-200STSS-F	PGB1-60STSS-F	PGB2-140STSS-F
1-1/2-60STSS-F	CF 1-1/2-140STSS-F	L 2-30STSS-F	PGB1-100STSS-F	PGB2-200STSS-F

SEDIMENT TRAPPER™ CARBON

Part No.
3/4-10STAC-F
1-10STAC-F
PGB3/4-10STAC-F
PGB1-10STAC-F

SEDIMENT TRAPPER™ PLEATED

Part No.
3/4-25STPLT-F
1-25STPLT-F
PGB3/4-25PLT-F
PGB1-25PLT-F

SEDIMENT TRAPPER™ MELT BLOWN

Part No.
3/4-5STMB-F
1-5STMB-F
PGB3/4-5STMB-F
PGB1-5MBST-F

Hot Water Filters

Part No.	Part No.	Part No.	Part No.	Part No.
3/4-30 HT-F	3/4-200 HT-F	1-1/4-140 HT-F	1-1/2-100 HT-F	3/4-60ST HT-F
3/4-60 HT-F	1-1/4-30 HT-F	1-1/4-200 HT-F	1-1/2-140 HT-F	3/4-100ST HT-F
3/4-100 HT-F	1-1/4-60 HT-F	1-1/2-30 HT-F	1-1/2-200 HT-F	3/4-140ST HT-F
3/4-140 HT-F	1-1/4-100 HT-F	1-1/2-60 HT-F	3/4-30ST HT-F	3/4-200ST HT-F

T-STYLE

COMBO STYLE

L-STYLE

PRESSURE GAUGE

Chemical Resistant Filters

SPIN-DOWN™ | POLYESTER

Part No.	Part No.	Part No.	Part No.	Part No.
3/4-24 CR-F	1-1/2-24 CR-F	CF 1-1/2-24 CR-F	PGB3/4-24 CR-F	PGB1-1/2-24 CR-F
3/4-30 CR-F	1-1/2-30 CR-F	CF 1-1/2-30 CR-F	PGB3/4-30 CR-F	PGB1-1/2-30 CR-F
3/4-40 CR-F	1-1/2-40 CR-F	CF 1-1/2-40 CR-F	PGB3/4-40 CR-F	PGB1-1/2-40 CR-F
3/4-60 CR-F	1-1/2-60 CR-F	CF 1-1/2-60 CR-F	PGB3/4-60 CR-F	PGB1-1/2-60 CR-F
3/4-100 CR-F	1-1/2-100 CR-F	CF 1-1/2-100 CR-F	PGB3/4-100 CR-F	PGB1-1/2-100 CR-F
3/4-140 CR-F	1-1/2-140 CR-F	CF 1-1/2-140 CR-F	PGB3/4-140 CR-F	PGB1-1/2-140 CR-F
3/4-250 CR-F	1-1/2-250 CR-F	CF 1-1/2-250 CR-F	PGB3/4-250 CR-F	PGB1-1/2-250 CR-F
3/4-500 CR-F	1-1/2-500 CR-F	CF 1-1/2-500 CR-F	PGB3/4-500 CR-F	PGB1-1/2-500 CR-F
3/4-1000 CR-F	1-1/2-1000 CR-F	CF 1-1/2-1000 CR-F	PGB3/4-1000 CR-F	PGB1-1/2-1000 CR-F
1-24 CR-F	2-24 CR-F	CF 2-24 CR-F	PGB1-24 CR-F	PGB2-24 CR-F
1-30 CR-F	2-30 CR-F	CF 2-30 CR-F	PGB1-30 CR-F	PGB2-30 CR-F
1-40 CR-F	2-40 CR-F	CF 2-40 CR-F	PGB1-40 CR-F	PGB2-40 CR-F
1-60 CR-F	2-60 CR-F	CF 2-60 CR-F	PGB1-60 CR-F	PGB2-60 CR-F
1-100 CR-F	2-100 CR-F	CF 2-100 CR-F	PGB1-100 CR-F	PGB2-100 CR-F
1-140 CR-F	2-140 CR-F	CF 2-140 CR-F	PGB1-140 CR-F	PGB2-140 CR-F
1-250 CR-F	2-250 CR-F	CF 2-250 CR-F	PGB1-250 CR-F	PGB2-250 CR-F
1-500 CR-F	2-500 CR-F	CF 2-500 CR-F	PGB1-500 CR-F	PGB2-500 CR-F
1-1000 CR-F	2-1000 CR-F	CF 2-1000 CR-F	PGB1-1000 CR-F	PGB2-1000 CR-F

SPIN-DOWN™ | STAINLESS STEEL

Part No.	Part No.	Part No.	Part No.	Part No.
3/4-30SS CR-F	1-1/2-30SS CR-F	CF 1-1/2-30SS CR-F	PGB3/4-30SS CR-F	PGB1-1/2-30SS CR-F
3/4-60SS CR-F	1-1/2-60SS CR-F	CF 1-1/2-60SS CR-F	PGB3/4-60SS CR-F	PGB1-1/2-60SS CR-F
3/4-100SS CR-F	1-1/2-100SS CR-F	CF 1-1/2-100SS CR-F	PGB3/4-100SS CR-F	PGB1-1/2-100SS CR-F
3/4-140SS CR-F	1-1/2-140SS CR-F	CF 1-1/2-140SS CR-F	PGB3/4-140SS CR-F	PGB1-1/2-140SS CR-F
3/4-200SS CR-F	1-1/2-200SS CR-F	CF 1-1/2-200SS CR-F	PGB3/4-200SS CR-F	PGB1-1/2-200SS CR-F
1-30SS CR-F	2-30SS CR-F	CF 2-30SS CR-F	PGB1-30SS CR-F	PGB2-30SS CR-F
1-60SS CR-F	2-60SS CR-F	CF 2-60SS CR-F	PGB1-60SS CR-F	PGB2-60SS CR-F
1-100SS CR-F	2-100SS CR-F	CF 2-100SS CR-F	PGB1-100SS CR-F	PGB2-100SS CR-F
1-140SS CR-F	2-140SS CR-F	CF 2-140SS CR-F	PGB1-140SS CR-F	PGB2-140SS CR-F
1-200SS CR-F	2-200SS CR-F	CF 2-200SS CR-F	PGB1-200SS CR-F	PGB2-200SS CR-F

SPIN-DOWN™ CARBON

Part No.
3/4-10AC CR-F
1-10AC CR-F
1-1/2-10AC CR-F
2-10AC CR-F
CF 1-1/2-10AC CR-F
CF 2-10AC CR-F
PGB3/4-10AC CR-F
PGB1-10AC CR-F
PGB1-1/2-10AC CR-F
PGB2-10AC CR-F

SPIN-DOWN™ PLEATED

Part No.
3/4-25PLT CR-F
1-25PLT CR-F
1-1/2-25PLT CR-F
2-25PLT CR-F
CF 1-1/2-25PLT CR-F
CF 2-25PLT CR-F
PGB3/4-25PLT CR-F
PGB1-25PLT CR-F
PGB1-1/2-25PLT CR-F
PGB2-25PLT CR-F

SPIN-DOWN™ MELT BLOWN

Part No.
3/4-5MB CR-F
1-5MB CR-F
1-1/2-5MB CR-F
2-5MB CR-F
CF 1-1/2-5MB CR-F
CF 2-5MB CR-F
PGB3/4-5MB CR-F
PGB1-5MB CR-F
PGB1-1/2-5MB CR-F
PGB2-5MB CR-F

*NOTE: Carbon, Pleated and Melt Blown cartridges are specified in microns. Polyester and Stainless Steel elements are specified in mesh size.

SEDIMENT TRAPPER™ | POLYESTER

Part No.	Part No.	Part No.	Part No.	Part No.
3/4-24ST CR-F	1-1/2-24ST CR-F	CF 1-1/2-24ST CR-F	PGB3/4-24ST CR-F	PGB1-1/2-24ST CR-F
3/4-30ST CR-F	1-1/2-30ST CR-F	CF 1-1/2-30ST CR-F	PGB3/4-30ST CR-F	PGB1-1/2-30ST CR-F
3/4-40ST CR-F	1-1/2-40ST CR-F	CF 1-1/2-40ST CR-F	PGB3/4-40ST CR-F	PGB1-1/2-40ST CR-F
3/4-60ST CR-F	1-1/2-60ST CR-F	CF 1-1/2-60ST CR-F	PGB3/4-60ST CR-F	PGB1-1/2-60ST CR-F
3/4-100ST CR-F	1-1/2-100ST CR-F	CF 1-1/2-100ST CR-F	PGB3/4-100ST CR-F	PGB1-1/2-100ST CR-F
3/4-140ST CR-F	1-1/2-140ST CR-F	CF 1-1/2-140ST CR-F	PGB3/4-140ST CR-F	PGB1-1/2-140ST CR-F
3/4-250ST CR-F	1-1/2-250ST CR-F	CF 1-1/2-250ST CR-F	PGB3/4-250ST CR-F	PGB1-1/2-250ST CR-F
3/4-500ST CR-F	1-1/2-500ST CR-F	CF 1-1/2-500ST CR-F	PGB3/4-500ST CR-F	PGB1-1/2-500ST CR-F
3/4-1000ST CR-F	1-1/2-1000ST CR-F	CF 1-1/2-1000ST CR-F	PGB3/4-1000ST CR-F	PGB1-1/2-1000ST CR-F
1-24ST CR-F	2-24ST CR-F	CF 2-24ST CR-F	PGB1-24ST CR-F	PGB2-24ST CR-F
1-30ST CR-F	2-30ST CR-F	CF 2-30ST CR-F	PGB1-30ST CR-F	PGB2-30ST CR-F
1-40ST CR-F	2-40ST CR-F	CF 2-40ST CR-F	PGB1-40ST CR-F	PGB2-40ST CR-F
1-60ST CR-F	2-60ST CR-F	CF 2-60ST CR-F	PGB1-60ST CR-F	PGB2-60ST CR-F
1-100ST CR-F	2-100ST CR-F	CF 2-100ST CR-F	PGB1-100ST CR-F	PGB2-100ST CR-F
1-140ST CR-F	2-140ST CR-F	CF 2-140ST CR-F	PGB1-140ST CR-F	PGB2-140ST CR-F
1-250ST CR-F	2-250ST CR-F	CF 2-250ST CR-F	PGB1-250ST CR-F	PGB2-250ST CR-F
1-500ST CR-F	2-500ST CR-F	CF 2-500ST CR-F	PGB1-500ST CR-F	PGB2-500ST CR-F
1-1000ST CR-F	2-1000ST CR-F	CF 2-1000ST CR-F	PGB1-1000ST CR-F	PGB2-1000ST CR-F

SEDIMENT TRAPPER™ | STAINLESS STEEL

Part No.	Part No.	Part No.	Part No.	Part No.
3/4-30STSS CR-F	1-1/2-100STSS CR-F	CF 1-1/2-200STSS CR-F	L 2-60STSS CR-F	PGB1-140STSS CR-F
3/4-60STSS CR-F	1-1/2-140STSS CR-F	CF 2-30STSS CR-F	L 2-100STSS CR-F	PGB1-200STSS CR-F
3/4-100STSS CR-F	1-1/2-200STSS CR-F	CF 2-60STSS CR-F	L 2-140STSS CR-F	PGB1-1/2-30STSS CR-F
3/4-140STSS CR-F	2-30STSS CR-F	CF 2-100STSS CR-F	L 2-200STSS CR-F	PGB1-1/2-60STSS CR-F
3/4-200STSS CR-F	2-60STSS CR-F	CF 2-140STSS CR-F	PGB3/4-30STSS CR-F	PGB1-1/2-100STSS CR-F
1-30STSS CR-F	2-100STSS CR-F	CF 2-200STSS CR-F	PGB3/4-60STSS CR-F	PGB1-1/2-140STSS CR-F
1-60STSS CR-F	2-140STSS CR-F	L 1-1/2-30STSS CR-F	PGB3/4-100STSS CR-F	PGB1-1/2-200STSS CR-F
1-100STSS CR-F	2-200STSS CR-F	L 1-1/2-60STSS CR-F	PGB3/4-140STSS CR-F	PGB2-30STSS CR-F
1-140STSS CR-F	CF 1-1/2-30STSS CR-F	L 1-1/2-100STSS CR-F	PGB3/4-200STSS CR-F	PGB2-60STSS CR-F
1-200STSS CR-F	CF 1-1/2-60STSS CR-F	L 1-1/2-140STSS CR-F	PGB1-30STSS CR-F	PGB2-100STSS CR-F
1-1/2-30STSS CR-F	CF 1-1/2-100STSS CR-F	L 1-1/2-200STSS CR-F	PGB1-60STSS CR-F	PGB2-140STSS CR-F
1-1/2-60STSS CR-F	CF 1-1/2-140STSS CR-F	L 2-30STSS CR-F	PGB1-100STSS CR-F	PGB2-200STSS CR-F

SEDIMENT TRAPPER™ CARBON

Part No.
3/4-10STAC CR-F
1-10STAC CR-F
PGB3/4-10STAC CR-F
PGB1-10STAC CR-F

SEDIMENT TRAPPER™ PLEATED

Part No.
3/4-25STPLT CR-F
1-25STPLT CR-F
PGB3/4-25STPLT CR-F
PGB1-25STPLT CR-F

SEDIMENT TRAPPER™ MELT BLOWN

Part No.
3/4-5STMB CR-F
1-5STMB CR-F
PGB3/4-5STMB CR-F
PGB1-5STMB CR-F

Heavy Duty Filters

Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
1-1/2-.046SS-F	CF1-1/2-.063SS-F	2-.046SSCR-F	2-.156SS-F	L 1.5 -.156	PGB1-1/2-.063SS-F
1-1/2-.046SSCR-F	1-1/2-.156SS-F	CF2-.046SS-F	2-.156SSCR-F	L 2-.046	PGB1-1/2-.156SS-F
CF1-1/2-.046SS-F	1-1/2-.156SSCR-F	2-.063SS-F	CF2-.156SS-F	L 2-.063	PGB2-.046SS-F
1-1/2-.063SS-F	CF1-1/2-.156SS-F	2-.063SSCR-F	L 1.5 -.046	L 2 -.156	PGB2-.063SS-F
1-1/2-.063SSCR-F	2-.046SS-F	CF2-.063SS-F	L 1.5 -.063	PGB1-1/2-.046SS-F	PGB2-.156SS-F

Parts & Accessories

SPIN-DOWN™ FILTER ELEMENTS | POLYESTER



Part No.	Part No.	Part No.	Part No.	Part No.
FS3/4-24	FS1-40	FS1-1/2-100	FS2-250	LFS1-1/2-1000
FS3/4-30	FS1-60	FS1-1/2-140	FS2-500	LFS2-24
FS3/4-40	FS1-100	FS1-1/2-250	FS2-1000	LFS2-30
FS3/4-60	FS1-140	FS1-1/2-500	LFS1-1/2-24	LFS2-40
FS3/4-100	FS1-250	FS1-1/2-1000	LFS1-1/2-30	LFS2-60
FS3/4-140	FS1-500	FS2-24	LFS1-1/2-40	LFS2-100
FS3/4-250	FS1-1000	FS2-30	LFS1-1/2-60	LFS2-140
FS3/4-500	FS1-1/2-24	FS2-40	LFS1-1/2-100	LFS2-250
FS3/4-1000	FS1-1/2-30	FS2-60	LFS1-1/2-140	LFS2-500
FS1-24	FS1-1/2-40	FS2-100	LFS1-1/2-250	LFS2-1000
FS1-30	FS1-1/2-60	FS2-140	LFS1-1/2-500	

SEDIMENT TRAPPER™ FILTER ELEMENTS | POLYESTER



Part No.	Part No.	Part No.	Part No.	Part No.
FS3/4-24ST	FS1-40ST	FS1-1/2-100ST	FS2-250ST	LFS1-1/2-1000ST
FS3/4-30ST	FS1-60ST	FS1-1/2-140ST	FS2-500ST	LFS2-24ST
FS3/4-40ST	FS1-100ST	FS1-1/2-250ST	FS2-1000ST	LFS2-30ST
FS3/4-60ST	FS1-140ST	FS1-1/2-500ST	LFS1-1/2-24ST	LFS2-40ST
FS3/4-100ST	FS1-250ST	FS1-1/2-1000ST	LFS1-1/2-30ST	LFS2-60ST
FS3/4-140ST	FS1-500ST	FS2-24ST	LFS1-1/2-40ST	LFS2-100ST
FS3/4-250ST	FS1-1000ST	FS2-30ST	LFS1-1/2-60ST	LFS2-140ST
FS3/4-500ST	FS1-1/2-24ST	FS2-40ST	LFS1-1/2-100ST	LFS2-250ST
FS3/4-1000ST	FS1-1/2-30ST	FS2-60ST	LFS1-1/2-140ST	LFS2-500ST
FS1-24ST	FS1-1/2-40ST	FS2-100ST	LFS1-1/2-250ST	LFS2-1000ST
FS1-30ST	FS1-1/2-60ST	FS2-140ST	LFS1-1/2-500ST	

HOT WATER SPIN-DOWN™ ELEMENTS | STAINLESS STEEL

Part No.	Part No.	Part No.	Part No.	Part No.
FS3/4-30 HT	FS3/4-140 HT	FS1-1/4-60 HT	FS1-1/4-200 HT	FS1-1/2-100 HT
FS3/4-60 HT	FS3/4-200 HT	FS1-1/4-100 HT	FS1-1/2-30 HT	FS1-1/2-140 HT
FS3/4-100 HT	FS1-1/4-30 HT	FS1-1/4-140 HT	FS1-1/2-60 HT	FS1-1/2-200 HT

HOT WATER SEDIMENT TRAPPER™ ELEMENTS STAINLESS STEEL

Part No.	Part No.	Part No.	Part No.	Part No.
FS3/4-30ST HT	FS3/4-60ST HT	FS3/4-100ST HT	FS3/4-140ST HT	FS3/4-200ST HT

HEAVY DUTY FILTER ELEMENTS

Part No.	Part No.	Part No.
FS1-1/2-.046SS	FS1-1/2-.156SS	FS2-.063SS
FS1-1/2-.063SS	FS2-.046SS	FS2-.156SS

Parts & Accessories (cont.)

SPIN-DOWN™ FILTER ELEMENTS | STAINLESS STEEL



Part No.	Part No.	Part No.	Part No.	Part No.
FS3/4-30SS	FS1-60SS	FS1-1/2-100SS	FS2-140SS	LFS1-1/2-200SS
FS3/4-60SS	FS1-100SS	FS1-1/2-140SS	FS2-200SS	LFS2-30SS
FS3/4-100SS	FS1-140SS	FS1-1/2-200SS	LFS1-1/2-30SS	LFS2-60SS
FS3/4-140SS	FS1-200SS	FS2-30SS	LFS1-1/2-60SS	LFS2-100SS
FS3/4-200SS	FS1-1/2-30SS	FS2-60SS	LFS1-1/2-100SS	LFS2-140SS
FS1-30SS	FS1-1/2-60SS	FS2-100SS	LFS1-1/2-140SS	LFS2-200SS

SEDIMENT TRAPPER™ FILTER ELEMENTS | STAINLESS STEEL



Part No.	Part No.	Part No.	Part No.	Part No.
FS3/4-30STSS	FS1-60STSS	FS1-1/2-100STSS	FS2-140STSS	LFS1-1/2-200STSS
FS3/4-60STSS	FS1-100STSS	FS1-1/2-140STSS	FS2-200STSS	LFS2-30STSS
FS3/4-100STSS	FS1-140STSS	FS1-1/2-200STSS	LFS1-1/2-30STSS	LFS2-60STSS
FS3/4-140STSS	FS1-200STSS	FS2-30STSS	LFS1-1/2-60STSS	LFS2-100STSS
FS3/4-200STSS	FS1-1/2-30STSS	FS2-60STSS	LFS1-1/2-100STSS	LFS2-140STSS
FS1-30STSS	FS1-1/2-60STSS	FS2-100STSS	LFS1-1/2-140STSS	LFS2-200STSS

SPIN-DOWN™ CARTRIDGE CARBON



Part No.
FS3/4-10AC
FS1-10AC
FS1-1/2-10AC
FS2-10AC

SEDIMENT-TRAPPER™ CARTRIDGE CARBON

Part No.
FS3/4-10STAC
FS1-10STAC

SPIN-DOWN™ CARTRIDGE PLEATED



Part No.
FS3/4-25PLT
FS1-25PLT
FS1-1/2-25PLT
FS2-25PLT

SEDIMENT-TRAPPER™ CARTRIDGE PLEATED

Part No.
FS3/4-25STPLT
FS1-25STPLT

SPIN-DOWN™ CARTRIDGE MELT BLOWN



Part No.
FS3/4-5MB
FS1-5MB
FS1-1/2-5MB
FS2-5MB

SEDIMENT-TRAPPER™ CARTRIDGE MELT BLOWN

Part No.
FS3/4-5STMB
FS1-5STMB

Parts & Accessories (cont.)

FILTER COVERS | SPIN-DOWN™



Part No.

.75C

1C

1.5C

2C

FILTER COVERS | SEDIMENT TRAPPER™



Part No.

.75CST

1CST

1.5CST

2CST

CHEMICAL RESISTANT SPIN-DOWN™



Part No.

.75C-CR

1C-CR

1.5C-CR

2C-CR

CHEMICAL RESISTANT SEDIMENT TRAPPER™



Part No.

.75CST-CR

1CST-CR

1.5CST-CR

2CST-CR

HOT WATER | SPIN-DOWN™



Part No.

.75C-HT

1.25C-HT

1.5C-HT

HOT WATER | SEDIMENT TRAPPER™



Part No.

.75CST-HT

O-RINGS



Fits all models.

Part No.	Port Size
.75OR	3/4" Kit
1OR	1" Kit
1.5OR	1 1/2" Kit
2OR	2" Kit
L1.5OR	1 1/2" Kit
L2OR	2" Kit

SUN SHIELDS®



Inhibits algae growth inside cover.

Part No.	Size
SS1	3/4" & 1"
SS1-ST	3/4" & 1"
SS1.5	1-1/2"
SS2	2"

BUSHINGS



For converting 1", 1.5" & 2" slip by slip to thread by thread.
Bushings are sold individually.

Part No.	Port Size
1SA	1" Female Fitting Adapter (SPG X FIPT)
1.5SA	1-1/2" Female Fitting Adapter (SPG x FIPT)
2SA	2" Female Fitting Adapter (SPG x FIPT)

FLUSH VALVES



Fits all sizes and models.

Part No.	Description
.5FV	Flush Valve
.5FV HT	CPVC Flush Valve (Hot Water)

Parts & Accessories (cont.)

FILTER BODIES



T-STYLE

Part No.	Port Size
.75B	3/4" FPT
1B	1" SxS
1.5B	1-1/2" SxS
2B	2" SxS

COMBO STYLE

Part No.	Port Size
CF 1.5 B	1-1/2" SxS
CF 2 B	2" SxS

L-STYLE (SPIN-DOWN™)

Part No.	Port Size
L 1.5 B	1-1/2" SxS
L 2 B	2" SxS

PRESSURE GAUGE BODIES



T-STYLE

Part No.	Port Size
.75PGB	3/4" FPT
1PGB	1" SxS
1.5PGB	1-1/2" SxS
2PGB	2" SxS

HOT WATER FILTER BODIES



Part No.	Port Size
.75B HT	3/4" FPT
1.25B HT	1-1/4" FPT
1.5B HT	1-1/2" FPT

AUTOMATIC FLUSH VALVE



Part No.	Description
AFV	Automatic Flush Valve
AFV-KIT*	Hook Up Kit
AFV 188056	Brass 1/2" Ball Valve

AFV-Kit includes:

- (2) 1/2" Barb x 1/2" NPT male hose fittings
- (2) SAE size 8 SS worm drive clamps
- (24") 1/2" braid reinforced flexible PVC tubing (rated at 215 PSI)

**Please note: To ensure optimum performance of automatic flush valve, it is recommended that you use the above rated tubing only.*

SMART BALL VALVE



Part No.	Description
1/2-SBV-W	1/2" Smart Ball Valve Wifi
1/2-SBV-Z	1/2" Smart Ball Valve Zigbee
3/4-SBV-W	3/4" Smart Ball Valve Wifi
3/4-SBV-Z	3/4" Smart Ball Valve Zigbee
1-SBV-W	1" Smart Ball Valve Wifi
1-SBV-Z	1" Smart Ball Valve Zigbee

Parts & Accessories (cont.)

CPVC NIPPLES

SIZE	1/4"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
CLOSE	X	X	X	X	X	X	X	X	X	X
1-1/2"	X	X								
2"	X	X	X	X	X	X				
2-1/2"	X	X	X	X	X	X	X			
3"	X	X	X	X	X	X	X	X	X	
4"	X	X	X	X	X	X	X	X	X	X
5"	X	X	X	X	X	X	X	X	X	X
6"	X	X	X	X	X	X	X	X	X	X
8"	X	X	X	X	X	X	X	X	X	X
10"	X	X	X	X	X	X	X	X	X	X
12"	X	X	X	X	X	X	X	X	X	X

SCH 80 PVC NIPPLES | WHITE AND GRAY

PVC & CPVC NIPPLES ARE NON-REFUNDABLE

SIZE	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
CLOSE	X	X	X	X	X	X	X	X	X	X	X	X
1-1/2"	X	X	X	X	X	X						
2"	X	X	X	X	X	X	X	X				
2-1/2"	X	X	X	X	X	X	X	X	X			
3"	X	X	X	X	X	X	X	X	X	X	X	
3-1/2"	X	X	X	X	X	X	X					
4"	X	X	X	X	X	X	X	X	X	X	X	X
4-1/2"	X	X	X	X	X	X	X					
5"	X	X	X	X	X	X	X	X	X	X	X	X
5-1/2"	X	X	X	X	X	X	X					
6"	X	X	X	X	X	X	X	X	X	X	X	X
7"	X	X	X	X	X	X	X					
8"	X	X	X	X	X	X	X	X	X	X	X	X
9"	X	X	X	X	X	X	X					
10"	X	X	X	X	X	X	X	X	X	X	X	X
11"	X	X	X	X	X	X	X					
12"	X	X	X	X	X	X	X	X	X	X	X	X
14"	X	X	X	X	X	X	X					
15"	X	X	X	X	X	X	X					
16"	X	X	X	X	X	X	X					
18"		X	X	X	X	X	X			X	X	X
20"			X	X	X	X	X					
24"			X	X	X	X	X			X	X	X
30"				X	X	X	X	X	X	X	X	X
36"				X	X	X	X			X	X	X
48"				X	X	X	X			X	X	X

Ordering Information

PART NUMBERS

Spin-Down™ model filters are ordered by filter body size and mesh/micron size. When ordering stainless steel element, add SS to part number.

Example:

3/4-100SS-F is a 3/4" Filter with a 100 mesh stainless steel element screen and flush valve.

When ordering a Sediment Trapper™ model filter use filter body size, mesh/micron size, ST designation, and if stainless steel element screen is desired, add SS.

Example:

1-100STSS-F is a 1" Filter Sediment Trapper™ with a 100 mesh stainless steel element screen and flush valve.

CONDITIONS OF SALE

Terms: Net 30 days. All accounts past 30 days from date of invoice are subject to a 1-1/2% per month service charge.

Returned Goods: No returns accepted without prior approval. Please call for Return Authorization Number. Returned goods are subject to a 20% handling charge. All return shipments must be freight pre-paid.

Minimum Order: \$25.00 Net

WARRANTY & DISCLAIMER

RUSCO warrants, to the original purchaser, that its products will be free from original defects in material and workmanship. RUSCO will repair or replace all parts without charge, found to be defective under normal use and service within the warranty period upon return of products at customer's expense. The components of all RUSCO products are warranted for a period of 12 months from date of original sale. RUSCO's liability is solely limited to the original cost of the part. RUSCO will not be responsible for incidental or consequential damages. No agent or representative has the authority to waive or alter this printed warranty. THIS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE. RUSCO reserves the right to redesign or modify its products without incurring further liability. Prices are subject to change at any time without notice.

USE OF TOOLS WILL VOID WARRANTY – HAND TIGHTEN ONLY.



The Clear Leader
In Water Filtration

Rusco is a leading manufacturer of high quality, efficient, water sediment filtration products and accessories. Rusco filters are available throughout the United States and in many major international locations. We strive to always exceed our customers' expectation of quality and service, and to provide the most effective solutions.

RUSCO.COM | 1.800.345.1033