

RENTAL SKID STEER LOADERS

246B

< Back

REQUEST A QUOTE

FOR RATES, FIND A DEALER

Address, City and State OR Country and Postal Code

Enter



246B Skid Steer Loader

COMPARE MODELS

USED SKID STEER LOADERS

SPECIFICATIONS

BENEFITS & FEATURES

EQUIPMENT

RELATED PRODUCTS

OVERVIEW

Designed, built and backed by Caterpillar to deliver exceptional performance and versatility, ease of operation, serviceability and customer support.

ENGINE

UNITS: US METRIC

Engine Model	Cat 3044C DIT
Net Flywheel Power	78.0 hp
Gross Power	82.0 hp

Gross Power SAE J1995

82.0 hp

Engine Power ISO 14396

80.0 hp

Net Power EEC 80/1269

78.0 hp

Net Power EEC ISO 9249

78.0 hp

Net Power SAE 1349

78.0 hp

Displacement

201.0 in³

Stroke

4.7 in

Bore

3.7 in

WEIGHTS

Operating Weight

7142.0 lb

OPERATING SPECIFICATIONS

Rated Operating Capacity

2000.0 lb

Rated Operating Capacity w/Optional Counterweight

2100.0 lb

Tipping Load

4188.0 lb

Breakout Force, Tilt Cylinder

5484.0 lb

Breakout Force, Lift Cylinder

4656.16 lb

DIMENSIONS

Wheelbase

45.0 in

Length w/Bucket on Ground

138.0 in

Length w/o Bucket	110.0 in
Height to Top of Cab	82.0 in
Vehicle Width over Tires	66.0 in
Max Overall Height	156.0 in
Bucket Pin Height at Max Lift	122.0 in
Bucket Pin Height at Carry Pos.	10.0 in
Reach at Max Lift and Dump	21.0 in
Clearance at Max Lift and Dump	94.0 in
Ground Clearance	9.0 in
Bumper Overhang - Rear Axle	41.0 in
Turn Radius from Ctr - Rear	64.0 in
Turn Radius from Ctr - Coupler	52.0 in
Turn Radius from Ctr - Bucket	83.0 in
Max. Reach w/Arms-Parallel	53.0 in

HYDRAULIC SYSTEM

Hydraulic Power	42.8 hp
Hydraulic Flow	Standard flow
Loader Hydraulic Pressure	3335.0 psi
Loader Hydraulic Flow	22.0 gal/min

ROPS	SAE J1040 MAY94 and ISO3471:1994
FOPS	SAE J/ISO 3449 APR98 Level I and ISO3449:1992 Level I
FOPS Level II	SAE J/ISO 3449 APR98 Level II and ISO 3449:1992 Level II (optional)

POWER TRAIN

Travel Speed Forward	7.7 mph
Travel Speed Reverse	7.7 mph
Travel Speed Forward - 2-Speed Option	11.8 mph
Travel Speed Reverse - 2-Speed Option	11.8 mph

SERVICE REFILL CAPACITIES

Chain box, each side	1.8 gal
Cooling System	2.6 gal
Engine Crankcase	2.6 gal
Fuel Tank	23.8 gal
Hydraulic System	13.7 gal
Hydraulic Tank	9.2 gal

*Currency conversions have been made where indicated for your convenience. You should not rely on such information as it is obtained from a third party, may not be accurate and is subject to fluctuation. Agreement regarding currency conversions, if any, will be made between you and the selling party.