



AVS Ltd - Tel: 01827 67733 Fax: 01827 67711

Unit 12, Amber Business Village, Amber Close, Amington, Tamworth, B77 4RP

PURCHASING TERMS

Supplier:	H2O Direct Limited	Issue No:	1
Address:	Rauter House 1 Sybron Way Millbrook Ind Est Crowborough E Sussex, TN6 3DZ	Date:	23 Oct 2020
		Exp Date:	10 Dec 2021
Tel:	01892 669628		
Web:	www.h2odirect.co.uk		
Sales:	Jake Rauter / Kevin Saunders sales@h2odirect.co.uk / 01892 669628		
Technical:	Jim Redford Jim.redford@h2odirect.co.uk / 07968894355		

Ordering Procedure: Phone - Email - Online Shop 24/7

Settlement Terms: Strictly 45 days from date of invoice

Member Benefits:

- ✓ Price incentives for members who commit to supply agreements
- ✓ Free trial filters available
- ✓ Complimentary filtration advice and water testing
- ✓ Discounts available for members converting to our filter types
- ✓ Full range of Filters and Components available
- ✓ Online shop 24/7 via new 2018 website
- ✓ Online water hardness checker via website
- ✓ Next day tracked delivery (if ordered by 2pm)
- ✓ Deliver direct to customer address

Filter Ranges

IEN Range – Scale Prevention Filters

- Choice of 4 different capacity filters 1,500 Litres, 3,000 Litres, 6,000 Litres and 9,000Litres
- High Level of scale reduction
- 3/8" Push Fit Connections
- Fixed 30% OR Variable bypass systems using our specially blended resin to stabilize pHlevels
- Reduced chlorine content, bad taste and odour issues
- Superior performance and efficiency when compared to other leading brands (in house testing)
- Auto water shut off for quick and simple servicing
- One head to fit all quick-change filter cartridges
- Ideal for use with machines in hard water areas and hot drinks vending
- **Go Green** - ALL filter prices include recycling – send them back to us and we will recycle 100% of the plastic – and you can have an official certificate!

Free Heads for IEN range maybe be available - Subject to a Supply Agreement.

Hardness (Dh)	Hardness (ppm)	<i>IEN-1500</i>	<i>IEN-3000</i>	<i>IEN-6000(+ VH)</i>	<i>IEN-9000</i>
5	89	3065	6012	12003	18000
10	178	1532	3006	6002	9000
15	267	1022	2004	4001	6000
20	356	766	1502	3001	4499
25	445	613	1202	2400	3600
30	534	511	1003	2001	3000

*All figures in Litres

(mm)	<i>IEN-1500</i>	<i>IEN-3000</i>	<i>IEN-6000</i>	<i>IEN-9000</i>
Height	350	400	380	530
Width	110	110	150	150
Depth	110	110	150	150
Box Qty	4	4	4	4

VH = Variable Bypass.

FREE Heads on IEN/VH-IEN Filters with a 3 Year Supply Agreement.

**** New Models** - Available from Mid December.

Part Number	Description	Unit Price £*
IEN-1500C-001	IEN-1500 Cartridge ONLY	27.15
IEN-3000C-001	IEN-3000 Cartridge ONLY	32.65
IEN-6000C-001	IEN-6000 Cartridge ONLY	45.65
IEN-9000C-001	IEN-9000 Cartridge ONLY	71.50
SPH-001	IEN - Head ONLY	6.30
VH-IEN-1500-01	VH-IEN-1500 Cartridge ONLY	32.00
VH-IEN-3000-01	VH-IEN-3000 Cartridge ONLY	39.50
VH-IEN-6000-01	VH-IEN-6000 Cartridge ONLY	59.99
VH-IEN-9000-001	VH-IEN-9000 Cartridge ONLY	79.99
VH-IEN-HEAD ONLY	VH-IEN-Head Only	12.00



MH4 and MH4P – HI Flow / Hi Capacity

- Scale Inhibitor (P) up to 300ppm
- 3/8" Push Fit Connections
- Quick change
- Auto water shut off
- Up to 10,000 Litre capacity

Model	Chlorine taste & odour	Cyst	Sediment	Scale Inhibitor	Flow Rate (LPM)	Micron Rating
MH4	✓	✓	✓	✗	3.7	1
MH4P	✓	✓	✓	✓	3.7	1

(mm)	MH4	MH4P
Height	295	295
Width	92	92
Depth	102	102
Box Qty	9	9

Part Number	Description	Unit Price £*
MH4-002	MH4 Cartridge ONLY	23.68
MH4P-002	MH4P Cartridge ONLY	24.70
SPH-001	Head ONLY	7.00



M9M and M9MP – Easy Change / Multi Purpose

- Scale Inhibitor (P) up to 300ppm
- Quick change
- Auto water shut off
- Over 5,500 Litre capacity
- Integral hinged mounting bracket
- 1/4" Push Fit Connections

Model	Chlorine taste & odour	Cyst	Sediment	Scale Inhibitor	Flow Rate (GPM)	Micron Rating
M9M	✓	✓	✓	✗	0.5	1
M9MP	✓	✓	✓	✓	0.5	1

(mm)	M9M	M9MP
Height	235	235
Width	65	65
Depth	80	80
Box Qty	20	20

Part Number	Description	Unit Price £*
M9-REP01	M9M Cartridge ONLY	7.04
M9-REP02	M9MP Cartridge ONLY	8.18
M9-001	Head ONLY	3.15



K3 and K3P Range – Inline / Refrigeration

- Scale Inhibitor (P) up to 300ppm
- Over 3,785 Litre capacity
- ¼" Push Fit Connections

Model	Chlorine taste & odour	Cyst	Sediment	Scale Inhibitor	Flow Rate (GPM)	Micron Rating
K3	✓	✓	✓	✗	0.5	1
K3P	✓	✓	✓	✓	0.5	1

(mm)	K3	K3P
Height	250	250
Width	55	55
Depth	55	55
Box Qty	25	25



<u>Part Number</u>	<u>Description</u>	<u>Unit Price £*</u>
K3-001	K3 Inline Filter	3.15
K3P-001	K3P Inline Filter	3.89
KSB-001	K3/K3P Filter Bracket	0.23

Accessories

<u>Part Number</u>	<u>Description</u>	<u>Unit Price £*</u>
PBQRC-001	3/8" Stem x 3/4" BSP Male	1.62
ASAB0606	3/8" Stem x 3/8" BSP Male	0.42
FV-001	Flush Valve with Plug	4.20
HF-SC-001	IEN/MH4 Service Cartridge	10.50
HF-FUN-001	IEN/MH4 Service Funnel	3.15
IDS-001	ID Scale De-scaler (1ltr)	8.00
TDS-001	TDS-3 Water Hardness Meter	5.50
ZLVFPV0308-60	Pressure Reducing Valve 3/8"	6.50

Above is a very small example of our extensive catalogue of components, fittings and accessories for all your filtration needs.

* The supplier agrees to fix the above prices for the duration of the Agreement. However, if the rate of the Sterling to USD rate falls below \$1.20 for a period of no less than 1 month (using the Bank of England spot exchange rates for the period in question) then prices will be reviewed and adjusted to the then current exchange rate and notified to the buyer.



IEN Filter – Cup Chart

IEN-1500	8oz	9oz	10oz	11oz	12oz	16oz
10Dh @ 1500 L (178ppm)	6607	5882	5281	4807	4411	3303
15Dh @ 1363 L (267ppm)	6004	5345	4799	4368	4008	3002
20Dh @ 1022 L (356ppm)	4502	4007	3598	3275	3005	2251
25Dh @ 818 L (445ppm)	3603	3207	2880	2621	2405	1801

IEN-3000	8oz	9oz	10oz	11oz	12oz	16oz
10Dh @ 3006 L (178ppm)	13242	11788	10584	9634	8841	6621
15Dh @ 2004 L (267ppm)	8828	7858	7056	6423	5894	4414
20Dh @ 1502 L (356ppm)	6616	5890	5288	4814	4417	3308
25Dh @ 1202 L (445ppm)	5295	4713	4232	3852	3535	2647

IEN-6000	8oz	9oz	10oz	11oz	12oz	16oz
10Dh @ 6002 L (178ppm)	26440	23537	21133	19237	17652	13220
15Dh @ 4001 L (267ppm)	17625	15690	14088	12823	11767	8812
20Dh @ 3001 L (356ppm)	13220	11768	10566	9618	8826	6610
25Dh @ 2400 L (445ppm)	10572	9411	8450	7692	7058	5286

IEN-9000	8oz	9oz	10oz	11oz	12oz	16oz
10Dh @ 9000 L (178ppm)	39647	35294	31690	28846	26470	19823
15Dh @ 6000 L (267ppm)	26431	23529	21126	19230	17647	13215
20Dh @ 4499 L (356ppm)	19819	17643	15841	14419	13232	9909
25Dh @ 3600 L (445ppm)	15859	14117	12676	11538	10588	7929