

# UNIVERSAL DRIVE MECHANISM FOR **SLIDING DOORS**



**OPENS. CONNECTS. PROTECTS.**

# THE ELEGANT SOLUTION FOR SLIDING DOORS

## Convenient by design

The automatic, contact-free opening of doors makes our day-to-day lives easier and more convenient. Highly reliable Gilgen automatic door operators provide trouble-free access from one room to another. The smooth automatic closing of doors induces a sense of well-being and security. This simple door operator fulfils, in a cost effective way, the structural needs of design and function.



- Compact drive unit with electronically-controlled door operation, low maintenance with high performance
- Self-teaching microprocessor control system installed in our protective housing, with automatic adjustment for optimum dynamic operating performance of your door
- The complete range of selectable functions and inbuilt control & safety elements enables you to find the optimal solution for your project

# THE ROBUST SOLUTION FOR HEAVY DOORS

## Suitable for any situation

Used for large heavyweight doors with reliable efficiency. Gilgen automatic door operators provide smooth, unobstructed and hygienic access in any situation.



- Gilgen automatic door operators offer reliable long term performance with quick and safe opening of all door types and suit a wide range of applications
- Our sliding door operators come complete with battery back-up and dual safety sensors. Suitable for frameless, aluminium framed and timber doors
- All Gilgen equipment is supported by our trained automatic door technicians – 24 hours a day, seven days a week
- Preventative maintenance programs are available and can be tailored to suit your needs with compliance to Essential Services and the Australian Standards (AS5007)

# PROVEN PERFORMANCE FOR HYGIENE & SOUND INSULATION

## Ready to cope with emergencies

Automatic opening and closing ensures hygienic and barrier free access while optimising the respective operating procedure.



- Push buttons, elbow activated switches or other access systems can be selected for a controlled opening
- Proximity switches and/or movement sensors intergrated into the drive mechanism ensure smooth, hands free access
- Sound insulation from 26dB to 38dB, dependant on glazing and infill options
- The hermetic sliding door from Gilgen automatically creates a seal for your rooms preventing the unwanted exchange of air, impurities and other contaminants







# SLIDING DOOR DRIVE SYSTEMS

## THE RIGHT CHOICE

### Design and function

Gilgen automatic sliding door operators are designed for high performance, maximum service life and whisper-quiet operation. They are ideal for new installations and existing doors alike.

### Product selector

Product	Bi Parting Doors	Single Doors	Housing Dimensions mm (H x D)
SZL 200	250kg	140kg	205 x 120 
SLA 250	250kg	160kg	140 x 165 
SLX 300	300kg	200kg	140 x 165 
SLX 300 (with Booster)	400kg	280kg	140 x 165 
SLX 500	800kg	450kg	240 x 165 
SLX TELESCOPIC	240kg	120kg	140 x 270 

**Access Entry Pty Ltd**

ABN 84 602 327 024

24HR Service: 1300 445 436

Fax: 03 8773 4299

[sales@accessentry.com.au](mailto:sales@accessentry.com.au)

**HEAD OFFICE**

**Victoria**

10 Network Dve

Carrum Downs 3201

**P** 03 8773 4200

**NSW**

5 Watson Rd

Padstow 2211

**P** 02 9973 6740

**Queensland**

14/37 Blanck St

Ormeau 4208

**P** 07 5551 6900