


Product Catalog



TABLE OF CONTENTS

WHO WE ARE	1
APPLICATIONS	2
FILTRATION PRODUCTS.....	3
Screen Filters.....	4
Sand Separator™ Filters	4
COLD WATER FILTERS	5
CHEMICAL RESISTANT FILTERS.....	7
HOT WATER FILTERS	8
HEAVY DUTY FILTERS	9
STRAINERS	9
SMART BALL VALVE	10
PRODUCT LIST.....	11
Cold Water Filters.....	11
Chemical Resistant Filters.....	13
Hot Water Filters	13
Heavy Duty Filters	14
Filter Accessories	15
Irrigation Accessories.....	18
ORDERING INFORMATION	21



The Clear Leader in High Quality, Efficient, Water Filtration Products

Vu-Flow™ is a leading manufacturer of high quality, efficient, filtration products and irrigation accessories. We strive to always exceed our customers' expectations of quality and service and to provide the most effective solutions in the water filtration market.

Four decades in the making, Vu-Flow™ has set the standard for filtration. This foundation follows a tradition of designing and manufacturing filters for a number of industries across a wide variety of applications.

We not only house a team dedicated to meeting the needs of our customers today, but we are consistently expanding upon our filtration and irrigation products to meet emerging water filtration needs.



Our commitment to quality, innovation, and family is reflected in our choice to manufacture all of our products in the United States of America since Russ Welte engineered our first filter in 1983. Today, nearly 40 years

after that first filter was made, our filters are sold around the world, and Vu-Flow™ is recognized as an international leader in both quality and price for screen type filtration systems.

**SINCE
1979**

Filter Applications



Irrigation

Whether you're irrigating a golf course with sprinklers or using a drip irrigation system, Vu-Flow™'s filters are critical to keeping your equipment free from particles that can clog or damage those systems.



Industrial

Vu-Flow™ filters do the heavy-lifting needed to keep your industrial filtration system operational longer. Extending the life of your entire system protects your investment and reduces cost.



Agriculture

Water is important to ensuring a high yield from your crops. Vu-Flow™ filters keep your water flowing while protecting the equipment that's critical to your operation.



Livestock

Your watering livestock systems will benefit from Vu-Flow™'s filters, keeping them free from sediment that could prevent your livestock from accessing clean drinking water.

The Vu-Flow Filter Difference



DEFINED BY DURABILITY

For nearly 40 years Vu-Flow™ sediment filters have earned the reputation of being the most durable sediment filter of choice. From the very beginning Vu-Flow™ filters were designed to be an easy-to-maintain sediment filter.



SCREEN FILTER® TECHNOLOGY

Water travels through the top of a Screen Filter and spins in a centrifugal motion causing the dirt and debris to be pushed to the outside of housing, settling at the bottom.



NO NEED TO REPLACE FILTERS

Vu-Flow™'s polyester and stainless steel screens are removable so if the flush doesn't clean the filter completely it can easily be removed from the housing, cleaned and reinstalled in minutes. Saving time and money on costly replacement filters.



CONVENIENT COVER DESIGN

Our covers are designed with a durable thermoplastic construction with high chemical and heat resistance and are clear to provide visibility of debris buildup.

WHAT MAKES A VU-FLOW™ FILTER?

Filter Body

Vu-Flow™ Screen Filter™ Sediment Filter bodies are PVC material in 3/4" FPT, 1", 1-1/2" and 2" slip by slip connections in and out. Bushings are available to convert 1", 1-1/2" and 2" slip by slip connections to female pipe thread.

Filter Element

Polyester and stainless steel element screens are available in many mesh sizes to meet your requirements.

Durable Cover

Vu-Flow™ Sediment Filter covers are made of high impact polymer resin for maximum strength and durability.

ELEMENT SCREEN SIZES

Mesh	Microns	Opening
24	711	.028"
30	533	.021"
40	381	.015"
60	254	.010"
100	152	.006"
140	104	.004"
250	61	.0024"
500	30	.0012"
1000	15	.0006"

30, 60, 100, 140 & 200 mesh sizes also available in stainless steel

Screen Filters



Sand Separator™ Filters



SCREEN FILTER SIZES

Body Size	3/4"	1"	1.5"	2"
Filter Length	11-3/8"	11-3/8"	15-3/8"	17-7/8"
Filter Width	5"	5"	5-1/4"	5-1/2"

- ▶ Sediment is visible through the clear cover indicating when the filter needs cleaning.
- ▶ Sediment is quickly and easily removed by opening the ball valve at the bottom of the filter cover.
- ▶ Clear cover is easily removed for total cleaning—no tools required.*
- ▶ Reusable polyester and stainless steel element screens in many mesh sizes from very fine to very coarse.
- ▶ No down time.

*Using tools voids warranty.

SAND SEPARATOR™ FILTER SIZES

Body Size	3/4"	1"	1.5"	2"
Filter Length	14-3/8"	14-3/8"	15-3/8"	17-7/8"
Filter Width	5"	5"	5-1/4"	5-1/2"

The Sand Separator™ Filter brings all the advantages of our standard Screen Filter, but the unique design of the Sand Separator™ element allows debris to settle in the bottom of the clear cover, trapping sediment away from the screen. The new 1-1/2" and 2" model elements make it easy to convert a standard Screen Filter to a Sand Separator™ by simply replacing the element. Sand Separator™ elements are available with either polyester or stainless steel screens to suit your needs.

Cold Water Filters



Our highly flexible filters are designed to be utilized in a wide variety of potable water filtering applications. Whether your water source is a well, lake or municipal supply, Vu-Flow™ Sediment Filters will do the heavy lifting, keeping sediment from causing damage in your home.

- ▶ Sediment is visible through the clear cover indicating when the filter needs cleaning.
- ▶ Sediment is quickly and easily removed by opening the ball valve at the bottom of the filter cover.
- ▶ Clear cover is easily removed for total cleaning—no tools required.*
- ▶ Reusable polyester and stainless steel element screens in many mesh sizes from very fine to very coarse.
- ▶ Flow capacity for entire system.
- ▶ No down time.

**Using tools voids warranty.*

APPLICATIONS INCLUDE:


IRRIGATION
SYSTEMS

LIVESTOCK
FEEDING

AGRICULTURE

YOUR LIVESTOCK FEEDER SYSTEM WITH VU-FLOW™

The Vu-Flow™ Screen Filter or Sand Separator™ filter will be an integral part of your livestock feeder system.



T-STYLE



**2"
Screen
Filter**



**1.5"
Screen
Filter**



**1"
Screen
Filter**



**3/4"
Screen
Filter**

FLOW RATE 18-100 GPM

SIZE 17 7/8" L X 5 1/2" W

SLIP SIZE 2" SLIP

10-50 GPM

11-3/8" L X 5 1/4" W

1.5" SLIP

1-25 GPM

11-3/8" L X 5" W

1" SLIP

1-25 GPM

11-3/8" L X 5" W

3/4" FPT



**2"
Sand
Separator™**



**1.5"
Sand
Separator™**



**1"
Sand
Separator™**



**3/4"
Sand
Separator™**

FLOW RATE 18-100 GPM

SIZE 17 7/8" L X 5 1/2" W

SLIP SIZE 2" SLIP

10-50 GPM

15 3/8" L X 5 1/4" W

1.5" SLIP

1-25 GPM

14 3/8" L X 5" W

1" SLIP

1-25 GPM

14 3/8" L X 5" W

3/4" FPT

COMBO STYLE CF



**2"
Screen
Filter**



**1.5"
Screen
Filter**



**2"
Sand
Separator™**



**1.5"
Sand
Separator™**

FLOW RATE 18-100 GPM

SIZE 18 7/8" L X 5 1/2" W

SLIP SIZE 2" SLIP

10-50 GPM

16 5/8" L X 5 1/4" W

1.5" SLIP

18-100 GPM

18 7/8" L X 5 1/2" W

2" SLIP

10-50 GPM

16 5/8" L X 5 1/4" W

1.5" SLIP

L-STYLE L



**2"
Screen
Filter**



**1.5"
Screen
Filter**



**2"
Sand
Separator™**



**1.5"
Sand
Separator™**

FLOW RATE 0-100 GPM

SIZE 18" L X 5 1/2" W

SLIP SIZE 2" SLIP

0-50 GPM

14 7/8" L X 4 1/2" W

1.5" SLIP

35-90 GPM

18" L X 5 1/2" W

2" SLIP

5-20 GPM(LP)
15-40GPM (HP)

14 7/8" L X 4 1/2" W

1.5" SLIP

Chemical Resistant Filters



Chemical Resistant Filters make the removal of particles simple and efficient. This filter cover is designed specifically to resist chemicals or corrosives and can handle large volumes of sediment. With a transparent cover, sediment buildup can be seen easily and flushed when needed. The cover is removable by hand without the use of tools.

APPLICATIONS INCLUDE:

LABORATORY

SAND SENSITIVE
VALVES

FAUCET
AERATORS

PRETREATMENT
FOR R.O.



**2"
Screen
Filter**



**1.5"
Screen
Filter**



**1"
Screen
Filter**



**3/4"
Screen
Filter**

FLOW RATE

18-100 GPM

10-50 GPM

1-25 GPM

1-25 GPM

SIZE

17 7/8" L X 5 1/2" W

11-3/8" L X 5 1/4" W

11-3/8" L X 5" W

11-3/8" L X 5" W

SLIP SIZE

2" SLIP

1.5" SLIP

1" SLIP

3/4" FPT



**2"
Sand
Separator™**



**1.5"
Sand
Separator™**



**1"
Sand
Separator™**



**3/4"
Sand
Separator™**

FLOW RATE

18-100 GPM

10-50 GPM

1-25 GPM

1-25 GPM

SIZE

17 7/8" L X 5 1/2" W

15 3/8" L X 5 1/4" W

14 3/8" L X 5" W

14 3/8" L X 5" W

SLIP SIZE

2" SLIP

1.5" SLIP

1" SLIP

3/4" FPT

Hot Water Filters



- ▶ Flush valve allows for quick, one-step sediment removal
- ▶ Clear cover shows sediment collected by the filter element
- ▶ Thermoplastic construction has high chemical resistance
- ▶ Durable, reusable stainless steel filter elements are available in 30, 60, 100, 140 and 200 mesh sizes
- ▶ No tools required as all parts are hand tighten only
- ▶ Maximum pressure: 150 PSI at 73°F (23°C)
- ▶ Maximum temperature: 220°F
- ▶ Flow rates: 1-100 gallons per minute

APPLICATIONS INCLUDE:

HYDRONIC
HEATING SYSTEMS

OUTDOOR
WOOD BOILERS

WATER
HEATERS

INSTANTANEOUS
WATER HEATERS

Spin-down Filters vs. Y-Strainers: A Clear Advantage

	Vu-Flow™ Filter	Y-Strainer
Protects expensive equipment from harmful sediment	✓	✓
Variety of filter sizes offered	✓	✓
Large filter surface area	✓	✓
Convenient cleaning with a built-in flush valve	✓	✗
See built up sediment through a transparent body	✓	✗

	 1.5" Screen Filter	 1.25" Screen Filter	 3/4" Screen Filter	 3/4" Sand Separator™
FLOW RATE	18-100 GPM	10-50 GPM	1-25 GPM	1-25 GPM
SIZE	17 7/8" L X 5 1/2" W	15-3/8" L X 5-1/4" W	11-3/8" L X 5" W	14-3/8" L X 5" W
SLIP SIZE	1.5" FPT	1.25" FPT	3/4" FPT	3/4" FPT

Heavy Duty Filters



Vu-Flow's Heavy Duty, or 'HD' filters are the ultimate in element durability. HD filters can be used in domestic or commercial water supplies where the sediment is very abrasive.

SPECIFICATIONS

Size	Part No.	Length	Width
1"	1 - * SS	8 1/2"	5"
1 1/2"	1 1/2" - * SS	12"	5 1/2"
2"	2 - *SS	15"	6"

* Indicated perforation or mesh size when ordering


STAINLESS MESH, MICRON & PERFORATION SIZES

Mesh/Perf	Micron	Opening	Fraction
.156	3962	.156"	5/32"
.063	1600	.063"	1/16"
.046	1170	.046"	1/22"


Order complete perforated filters by replacing mesh in standard part number with perforated opening size.

PERFORATION SIZE EXAMPLES


.046



.063



.156



Y-Strainer



Y-strainer filters are applicable to low flow rate water filtering for household, agricultural irrigation, and municipal/garden irrigation. Filtering accuracy ranges from 20 to 600 micron. Built-in pressure pipeline, Y type disc or mesh filters will efficiently filter out particles.

KEY FEATURES

- Compact build to install in small spaces
- Can use mesh or disc filters
- Chemically Resistant
- Filter housing design has large capacity
- Easy-to-install
- Comes in a variety of inlet/outlet sizes
- 2 preset holes included for optional pressure guages

Smart Ball Valve



If you are setting up a smart irrigation system or looking to add a component to your existing system to control your water remotely, try the Vu-Flow Smart Ball Valve

KEY FEATURES

- ▶ Programmable Timing via a Smartphone App
- ▶ Emergency Shut-Off (With Backup Battery)
- ▶ Pairs With Alexa and Google Assistant
- ▶ Utilizes Low-Power Zigbee Technology
- ▶ Connect to Optional Solar Panel and Battery Pack Accessories for More Portable Power Options

CONTROL THE SMART BALL VALVE FROM YOUR PHONE OR TABLET!



Smart Life

Compatible with
Alexa/Google Home



OPTIONAL SOLAR PANEL AND BATTERY PACK

Combine the VSBV with an optional solar panel and battery pack for flexible installations where power is not readily available.

Cold Water Filters

SCREEN | POLYESTER

Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
NT 75-24 P	NT 150-24 P	CF 150-24 P	L 150-24	PGB 75-24 P	PGB 150-24 P
NT 75-30 P	NT 150-30 P	CF 150-30 P	L 150-30	PGB 75-30 P	PGB 150-30 P
NT 75-40 P	NT 150-40 P	CF 150-40 P	L 150-40	PGB 75-40 P	PGB 150-40 P
NT 75-60 P	NT 150-60 P	CF 150-60 P	L 150-60	PGB 75-60 P	PGB 150-60 P
NT 75-100 P	NT 150-100 P	CF 150-100 P	L 150-100	PGB 75-100 P	PGB 150-100 P
NT 75-140 P	NT 150-140 P	CF 150-140 P	L 150-140	PGB 75-140 P	PGB 150-140 P
NT 75-250 P	NT 150-250 P	CF 150-250 P	L 150-250	PGB 75-250 P	PGB 150-250 P
NT 75-500 P	NT 150-500 P	CF 150-500 P	L 150-500	PGB 75-500 P	PGB 150-500 P
NT 75-1000 P	NT 150-1000 P	CF 150-1000 P	L 150-1000	PGB 75-1000 P	PGB 150-1000 P
NT 100-24 P	NT 200-24 P	CF 200-24 P	L 200-24	PGB 100-24 P	PGB 200-24 P
NT 100-30 P	NT 200-30 P	CF 200-30 P	L 200-30	PGB 100-30 P	PGB 200-30 P
NT 100-40 P	NT 200-40 P	CF 200-40 P	L 200-40	PGB 100-40 P	PGB 200-40 P
NT 100-60 P	NT 200-60 P	CF 200-60 P	L 200-60	PGB 100-60 P	PGB 200-60 P
NT 100-100 P	NT 200-100 P	CF 200-100 P	L 200-100	PGB 100-100 P	PGB 200-100 P
NT 100-140 P	NT 200-140 P	CF 200-140 P	L 200-140	PGB 100-140 P	PGB 200-140 P
NT 100-250 P	NT 200-250 P	CF 200-250 P	L 200-250	PGB 100-250 P	PGB 200-250 P
NT 100-500 P	NT 200-500 P	CF 200-500 P	L 200-500v	PGB 100-500 P	PGB 200-500 P
NT 100-1000 P	NT 200-1000 P	CF 200-1000 P	L 200-1000	PGB 100-1000 P	PGB 200-1000 P

SCREEN | STAINLESS STEEL

Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
NT 75-30SS P	NT 150-30SS P	CF 150-30SS P	L 150-30SS	PGB 75-30SS P	PGB 150-30SS P
NT 75-60SS P	NT 150-60SS P	CF 150-60SS P	L 150-60SS	PGB 75-60SS P	PGB 150-60SS P
NT 75-100SS P	NT 150-100SS P	CF 150-100SS P	L 150-100SS	PGB 75-100SS P	PGB 150-100SS P
NT 75-140SS P	NT 150-140SS P	CF 150-140SS P	L 150-140SS	PGB 75-140SS P	PGB 150-140SS P
NT 75-200SS P	NT 150-200SS P	CF 150-200SS P	L 150-200SS	PGB 75-200SS P	PGB 150-200SS P
NT 100-30SS P	NT 200-30SS P	CF 200-30SS P	L 200-30SS	PGB 100-30SS P	PGB 200-30SS P
NT 100-60SS P	NT 200-60SS P	CF 200-60SS P	L 200-60SS	PGB 100-60SS P	PGB 200-60SS P
NT 100-100SS P	NT 200-100SS P	CF 200-100SS P	L 200-100SS	PGB 100-100SS P	PGB 200-100SS P
NT 100-140SS P	NT 200-140SS P	CF 200-140SS P	L 200-140SS	PGB 100-140SS P	PGB 200-140SS P
NT 100-200SS P	NT 200-200SS P	CF 200-200SS P	L 200-200SS	PGB 100-200SS P	PGB 200-200SS P

SCREEN | CARBON

Part No.
NT 75-10AC P
NT 100-10AC P
NT 150-10AC P
NT 200-10AC P
CF 150-10AC P
CF 200-10AC P
PGB 75-10AC P
PGB 100-10AC P
PGB 150-10AC P
PGB 200-10AC P

SCREEN | PLEATED

Part No.
NT 75-25PLT P
NT 100-25PLT P
NT 150-25PLT P
NT 200-25PLT P
CF 150-25PLT P
CF 200-25PLT P
PGB 75 -25PLT P
PGB 100-25PLT P
PGB 150-25PLT P
PGB 200-25PLT P

SCREEN | MELTBLOWN

Part No.
NT 75-5MB P
NT 100-5MB P
NT 150-5MB P
NT 200-5MB P
CF 150-5MB P
CF 200-5MB P
PGB 75-5MB P
PGB 100-5MB P
PGB 150-5MB P
PGB 200-5MB P

SAND SEPARATOR™ | POLYESTER

Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
75 SO 24 P	NT 1.5 SO 24 P	CF 1.5 SO 24 P	L 1.5 SO 24 P	PGB 75 SO 24 P	PGB 1.5 SO 24 P
75 SO 30 P	NT 1.5 SO 30 P	CF 1.5 SO 30 P	L 1.5 SO 30 P	PGB 75 SO 30 P	PGB 1.5 SO 30 P
75 SO 40 P	NT 1.5 SO 40 P	CF 1.5 SO 40 P	L 1.5 SO 40 P	PGB 75 SO 40 P	PGB 1.5 SO 40 P
75 SO 60 P	NT 1.5 SO 60 P	CF 1.5 SO 60 P	L 1.5 SO 60 P	PGB 75 SO 60 P	PGB 1.5 SO 60 P
75 SO 100 P	NT 1.5 SO 100 P	CF 1.5 SO 100 P	L 1.5 SO 100 P	PGB 75 SO 100 P	PGB 1.5 SO 100 P
75 SO 140 P	NT 1.5 SO 140 P	CF 1.5 SO 140 P	L 1.5 SO 140 P	PGB 75 SO 140 P	PGB 1.5 SO 140 P
75 SO 250 P	NT 1.5 SO 250 P	CF 1.5 SO 250 P	L 1.5 SO 250 P	PGB 75 SO 250 P	PGB 1.5 SO 250 P
75 SO 500 P	NT 1.5 SO 500 P	CF 1.5 SO 500 P	L 1.5 SO 500 P	PGB 75 SO 500 P	PGB 1.5 SO 500 P
75 SO 1000 P	NT 1.5 SO 1000 P	CF 1.5 SO 1000 P	L 1.5 SO 1000 P	PGB 75 SO 1000 P	PGB 1.5 SO 1000 P
NT 1 SO 24 P	NT 2 SO 24 P	CF 2 SO 24 P	L 2 SO 24 P	PGB 1 SO 24 P	PGB 2 SO 24 P
NT 1 SO 30 P	NT 2 SO 30 P	CF 2 SO 30 P	L 2 SO 30 P	PGB 1 SO 30 P	PGB 2 SO 30 P
NT 1 SO 40 P	NT 2 SO 40 P	CF 2 SO 40 P	L 2 SO 40 P	PGB 1 SO 40 P	PGB 2 SO 40 P
NT 1 SO 60 P	NT 2 SO 60 P	CF 2 SO 60 P	L 2 SO 60 P	PGB 1 SO 60 P	PGB 2 SO 60 P
NT 1 SO 100 P	NT 2 SO 100 P	CF 2 SO 100 P	L 2 SO 100 P	PGB 1 SO 100 P	PGB 2 SO 100 P
NT 1 SO 140 P	NT 2 SO 140 P	CF 2 SO 140 P	L 2 SO 140 P	PGB 1 SO 140 P	PGB 2 SO 140 P
NT 1 SO 250 P	NT 2 SO 250 P	CF 2 SO 250 P	L 2 SO 250 P	PGB 1 SO 250 P	PGB 2 SO 250 P
NT 1 SO 500 P	NT 2 SO 500 P	CF 2 SO 500 P	L 2 SO 500 P	PGB 1 SO 500 P	PGB 2 SO 500 P
NT 1 SO 1000 P	NT 2 SO 1000 P	CF 2 SO 1000 P	L 2 SO 1000 P	PGB 1 SO 1000 P	PGB 2 SO 1000 P

SAND SEPARATOR™ | STAINLESS STEEL

Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
75 SO 30SS P	NT 1.5 SO 30SS P	CF 1.5 SO 30SS P	L 1.5 SO 30SS P	PGB 75 SO 30SS P	PGB 1.5 SO 30SS P
75 SO 60SS P	NT 1.5 SO 60SS P	CF 1.5 SO 60SS P	L 1.5 SO 60SS P	PGB 75 SO 60SS P	PGB 1.5 SO 60SS P
75 SO 100SS P	NT 1.5 SO 100SS P	CF 1.5 SO 100SS P	L 1.5 SO 100SS P	PGB 75 SO 100SS P	PGB 1.5 SO 100SS P
75 SO 140SS P	NT 1.5 SO 140SS P	CF 1.5 SO 140SS P	L 1.5 SO 140SS P	PGB 75 SO 140SS P	PGB 1.5 SO 140SS P
75 SO 200SS P	NT 1.5 SO 200SS P	CF 1.5 SO 200SS P	L 1.5 SO 200SS P	PGB 75 SO 200SS P	PGB 1.5 SO 200SS P
NT 1 SO 30SS P	NT 2 SO 30SS P	CF 2 SO 30SS P	L 2 SO 30SS P	PGB 1 SO 30SS P	PGB 2 SO 30SS P
NT 1 SO 60SS P	NT 2 SO 60SS P	CF 2 SO 60SS P	L 2 SO 60SS P	PGB 1 SO 60SS P	PGB 2 SO 60SS P
NT 1 SO 100SS P	NT 2 SO 100SS P	CF 2 SO 100SS P	L 2 SO 100SS P	PGB 1 SO 100SS P	PGB 2 SO 100SS P
NT 1 SO 140SS P	NT 2 SO 140SS P	CF 2 SO 140SS P	L 2 SO 140SS P	PGB 1 SO 140SS P	PGB 2 SO 140SS P
NT 1 SO 200SS P	NT 2 SO 200SS P	CF 2 SO 200SS P	L 2 SO 200SS P	PGB 1 SO 200SS P	PGB 2 SO 200SS P

SAND SEPARATOR™ CARBON

Part No.

75 SO 10AC P

NT 1 SO 10AC P

PGB 75 SO 10AC P

PGB 1 SO 10AC P

SAND SEPARATOR™ PLEATED

Part No.

75 SO 25PLT P

NT 1 SO 25PLT P

PGB 75 SO 25PLT P

PGB 1 SO 25PLT P

SAND SEPARATOR™ MELTBLOWN

Part No.

75 SO 5MB P

NT 1 SO 5MB P

PGB 75 SO 5MB P

PGB 1 SO 5MB P

Chemical Resistant Filters

SCREEN | POLYESTER

Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
NT 75-24 HPP	NT 100-250 HPP	NT 200-60 HPP	CF 200-24 HPP	PGB 75-250 HPP	PGB 150-60 HPP
NT 75-30 HPP	NT 100-500 HPP	NT 200-100 HPP	CF 200-30 HPP	PGB 75-500 HPP	PGB 150-100 HPP
NT 75-40 HPP	NT 100-1000 HPP	NT 200-140 HPP	CF 200-40 HPP	PGB 75-1000 HPP	PGB 150-140 HPP
NT 75-60 HPP	NT 150-24 HPP	NT 200-250 HPP	CF 200-60 HPP	PGB 100-24 HPP	PGB 150-250 HPP
NT 75-100 HPP	NT 150-30 HPP	NT 200-500 HPP	CF 200-100 HPP	PGB 100-30 HPP	PGB 150-500 HPP
NT 75-140 HPP	NT 150-40 HPP	NT 200-1000 HPP	CF 200-140 HPP	PGB 100-40 HPP	PGB 150-1000 HPP
NT 75-250 HPP	NT 150-60 HPP	CF 150-24 HPP	CF 200-250 HPP	PGB 100-60 HPP	PGB 200-24 HPP
NT 75-500 HPP	NT 150-100 HPP	CF 150-30 HPP	CF 200-500 HPP	PGB 100-100 HPP	PGB 200-30 HPP
NT 75-1000 HPP	NT 150-140 HPP	CF 150-40 HPP	CF 200-1000 HPP	PGB 100-140 HPP	PGB 200-40 HPP
NT 100-24 HPP	NT 150-250 HPP	CF 150-60 HPP	PGB 75-24 HPP	PGB 100-250 HPP	PGB 200-60 HPP
NT 100-30 HPP	NT 150-500 HPP	CF 150-100 HPP	PGB 75-30 HPP	PGB 100-500 HPP	PGB 200-100 HPP
NT 100-40 HPP	NT 150-1000 HPP	CF 150-140 HPP	PGB 75-40 HPP	PGB 100-1000 HPP	PGB 200-140 HPP
NT 100-60 HPP	NT 200-24 HPP	CF 150-250 HPP	PGB 75-60 HPP	PGB 150-24 HPP	PGB 200-250 HPP
NT 100-100 HPP	NT 200-30 HPP	CF 150-500 HPP	PGB 75-100 HPP	PGB 150-30 HPP	PGB 200-500 HPP
NT 100-140 HPP	NT 200-40 HPP	CF 150-1000 HPP	PGB 75-140 HPP	PGB 150-40 HPP	PGB 200-1000 HPP

SCREEN | STAINLESS STEEL

Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
NT 75-30SS HPP	NT 100-200SS HPP	NT 200-140SS HPP	CF 200-100SS HPP	PGB 100-60SS HPP	PGB 200-30SS HPP
NT 75-60SS HPP	NT 150-30SS HPP	NT 200-200SS HPP	CF 200-140SS HPP	PGB 100-100SS HPP	PGB 200-60SS HPP
NT 75-100SS HPP	NT 150-60SS HPP	CF 150-30SS HPP	CF 200-200SS HPP	PGB 100-140SS HPP	PGB 200-100SS HPP
NT 75-140SS HPP	NT 150-100SS HPP	CF 150-60SS HPP	PGB 75-30SS HPP	PGB 100-200SS HPP	PGB 200-140SS HPP
NT 75-200SS HPP	NT 150-140SS HPP	CF 150-100SS HPP	PGB 75-60SS HPP	PGB 150-30SS HPP	PGB 200-200SS HPP
NT 100-30SS HPP	NT 150-200SS HPP	CF 150-140SS HPP	PGB 75-100SS HPP	PGB 150-60SS HPP	
NT 100-60SS HPP	NT 200-30SS HPP	CF 150-200SS HPP	PGB 75-140SS HPP	PGB 150-100SS HPP	
NT 100-100SS HPP	NT 200-60SS HPP	CF 200-30SS HPP	PGB 75-200SS HPP	PGB 150-140SS HPP	
NT 100-140SS HPP	NT 200-100SS HPP	CF 200-60SS HPP	PGB 100-30SS HPP	PGB 150-200SS HPP	

SCREEN | CARBON

Part No.	Part No.	Part No.
NT 75-10AC HPP	CF 150-10AC HPP	PGB 150-10AC HPP
NT 100-10AC HPP	CF 200-10AC HPP	PGB 200-10AC HPP
NT 150-10AC HPP	PGB 75-10AC HPP	
NT 200-10AC HPP	PGB 100-10AC HPP	

SCREEN | PLEATED

Part No.	Part No.	Part No.
NT 75-25PLT HPP	CF 150-25PLT HPP	PGB 150-25PLT HPP
NT 100-25PLT HPP	CF 200-25PLT HPP	PGB 200-25PLT HPP
NT 150-25PLT HPP	PGB 75 -25PLT HPP	
NT 200-25PLT HPP	PGB 100-25PLT HPP	

HOT WATER FILTERS

Part No.	Part No.	Part No.	Part No.	Part No.
3/4-30 HT-P	3/4-200 HT-P	1-1/4-140 HT-P	1-1/2-100 HT-P	3/4-60ST HT-P
3/4-60 HT-P	1-1/4-30 HT-P	1-1/4-200 HT-P	1-1/2-140 HT-P	3/4-100ST HT-P
3/4-100 HT-P	1-1/4-60 HT-P	1-1/2-30 HT-P	1-1/2-200 HT-P	3/4-140ST HT-P
3/4-140 HT-P	1-1/4-100 HT-P	1-1/2-60 HT-P	3/4-30ST HT-P	3/4-200ST HT-P

SAND SEPARATOR™ | POLYESTER

Part No.	Part No.	Part No.	Part No.	Part No.	Part No.
75 SO 24 HPP	NT 1 SO 250 HPP	NT 2 SO 60 HPP	CF 2 SO 24 HPP	PGB 75-250 HPP	PGB 150-60 HPP
75 SO 30 HPP	NT 1 SO 500 HPP	NT 2 SO 100 HPP	CF 2 SO 30 HPP	PGB 75-500 HPP	PGB 150-100 HPP
75 SO 40 HPP	NT 1 SO 1000 HPP	NT 2 SO 140 HPP	CF 2 SO 40 HPP	PGB 75-1000 HPP	PGB 150-140 HPP
75 SO 60 HPP	NT 1.5 SO 24 HPP	NT 2 SO 250 HPP	CF 2 SO 60 HPP	PGB 100-24 HPP	PGB 150-250 HPP
75 SO 100 HPP	NT 1.5 SO 30 HPP	NT 2 SO 500 HPP	CF 2 SO 100 HPP	PGB 100-30 HPP	PGB 150-500 HPP
75 SO 140 HPP	NT 1.5 SO 40 HPP	NT 2 SO 1000 HPP	CF 2 SO 140 HPP	PGB 100-40 HPP	PGB 150-1000 HPP
75 SO 250 HPP	NT 1.5 SO 60 HPP	CF 1.5 SO 24 HPP	CF 2 SO 250 HPP	PGB 100-60 HPP	PGB 200-24 HPP
75 SO 500 HPP	NT 1.5 SO 100 HPP	CF 1.5 SO 30 HPP	CF 2 SO 500 HPP	PGB 100-100 HPP	PGB 200-30 HPP
75 SO 1000 HPP	NT 1.5 SO 140 HPP	CF 1.5 SO 40 HPP	CF 2 SO 1000 HPP	PGB 100-140 HPP	PGB 200-40 HPP
NT 1 SO 24 HPP	NT 1.5 SO 250 HPP	CF 1.5 SO 60 HPP	PGB 75-24 HPP	PGB 100-250 HPP	PGB 200-60 HPP
NT 1 SO 30 HPP	NT 1.5 SO 500 HPP	CF 1.5 SO 100 HPP	PGB 75-30 HPP	PGB 100-500 HPP	PGB 200-100 HPP
NT 1 SO 40 HPP	NT 1.5 SO 1000 HPP	CF 1.5 SO 140 HPP	PGB 75-40 HPP	PGB 100-1000 HPP	PGB 200-140 HPP
NT 1 SO 60 HPP	NT 2 SO 24 HPP	CF 1.5 SO 250 HPP	PGB 75-60 HPP	PGB 150-24 HPP	PGB 200-250 HPP
NT 1 SO 100 HPP	NT 2 SO 30 HPP	CF 1.5 SO 500 HPP	PGB 75-100 HPP	PGB 150-30 HPP	PGB 200-500 HPP
NT 1 SO 140 HPP	NT 2 SO 40 HPP	CF 1.5 SO 1000 HPP	PGB 75-140 HPP	PGB 150-40 HPP	PGB 200-1000 HPP

SAND SEPARATOR™ | STAINLESS STEEL

Part No.	Part No.	Part No.	Part No.	Part No.
75 SO 30SS-HPP	NT 1.5 SO 100SS HPP	CF 1.5 SO 200SS HPP	L 2 SO 60SS HPP	PGB 100-140SS HPP
75 SO 60SS-HPP	NT 1.5 SO 140SS HPP	CF 2 SO 30SS HPP	L 2 SO 100SS HPP	PGB 100-200SS HPP
75 SO 100SS-HPP	NT 1.5 SO 200SS HPP	CF 2 SO 60SS HPP	L 2 SO 140SS HPP	PGB 150-30SS HPP
75 SO 140SS-HPP	NT 2 SO 30SS HPP	CF 2 SO 100SS HPP	L 2 SO 200SS HPP	PGB 150-60SS HPP
75 SO 200SS-HPP	NT 2 SO 60SS HPP	CF 2 SO 140SS HPP	PGB 75-30SS HPP	PGB 150-100SS HPP
NT 1 SO 30SS HPP	NT 2 SO 100SS HPP	CF 2 SO 200SS HPP	PGB 75-60SS HPP	PGB 150-140SS HPP
NT 1 SO 60SS HPP	NT 2 SO 140SS HPP	L 1.5 SO 30SS HPP	PGB 75-100SS HPP	PGB 150-200SS HPP
NT 1 SO 100SS HPP	NT 2 SO 200SS HPP	L 1.5 SO 60SS HPP	PGB 75-140SS HPP	PGB 200-30SS HPP
NT 1 SO 140SS HPP	CF 1.5 SO 30SS HPP	L 1.5 SO 100SS HPP	PGB 75-200SS HPP	PGB 200-60SS HPP
NT 1 SO 200SS HPP	CF 1.5 SO 60SS HPP	L 1.5 SO 140SS HPP	PGB 100-30SS HPP	PGB 200-100SS HPP
NT 1.5 SO 30SS HPP	CF 1.5 SO 100SS HPP	L 1.5 SO 200SS HPP	PGB 100-60SS HPP	PGB 200-140SS HPP
NT 1.5 SO 60SS HPP	CF 1.5 SO 140SS HPP	L 2 SO 30SS HPP	PGB 100-100SS HPP	PGB 200-200SS HPP

SAND SEPARATOR™ CARBON

Part No.	Part No.
75 SO 10AC HPP	PGB 75 SO 10AC HPP
NT 1 SO 10AC HPP	PGB 1 SO 10AC HPP

SAND SEPARATOR™ PLEATED

Part No.	Part No.
75 SO 25PLT HPP	PGB 75 SO 25PLT HPP
NT 1 SO 25PLT HPP	PGB 1 SO 25PLT HPP

HEAVY DUTY FILTERS

Part No.	Part No.	Part No.	Part No.	Part No.
NT 150-046SS-P	CF 150-063SS-P	NT 200-046SSHP-P	NT 200-156SS-P	L 150-156
NT 150-046SSHP-P	NT 150-156SS-P	CF 200-046SS-P	NT 200-156SSHP-P	L 200-046
CF 150-046SS-P	NT 150-156SSHP-P	NT 200-063SS-P	CF 200-156SS-P	L 200-063
NT 150-063SS-P	CF 150-156SS-P	NT 200-063SSHP-P	L 150-046	L 200-156
NT 150-063SSHP-P	NT 200-046SS-P	CF 200-063SS-P	L 150-063	

Parts & Accessories

SCREEN FILTER ELEMENTS | POLYESTER



Part No.	Part No.	Part No.	Part No.	Part No.
NT 30 SC 24	NT 60 SC 24	NT 120 SC 24	L 60 SC 24	L 120 SC 24
NT 30 SC 30	NT 60 SC 30	NT 120 SC 30	L 60 SC 30	L 120 SC 30
NT 30 SC 40	NT 60 SC 40	NT 120 SC 40	L 60 SC 40	L 120 SC 40
NT 30 SC 60	NT 60 SC 60	NT 120 SC 60	L 60 SC 60	L 120 SC 60
NT 30 SC 100	NT 60 SC 100	NT 120 SC 100	L 60 SC 100	L 120 SC 100
NT 30 SC 140	NT 60 SC 140	NT 120 SC 140	L 60 SC 140	L 120 SC 140
NT 30 SC 250	NT 60 SC 250	NT 120 SC 250	L 60 SC 250	L 120 SC 250
NT 30 SC 500	NT 60 SC 500	NT 120 SC 500	L 60 SC 500	L 120 SC 500
NT 30 SC 1000	NT 60 SC 1000	NT 120 SC 1000	L 60 SC 1000	L 120 SC 1000

SAND SEPARATOR™ FILTER ELEMENTS | POLYESTER



Part No.	Part No.	Part No.	Part No.	Part No.
NT 1 SC 24	NT 1.5 SC 24	NT 2 SC 24	L 1.5 SC 24	L 2 SC 24
NT 1 SC 30	NT 1.5 SC 30	NT 2 SC 30	L 1.5 SC 30	L 2 SC 30
NT 1 SC 40	NT 1.5 SC 40	NT 2 SC 40	L 1.5 SC 40	L 2 SC 40
NT 1 SC 60	NT 1.5 SC 60	NT 2 SC 60	L 1.5 SC 60	L 2 SC 60
NT 1 SC 100	NT 1.5 SC 100	NT 2 SC 100	L 1.5 SC 100	L 2 SC 100
NT 1 SC 140	NT 1.5 SC 140	NT 2 SC 140	L 1.5 SC 140	L 2 SC 140
NT 1 SC 250	NT 1.5 SC 250	NT 2 SC 250	L 1.5 SC 250	L 2 SC 250
NT 1 SC 500	NT 1.5 SC 500	NT 2 SC 500	L 1.5 SC 500	L 2 SC 500
NT 1 SC 1000	NT 1.5 SC 1000	NT 2 SC 1000	L 1.5 SC 1000	L 2 SC 1000

HOT WATER SCREEN FILTER ELEMENTS | STAINLESS STEEL

Part No.	Part No.	Part No.	Part No.	Part No.
NT 30 SC 30 HT	NT 30 SC 140 HT	NT 60 SC 60 HT	NT 60 SC 200 HT	NT 120 SC 100 HT
NT 30 SC 60 HT	NT 30 SC 200 HT	NT 60 SC 100 HT	NT 120 SC 30 HT	NT 120 SC 140 HT
NT 30 SC 100 HT	NT 60 SC 30 HT	NT 60 SC 140 HT	NT 120 SC 60 HT	NT 120 SC 200 HT

HOT WATER SAND SEPARATOR™ ELEMENTS | STAINLESS STEEL

Part No.	Part No.	Part No.
NT 1 SC 30 HT	NT 1 SC 100 HT	NT 1 SC 200 HT
NT 1 SC 60 HT	NT 1 SC 140 HT	

HEAVY DUTY FILTER ELEMENTS

Part No.	Part No.	Part No.
NT 60 SC 046SS	NT 60 SC 156SS	NT 120 SC 063SS
NT 60 SC 063SS	NT 120 SC 046SS	NT 120 SC 156SS

SPIN-DOWN™ CARTRIDGE CARBON



Part No.
NT 30 SC 10AC
NT 30 SC 10AC
NT 60 SC 10AC
NT 120 SC 10AC

SEDIMENT-TRAPPER™ CARTRIDGE CARBON

Part No.
NT 1 SC 10AC
NT 1 SC 10AC

Parts & Accessories (cont.)

SCREEN FILTER ELEMENTS | STAINLESS STEEL



Part No.	Part No.	Part No.	Part No.	Part No.
NT 30 SC 30SS	NT 30 SC 60SS	NT 60 SC 100SS	NT 120 SC 140SS	L 60 SC 200SS
NT 30 SC 60SS	NT 30 SC 100SS	NT 60 SC 140SS	NT 120 SC 200SS	L 120 SC 30SS
NT 30 SC 100SS	NT 30 SC 140SS	NT 60 SC 200SS	L 60 SC 30SS	L 120 SC 60SS
NT 30 SC 140SS	NT 30 SC 200SS	NT 120 SC 30SS	L 60 SC 60SS	L 120 SC 100SS
NT 30 SC 200SS	NT 60 SC 30SS	NT 120 SC 60SS	L 60 SC 100SS	L 120 SC 140SS
NT 30 SC 30SS	NT 60 SC 60SS	NT 120 SC 100SS	L 60 SC 140SS	L 120 SC 200SS

SAND SEPARATOR™ FILTER ELEMENTS | STAINLESS STEEL



Part No.	Part No.	Part No.	Part No.	Part No.
NT 1 SC 30SS	NT 1.5 SC 30SS	NT 2 SC 30SS	L 1.5 SC 30SS	L 2 SC 30SS
NT 1 SC 60SS	NT 1.5 SC 60SS	NT 2 SC 60SS	L 1.5 SC 60SS	L 2 SC 60SS
NT 1 SC 100SS	NT 1.5 SC 100SS	NT 2 SC 100SS	L 1.5 SC 100SS	L 2 SC 100SS
NT 1 SC 140SS	NT 1.5 SC 140SS	NT 2 SC 140SS	L 1.5 SC 140SS	L 2 SC 140SS
NT 1 SC 200SS	NT 1.5 SC 200SS	NT 2 SC 200SS	L 1.5 SC 200SS	L 2 SC 200SS

SPIN-DOWN™ CARTRIDGE PLEATED



Part No.
NT 30 SC 25PLT
NT 30 SC 25PLT
NT 60 SC 25PLT
NT 120 SC 25PLT

SEDIMENT-TRAPPER™ CARTRIDGE PLEATED

Part No.
FS3/4-25STPLT
FS1-25STPLT

SPIN-DOWN™ CARTRIDGE MELT BLOWN



Part No.
NT 30 SC 5MB
NT 30 SC 5MB
NT 60 SC 5MB
NT 120 SC 5MB

SEDIMENT-TRAPPER™ CARTRIDGE MELT BLOWN

Part No.
NT 1 SC 25PLT
NT 1 SC 25PLT


AUTOMATIC FLUSH VALVE



Part No.
AFV
AFV-KIT
AFV 188056

AFV-Kit includes:

- (2) 1/2" Barb x 1/2" NPT male hose fittings
- (2) SAE size 8 SS worm drive clamps
- (24") 1/2" braid reinforced flexible PVC tubing (Rated at 215 PSI)



Suggested
Installation

**Please note: To ensure optimum performance of automatic flush valve, it is recommended that you use the above rated tubing only.*

Parts & Accessories (cont.)

FILTER BODIES

T-STYLE



Part No.	Port Size
NT 75 B	3/4" FPT
NT 30 B	1" SxS
NT 60 B	1-1/2" SxS
NT 120 B	2" SxS

COMBO STYLE

Part No.	Port Size
CF 60 B	1-1/2" SxS
CF 120 B	2" SxS

L-STYLE

Part No.	Port Size
L 60 B	1-1/2" SxS
L 120 B	2" SxS

HOT WATER FILTER BODIES



Part No.	Port Size
.75B HT	3/4" FPT
1.25B HT	1-1/4" FPT
1.5B HT	1-1/2" FPT

PRESSURE GAUGE

Part No.	Port Size
PGB 75 B	3/4" FPT
PGB 30 B	1" SxS

Part No.	Port Size
PGB 60 B	1-1/2" SxS
PGB 120 B	2" SxS

FLUSH VALVES

Fits all sizes and models.



Part No.	Description
PV	Flush Valve
PV HT	CPVC Flush Valve (Hot Water)

BUSHINGS

For converting 1", 1.5" & 2" slip by slip to thread by thread. Bushings are sold individually.



Part No.	Port Size
478-010	1" Female Fitting Adapter (SPG X FIPT)
478-015	1-1/2" Female Fitting Adapter (SPG x FIPT)
478-020	2" Female Fitting Adapter (SPG x FIPT)

FILTER COVERS | SCREEN



Part No.
NT 30 C
NT 60 C
NT 120 C

FILTER COVERS | SAND SEPARATOR™



Part No.
NT 1 C
NT 60 C
NT 120 C

CHEMICAL RESISTANT SCREEN



Part No.
NT 30 C-HP
NT 60 C-HP
NT 120 C-HP

CHEMICAL RESISTANT SAND SEPARATOR™



Part No.
NT 1 C-HP
NT 60 C-HP
NT 120 C-HP

HOT WATER | SCREEN



Part No.
NT 30 C-HP
NT 60 C-HP
NT 120 C-HP

HOT WATER | SAND SEPARATOR



Part No.
NT 1 C-HP

O-RINGS

Fits all models.



Part No.	Port Size	Part No.	Port Size
NT 30 S	3/4" Kit	NT 120 S	2" Kit
NT 30 S	1" Kit	L 60 S	1 1/2" Kit
NT 60 S	1 1/2" Kit	L 120 S	2" Kit

COVER GUARD®

Inhibits algae growth inside cover.



Part No.	Size
CG 100	3/4" & 1"
CG 1 S0	3/4" & 1"
CG 150	1-1/2"
CG 200	2"

Irrigation Accessories

Y-STRAINER



Part No.	Qty.
.75-Y-DISC 30 PK	30
.75-Y-DISC 15 PK	15
1-Y-DISC 30 PK	30
1-Y-DISC 15 PK	15
1.5-Y-DISC 10 PK	10

Part No.	Qty.
.75-Y-SCREEN 30 PK	30
.75-Y-SCREEN 15 PK	15
.75-Y-SCREEN 15 PKPV	15
.75-Y-SCREEN 30 PKPV	30
1-Y-SCREEN 15 PK	15
1-Y-SCREEN 15 PKPV	15
1-Y-SCREEN 30 PK	30
1-Y-SCREEN 30 PKPV	30
1.5-Y-SCREEN 10 PK	10
1.5-Y-SCREEN 10 PKPV	10

BASKET STRAINER



Part No.
4 BSK 24
4 BSK 60
4 BSK 100

ELECTRIC VALVE 200 SERIES



Part No.	Port Size
1210-050-24AC	1" VALVE, 24 VOLT
1210-050-115ACF	1" VALVE, 115 VOLT
1210-050-240AC	1" VALVE, 240 VOLT
1215-050-24AC	1.5" VALVE, 24 VOLT
1215-050-115ACF	1.5" VALVE, 115 VOLT
1215-050-240AC	1.5" VALVE, 240 VOLT
1220-050-24AC	2" VALVE, 24 VOLT
1220-050-115ACF	2" VALVE, 115 VOLT
1220-050-240AC	2" VALVE, 240 VOLT

ELECTRIC VALVE 300/500 SERIES



Part No.	Port Size
1310-050-24AC	1" VALVE, 24 VOLT
1310-050-115ACF	1" VALVE, 115 VOLT
1310-050-240AC	1" VALVE, 240 VOLT
1515-050-24AC	1.5" VALVE, 24 VOLT
1515-050-115ACF	1.5" VALVE, 115 VOLT
1515-050-240AC	1.5" VALVE, 240 VOLT
1520-050-24AC	2" VALVE, 24 VOLT
1520-050-115ACF	2" VALVE, 115 VOLT
1520-050-240AC	2" VALVE, 240 VOLT

SMART BALL VALVE



Part No.
VSBV-Z

VALVE COVERS

Fit inside 3" pipe or outside 4" pipe and easily cover irrigation valves

Part No.	Case
4" Valve Cover	50

Irrigation Accessories (cont.)

SOLENOIDS (NON-LATCHING)



Part No.	Description
I701N12VAC	12V AC
I701N12VDC	12V DC
I701N24VAC	24V AC Solenoid without Conduit Adapter
I701N120VAC-FH	120V AC Solenoid with Conduit Adapter
I701N240VAC	240V AC
I310-115	120V AC (fits Rainbird "EP" Series Valves)

CLICK-IT

Used to locate solenoid valves quickly and easily



Part No.	Case
VL-1	10

POLYNIPPLES | PLAIN

Not intended for constant pressure



Part No.	Description	Bag	Case
1/2 X CLOSE	Male x Male	100	1000
1/2 X 3/4 X CLOSE	Male x Male	100	1000
3/4 X CLOSE	Male x Male	100	1000
1/2 X 2	Male x Male	100	1000
1/2 X 3/4 X CLOSE	Male x Male	50	500
1/2 X 4	Male x Male	50	500
1/2 X 5	Male x Male	50	500
1/2 X 6	Male x Male	50	500
1/2 X 8	Male x Male		50
1/2 X 10	Male x Male		50
1/2 X 12	Male x Male		50
1/2 X 18	Male x Male		50
1/2 X 24	Male x Male		50
1/2 X 36	Male x Male		50

ADAPTER CAPS

QTY. 100/BAG



Part No.	Port Size
PA2010-01	10/32 NPT
PA2010-02	1/8 NPT
PA2010-03	5/16-24 NPT

FOGGERS | BRASS

QTY. 50/BAG



Part No.	Port Size
FOG-01	5/16-24 NPT
FOG-02	1/8 MIPT

POLYNIPPLES | CUT-OFF

Part No.	Description	Bag	Case
1/2 X 4 C.O.	Male x Male	50	500
1/2 X 6 C.O.	Male x Male	25	500
1/2 X 3/4 X 4 C.O.	Male x Male	25	500
1/2 X 3/4 X 6 C.O.	Male x Male	25	400
3/4 X 4 C.O.	Male x Male	25	400
3/4 X 6 C.O.	Male x Male	25	400

INSERTS | PLASTIC

QTY. 500/BAG



Part No.	Port Size
13P-02	1/4 circle
13P-05	1/2 circle
13P-10	Full circle

INSERTS | BRASS

QTY. 500/BAG



Part No.	Port Size
13B-02	1/4 circle
13B-05	1/2 circle

POLYNIPPLES | RISER EXTENSIONS

Part No.	Description	Bag	Case
1/2 X 1 RE	Male x Female	100	1000
1/2 X 1 -1/2 RE	Male x Female	100	1000
1/2 X 4 CORE	Male x Female	50	500
3/4 X SHORT RE	Male x Female	50	500
3/4 X 4 CORE	Male x Female	25	400

Irrigation Accessories (cont.)

SCH 80 PVC NIPPLES | WHITE AND GRAY

PVC & CPVC NIPPLES ARE NON-REFUNDABLE

SIZE	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
CLOSE	X	X	X	X	X	X	X	X	X	X	X	X
1-1/2"	X	X	X	X	X	X						
2"	X	X	X	X	X	X	X	X				
2-1/2"	X	X	X	X	X	X	X	X	X			
3"	X	X	X	X	X	X	X	X	X	X	X	
3-1/2"	X	X	X	X	X	X	X					
4"	X	X	X	X	X	X	X	X	X	X	X	X
4-1/2"	X	X	X	X	X	X	X					
5"	X	X	X	X	X	X	X	X	X	X	X	X
5-1/2"	X	X	X	X	X	X	X					
6"	X	X	X	X	X	X	X	X	X	X	X	X
7"	X	X	X	X	X	X	X					
8"	X	X	X	X	X	X	X	X	X	X	X	X
9"	X	X	X	X	X	X	X					
10"	X	X	X	X	X	X	X	X	X	X	X	X
11"	X	X	X	X	X	X	X					
12"	X	X	X	X	X	X	X	X	X	X	X	X
14"	X	X	X	X	X	X	X					
15"	X	X	X	X	X	X	X					
16"	X	X	X	X	X	X	X					
18"	X	X	X	X	X	X	X			X	X	X
20"			X	X	X	X	X					
24"			X	X	X	X	X			X	X	X
30"				X	X	X	X	X	X	X	X	X
36"				X	X	X	X			X	X	X
48"				X	X	X	X			X	X	X

CPVC NIPPLES

SIZE	1/4"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
CLOSE	X	X	X	X	X	X	X	X	X	X
1-1/2"	X	X								
2"	X	X	X	X	X	X				
2-1/2"	X	X	X	X	X	X	X			
3"	X	X	X	X	X	X	X	X	X	
4"	X	X	X	X	X	X	X	X	X	X
5"	X	X	X	X	X	X	X	X	X	X
6"	X	X	X	X	X	X	X	X	X	X
8"	X	X	X	X	X	X	X	X	X	X
10"	X	X	X	X	X	X	X	X	X	X
12"	X	X	X	X	X	X	X	X	X	X

Ordering Information

PART NUMBERS

Screen Filters are ordered by filter body size and mesh size. When ordering stainless steel element, add SS to part number.

Example:

NT 75-100SS P is a 3/4" Filter with a 100 mesh stainless steel element screen and flush valve.

When ordering a Sand Separator™ model filter use size #, mesh size, SO designation, and if stainless steel element screen is desired, add SS.

Example:

NT 1 SO 100SS P is a 1" Filter Sand Separator™ with a 100 mesh stainless steel element screen and flush valve.

CONDITIONS OF SALE

Terms: Net 30 days. All accounts past 30 days from date of invoice are subject to a 1-1/2% per month service charge.

Returned Goods: No returns accepted without prior approval. Please call for Return Authorization Number. Returned goods are subject to a 20% handling charge. All return shipments must be freight pre-paid.

Minimum Order: \$25.00 Net

WARRANTY & DISCLAIMER

Vu-Flow™ warrants, to the original purchaser, that its products will be free from original defects in material and workmanship. Vu-Flow™ will repair or replace all parts without charge, found to be defective under normal use and service within the warranty period upon return of products at customer's expense. The components of all Vu-Flow™ products are warranted for a period of 12 months from date of original sale. Vu-Flow™'s liability is solely limited to the original cost of the part. Vu-Flow™ will not be responsible for incidental or consequential damages. No agent or representative has the authority to waive or alter this printed warranty. THIS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE. Vu-Flow™ reserves the right to redesign or modify its products without incurring further liability. Prices are subject to change at any time without notice.

USE OF TOOLS WILL VOID WARRANTY – HAND TIGHTEN ONLY.