

Drillhole	From (m)	To (m)	Interval (m)	Gold (g/t)	Silver (g/t)
SH20-01A	12.95	24.60	11.65	7.74	26.98
including	12.95	16.95	4.00	16.06	37.70
SH20-02	50.75	52.73	1.98	18.66	11.46
SH20-03	20.00	26.97	6.97	6.66	11.73
and including	23.00	25.00	2.00	19.80	23.30
and	32.00	36.32	4.32	0.67	4.44
SH20-04	13.26	17.68	4.42	5.13	14.56
and including	13.26	14.84	1.58	11.50	20.70
SH20-05	28.65	33.42	4.77	0.69	9.25
SH20-06	28.65	34.75	6.10	2.22	11.33
and including	30.18	31.70	1.52	4.14	8.03
SH20-07	95.02	97.84	2.82	0.64	4.51
SH20-08	22.00	24.00	2.00	1.31	1.99
and	259.00	263.35	4.35	0.48	0.77
SH20-09	227.49	237.84	10.35	0.27	1.79

**Table 1:** Table of intersections from the SH-1 Zone. True thickness is estimated at 75-85% of downhole lengths.

Drillhole	From (m)	To (m)	Interval (m)	Gold (g/t)	Silver (g/t)
AQ20-01	36.00	67.55	31.55	1.80	3.33
including	37.55	41.15	3.60	4.46	6.83
and including	37.55	38.71	1.16	9.12	11.85
and	46.63	64.00	17.37	2.24	3.19
and including	50.25	56.00	5.75	5.56	6.58
AQ20-02	86.00	90.22	4.22	0.32	2.74
AQ20-03	37.48	39.01	1.53	0.51	1.82
and	43.37	44.10	0.73	2.17	3.14
AQ20-04	53.00	57.95	4.95	0.38	2.25
and	63.85	64.67	0.82	0.96	1.18
AQ20-05	59.95	64.00	4.05	0.43	1.92
and	119.58	124.00	4.42	0.30	25.99

**Table 2:** Table of intersections from the Aquila Zone. True thickness is estimated at 35-90% of downhole lengths.

Drillhole	From (m)	To (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Lead (%)	Zinc (%)	Gold Equiv (g/t)	Comment
APS20-01	93.41	95.80	2.39	0.29	4.13	0.47	0.82	0.88	Intersected mine workings at target depth
	122.93	124.82	1.89	0.95	0.76	0.01	0.02	0.97	
	128.63	130.61	1.98	0.62	1.22	0.01	0.03	0.65	
APS20-02	No significant intersection								
APS20-03A including and and	132.33	143.50	11.17	0.36	22.65	0.32	0.46	0.99	
	135.33	141.92	6.59	0.48	35.88	0.51	0.74	1.48	
	157.89	159.84	1.95	4.77	14.25	0.08	0.24	5.10	
	166.52	186.52	20.00	0.14	2.87	0.28	0.37	0.45	
APS20-04 and	5.79	30.78	24.99	0.30	11.86	0.70	0.76	1.06	Mine workings
	37.56	52.00	14.44	0.24	10.61	0.32	0.34	0.65	
APS20-05 and and	14.70	17.89	3.19	0.25	44.44	0.04	0.08	0.89	
	56.16	61.26	5.10	0.53	5.79	0.21	0.28	0.81	
	86.87	88.07	1.20	1.53	4.60	0.00	0.03	1.60	
APS20-06 including and and	0.00	25.00	25.00	0.24	14.89	0.22	0.21	0.62	
	12.19	16.00	3.81	0.68	30.88	0.31	0.61	1.48	
	19.13	25.00	5.87	0.25	4.05	0.55	0.35	0.67	
	42.09	47.37	5.28	0.55	29.74	0.05	0.17	1.04	
APS20-07 and	1.52	21.00	19.48	0.20	23.85	0.20	0.07	0.63	Mine workings
	31.95	40.84	8.89	0.05	2.23	0.03	0.21	0.18	

**Table 3:** Table of intersections from the Apollo-Sitka Zone. True thickness is not known. Gold equivalent is calculated using the following formula: gold-equivalent = ((Au\_g/t x 48.23) + (Ag\_g/t x 0.6431) + (Pb\_ppm x 0.0019) + (Zn\_ppm x 0.0021)) / 48.23. Metal price assumptions are \$1,500 per ounce gold, \$20 per ounce silver, \$0.85 per pound lead and \$0.95 per pound zinc.

Drillhole	From (m)	To (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Copper (%)
ER20-01	32.47	41.82	9.35	0.30	13.74	0.15

**Table 4:** Table of intersections from the Empire Ridge Zone. True width is not known.