

Community-based Therapeutic Care (CTC)

A Field Manual

First Edition, 2006

This manual was produced by the CTC Research and Development programme, a collaboration between Valid International and Concern Worldwide.



Valid International

Authors

This manual is written and published by Valid International. The contributing authors are (in alphabetical order): Paluku Bahwere, Paul Binns, Steve Collins, Nicky Dent, Saul Guerrero, Alistair Hallam, Tanya Khara, Jamie Lee, Simon Mollison, Mark Myatt, Montse Saboya, Kate Sadler and Anne Walsh. It was compiled and edited by Willa Addis, Claire Martin and Frances Stevenson. Technical editing was carried out by Tanya Khara. Technical support was provided by Concern Worldwide and the Food and Nutrition Technical Assistance (FANTA) Project at the Academy for Educational Development (AED).

Reviewers

This manual was reviewed by Concern Worldwide, FANTA/AED, GOAL, the World Health Organisation (WHO), Save the Children UK (SC-UK), Save the Children Federation Inc. USA (SC-US) and Tearfund.

Funders

This manual is made possible by the generous support of the American people through the support of the Office of Foreign Disaster Assistance, Bureau for Democracy, Conflict and Humanitarian Assistance, and the Office of Health, Infectious Disease, and Nutrition, Bureau for Global Health, United States Agency for International Development (USAID), under terms of Cooperative Agreement No. HRN-A-00-98-00046-00, through the FANTA Project, operated by the Academy for Educational Development (AED). The contents are the responsibility of Valid International and do not necessarily reflect the views of USAID or the United States Government.

This manual is also funded by Development Cooperation Ireland, Concern Worldwide and Valid International and supported by Torchbox.

Photographs and Cover Design

All photographs were taken by Valid International staff. The cover design was done by Torchbox.

CTC Research and Development Programme

Research and development of CTC was conceived and managed by Valid International, supported financially and in the field by Concern Worldwide and supported financially and technically by FANTA/AED. It has brought

together a team of expert advisors from the Centre for International Child Health (part of the Institute of Child Health in London), School of Oriental and African Studies, University College London, the University of Malawi and Oxford Brookes University.

CTC programmes have been implemented with NGO partners including Concern Worldwide, SC-UK, SC-US, Tearfund, CARE and GOAL.

Valid International was established in 1999 as a private research and consultancy company to help improve the efficiency and effectiveness of humanitarian interventions.

Concern is an international NGO dedicated to the reduction of suffering and working towards the ultimate elimination of extreme poverty in the world's poorest countries.

Manual Availability

This manual is available in print and on CD from Valid International, Concern Worldwide and FANTA/AED. It can be downloaded at www.validinternational.org, www.concern.net or at www.fantaproject.org.

Copyright © 2006 Valid International
Valid International
Unit 14, Standingford House, 26 Cave Street,
Oxford OX4 1BA, U.K.

Tel: + 44 1865 722180
office@validinternational.org
www.validinternational.org

CONTENTS

| | |
|----------------------------------------------------------------------|-------------|
| ABBREVIATIONS AND TERMS | .xii |
| PREFACE | .xiv |
| 1. INTRODUCTION | 1 |
| 2. THE CTC MODEL | 5 |
| 2.1 The Principles and Conceptual Basis of CTC | 6 |
| 2.2 CTC Innovations | 8 |
| 2.2.1 Ready-to-Use Therapeutic Food | 8 |
| 2.2.2 A New Classification of Acute Malnutrition | 9 |
| 2.2.3 Screening and Admission by MUAC | 11 |
| 2.3 Programme Components | 13 |
| 2.4 Programme Evolution | 15 |
| 2.5 Integration, Collaboration and Coordination | 17 |
| 2.5.1 Intra-Sectoral Collaboration and Integration | 17 |
| 2.5.2 Inter-Sectoral Collaboration and Linkages | 19 |
| 2.5.3 Coordination | 21 |
| 2.6 Implications for Implementers | 21 |
| 2.6.1 Assessment of Impact and Funding | 21 |
| 2.6.2 Staffing | 22 |
| 2.6.3 Logistics | 22 |
| 3. CTC IN CONTEXT | 23 |
| 3.1 Hierarchy of Nutritional Interventions in an Emergency .. | 24 |
| 3.2 Emergency and Development Contexts | 25 |
| 3.3 Target Groups | 26 |
| 3.4 Intervention Criteria and Decision-Making Tools | 27 |
| 3.4.1 Prevalence of and Trends in Malnutrition | 27 |
| 3.4.2 The Context in which Malnutrition is Occurring | 29 |
| 3.4.3 Available Resources | 31 |
| 3.4.4 Information Sources | 32 |
| 4. PLANNING AND DESIGN | 33 |
| 4.1 Planning a Programme | 34 |

| | |
|--------------------------------------------------------------------------------------|------------|
| 4.1.1 Who is Involved in Programme Planning? | .34 |
| 4.1.2 The Planning Stages of a CTC Programme | .35 |
| 4.2 Assessing Community Capacity | .37 |
| 4.2.1 What To Assess | .37 |
| 4.2.2 How To Assess It | .38 |
| 4.3 Planning for Longer-Term CTC Programming | .39 |
| 4.3.1 Institutional Frameworks | .40 |
| 4.3.2 Funding and Supplies | .41 |
| 4.3.3 Expertise (Knowledge and Skills) | .41 |
| 4.4 Determining Resource Requirements | .42 |
| 4.4.1 Direct and Indirect Costs and Savings | .42 |
| 4.4.2 Human Resources and Technical Expertise | .42 |
| 5. COMMUNITY MOBILISATION | .43 |
| 5.1 Why Mobilise? | .44 |
| 5.2 Elements of Community Mobilisation | .45 |
| 5.2.1 Community Sensitisation | .47 |
| 5.2.2 Case-Finding | .48 |
| 5.2.3 Follow-Up | .49 |
| 5.2.4 Ongoing Sensitisation | .49 |
| 5.3 Formulating and Implementing a Mobilisation Plan | .49 |
| 5.3.1 Develop a Sensitisation Strategy | .50 |
| 5.3.2 Determine the Appropriate Structure for Outreach Activities | .50 |
| 5.3.3 Establish Means of Regular Contact with the Community | .52 |
| 5.4 General Considerations | .57 |
| 6. SUPPLEMENTARY FEEDING PROGRAMME | .59 |
| 6.1 Planning | .61 |
| 6.1.1 Staff | .61 |
| 6.1.2 Equipment and Supplies | .63 |
| 6.2 Target Group and Admission/Discharge Criteria | .63 |
| 6.2.1 Admission and Discharge Criteria for Children | .64 |
| 6.2.2 Admission and Discharge Criteria for Pregnant and Lactating Women | .65 |

| | |
|--------------------------------------------------------------------------------------------------|------------|
| 6.3 Treatment Protocols and Procedures | .65 |
| 6.3.1 Nutritional Management of Moderately Malnourished Children | .65 |
| 6.3.2 Medical Management of Moderately Malnourished Children | .67 |
| 6.3.3 Monitoring and Transfer of Moderately Malnourished Children | .68 |
| 6.3.4 Nutritional and Medical Management of Moderately Malnourished Pregnant and Lactating Women | .69 |
| 6.3.5 Demonstration of Food Preparation | .70 |
| 6.4 Data Collection and Monitoring | .70 |
| 7. OUTPATIENT THERAPEUTIC PROGRAMME | .71 |
| 7.1 Planning | .72 |
| 7.1.1 Staff | .73 |
| 7.1.2 Equipment and Supplies | .74 |
| 7.2 Target Group and Admission/Discharge Criteria | .75 |
| 7.2.1 Admission Criteria | .75 |
| 7.2.2 Discharge Criteria | .77 |
| 7.2.3 Modifications to Admission and Discharge Criteria in the Absence of SFP | .78 |
| 7.3 Treatment Protocols and Procedures | .79 |
| 7.3.1 Nutritional Treatment | .80 |
| 7.3.2 Medicines | .81 |
| 7.3.3 Health Education | .82 |
| 7.3.4 Follow-Up | .82 |
| 7.3.5 Links to Other Programmes | .83 |
| 7.4 Data Collection and Monitoring | .83 |
| 8. STABILISATION CARE | .85 |
| 8.1 Planning | .86 |
| 8.1.1 Staff | .87 |
| 8.1.2 Equipment and Supplies | .88 |
| 8.2 Target Group and Admission/Discharge Criteria | .88 |

| | |
|----------------------------------------------------------------------|------------|
| 8.2.1 Admission Criteria | 88 |
| 8.2.2 Discharge Criteria | 91 |
| 8.3 Treatment Protocols and Procedures | 91 |
| 8.3.1 On Admission | 93 |
| 8.3.2 Nutritional Treatment | 93 |
| 8.3.3 Medical Treatment | 94 |
| 8.3.4 Observation and Monitoring | 95 |
| 8.3.5 Hygiene | 95 |
| 8.3.6 On Discharge | 96 |
| 8.4 Data Collection and Monitoring | 97 |
| 8.4.1 Tracking the Child | 97 |
| 8.4.2 Monitoring the Programme | 97 |
| 9. MONITORING | 99 |
| 9.1 Monitoring Individual Treatment | 100 |
| 9.1.1 CTC Cards | 101 |
| 9.1.2 Supervision and Case Review | 102 |
| 9.1.3 Numbering System | 102 |
| 9.1.4 Exchange of Information | 103 |
| 9.2 Monitoring the Appropriateness of the Programme | 104 |
| 9.2.1 Focus Group Discussions | 104 |
| 9.2.2 Interviews with Key Community Members | 106 |
| 9.3 Monitoring the Effectiveness of the Programme | 106 |
| 9.3.1 Admission and Exit Categories and Definitions | 108 |
| 9.3.2 Additional Routine Information | 113 |
| 9.3.3 Tally Sheets and Compilation Reports | 114 |
| 9.4 Monitoring Programme Coverage | 115 |
| 9.4.1 Coverage Surveys | 116 |
| 9.4.2 Interpreting Survey Results | 122 |
| 10. EVALUATION | 123 |
| 10.1 Why Evaluate? | 124 |
| 10.2 Definition, Criteria and Questions | 124 |
| 10.2.1 Design | 125 |

| | |
|------------------------------------------------------------------|------------|
| 10.2.2 Efficiency | 125 |
| 10.2.3 Effectiveness/Impact | 126 |
| 10.2.4 Sustainability/Connectedness | 127 |
| 10.2.5 Relevance/Appropriateness | 127 |
| 10.2.6 Coherence | 128 |
| 10.2.7 Coverage | 128 |
| 10.3 Indicators for Assessing Quality and Appropriateness | 128 |
| 10.4 Information Sources | 128 |
| 10.5 Completing the Evaluation Process | 129 |
| 11. LOCAL PRODUCTION OF RUTF | 131 |
| 11.1 Origins of RUTF | 132 |
| 12. FUTURE DEVELOPMENTS | 133 |
| 12.1 Long-Term CTC Programming | 134 |
| 12.2 CTC and Primary Health Care | 134 |
| 12.3 CTC in Remote, Insecure or Inaccessible Places | 134 |
| 12.4 Monitoring Community Mobilisation | 135 |
| 12.5 CTC and HIV/AIDS | 135 |
| 12.5.1 Home-Based Care (HBC) | 135 |
| 12.5.2 Voluntary Counselling and Testing (VCT) | 136 |
| 12.5.3 Targeting People Living with HIV/AIDS (PLWHA) | 136 |
| 12.5.4 Nutritional Support to People Living with HIV/AIDS | 136 |
| 12.5.5 Managing Diarrhoea | 137 |
| 12.6 Ready-to-Use Supplementary Food | 137 |
| 12.7 Other Age Groups | 137 |
| INDEX | 138 |
| REFERENCES | 141 |
| BIBLIOGRAPHY | 147 |

FIGURES

| | |
|----------------------------------------------------------------------------------------------------------------------|-----|
| Figure 1: CTC Classification of Acute Malnutrition | 10 |
| Figure 2: Components of the CTC Programme and How They Fit Together | 14 |
| Figure 3: The Evolution of a CTC Programme | 16 |
| Figure 4: Hierarchy of Nutritional Interventions in an Emergency | 24 |
| Figure 5: Decision Chart for the Implementation of Selective Feeding Programmes | 28 |
| Figure 6: Death Rates and Stage of Alert | 30 |
| Figure 7: Objective and Planning Feedback Loop | 36 |
| Figure 8: Elements of Community Mobilisation | 46 |
| Figure 9: Admissions, Exits and Total in OTP Programme, Dowa District, Malawi, August 2002 - March 2003 | 48 |
| Figure 10: Implementing Community Mobilisation | 54 |
| Figure 11: Vulnerable Groups and Target Groups for SFP | 63 |
| Figure 12: Four SFP Daily Rations | 67 |
| Figure 13: OTP Admission Criteria | 76 |
| Figure 14: OTP Discharge Criteria | 77 |
| Figure 15: OTP Procedures | 79 |
| Figure 16: SC Admission Criteria | 90 |
| Figure 17: SC Discharge Criteria | 91 |
| Figure 18: Timeframe for the Management of a Child with Severe Malnutrition | 92 |
| Figure 19: Admission and Exit Categories - SC | 109 |
| Figure 20: Admission and Exit Categories - OTP | 110 |
| Figure 21: Admission and Exit Categories - SFP | 112 |
| Figure 22: Coverage, Cure Rate and Impact | 116 |
| Figure 23: Identifying Squares to Sample | 117 |
| Figure 24: Recording Data from a Sampled Square | 118 |
| Figure 25: Other Examples for Recording Data Taken From Figure 24 | 120 |
| Figure 26: Plotting Coverage Data | 121 |

BOXES

| | | |
|--------|--------------------------------------------------------------------------------|----|
| Box 1. | Integration of CTC with Existing Clinical Health Systems . . . | 18 |
| Box 2. | Collaboration in Darfur, 2004 | 19 |
| Box 3. | Sectoral Links in Malawi, Linking CTC with HIV/AIDS Interventions | 20 |
| Box 4: | Traditional Leaders and Community Sensitisation in Malawi | 47 |
| Box 5: | Traditional Health Practitioners and CTC in South Sudan . . | 57 |

ANNEXES

| | | |
|-----------|--------------------------------------------------------------|--|
| Annex 1: | Definitions of Grades of Oedema | |
| Annex 2: | Sources of Bias in Nutrition Surveys | |
| Annex 3: | Causes of Child Malnutrition | |
| Annex 4: | Logframe Refresher | |
| Annex 5: | Example of a CTC Logframe | |
| Annex 6: | Indicators for Assessing Quality and Appropriateness | |
| Annex 7: | Capacity Grid | |
| Annex 8: | Overview of Resources Needed for a CTC Programme | |
| Annex 9: | Planning Community Mobilisation | |
| Annex 10: | OTP Action Protocol | |
| Annex 11: | Content of Sensitisation Messages | |
| Annex 12: | Equipment and Supplies for SFP (per site) | |
| Annex 13: | Routine Medicines for Moderate Malnutrition (SFP) | |
| Annex 14: | SFP Ration Card | |
| Annex 15: | Training Day Plan | |
| Annex 16: | Equipment and Supplies for OTP (per site) Equipment . . . | |
| Annex 17: | OTP Card | |
| Annex 18: | Sugared Water Protocol | |
| Annex 19: | OTP Flow Diagram | |

