



TEST REPORT

Report No.:

SHC20081258-01AE

Date:

2020-12-03

Page 1 of 4

Applicant :

Debetek GmbH

Address

Lechenrother Weg 8, D-96126 Wasmuthhausen

Sample Information

Sample Name

Debetek®Compound reagent

Sample Trade Mark

: Debetek®

Production date or batch number

2020.07.08/2020101

Sample Type/Specification

Minimachine/DE001

Sample Qty.

1 machine + 1 potion

Manufacturer

Debetek GmbH

Manufacturer Address

Lechenrother Weg 8, D-96126 Wasmuthhausen

Above information and sample(s) was/were submitted and certified by/on behalf of the applicant. ICAS was not responsible for the authenticity of the sample, and quoted the information with no responsibility as to the accuracy, adequacy and/or completeness.

Sample No.

C20081258-01

Date of Sample Received

2020-08-28

Sample Test Period

2020-10-15~2020-11-20

Test content:

Test item(s)

: Quantitative inactivation test of human coronavirus 229E suspension

Items 2.1.1.10.3 and 2.1.1.10.4 of "Disinfection Technical Specifications" (2002 Edition) and "Methods of

Test Method(s)

Virus Inactivation" entrusted by enterprises

Prepared by:

1 245

Reviewed by

卫小夷

Approved by:

TAPE

英格尔检测技术服务(上海)有限公司 ICAS TESTING TECHNOLOGY SERVICE (SHANGHAD CO., LTD NCA 0431929





TEST REPORT

Report No.:

SHC20081258-01AE

Date:

2020-12-03

Page 4 of 4

4. Conclusion

1). After 3 repeated tests, the neutralizer solution of PBS containing 5g/L sodium thiosulfate and 10mg/L catalase can effectively neutralize the DEBETEK composite reagent liquid syrup placed in the machine, and it is effective for human coronary The residual effect of virus 229E, and the neutralizer and neutralization products have basically no effect on the growth of human coronavirus 229E and cells.

2). After 3 repeated tests, put the DEBETEK composite reagent liquid into the DEBETEK machine, and then atomize the composite reagent into the indoor air through the machine, and start the timer after 15 hours of preheating, and face the human crown placed on the indoor poison carrier Virus 229E acts for 120min. The average logarithm of inactivation of the virus is 3.22 (that is, the average inactivation rate is 99.94%).

End of the report