


Technical Data

Single Unit

General information				
Max number of players	2			
Capacity	Up to 140 people per hour (depending on operation model)			
Player's age	5 - 80 years old (starting from 1.10m / 3.6 feet)			
Staff required	1			
Gaming zone area	30.5 m2 / 328 sqft			
Max airflow velocity	165 km/h / 102 mi/h			
Noise emission in spectator area	55 dbA @ 100 km/h; 66 dbA @ 163.8 km/h			
Average power consumption	20 kWh up to airflow of 130 km/h			
Required power connection	425kVA, 420VAC/50-60Hz/ 3PHASE			
Installation time	10 weeks			
Local building works	Leveled concrete surface			
Dimensions				
	Vertical	Horizontal		
Width	5.8 m / 19 ft	7.6m / 25 ft		
Length	18.4 m / 60.4 ft	18.4 m / 60.4 ft		
Height	7.4 m / 24.3 ft	3.6m / 11.8 ft		
Delivery				
Lead time	8 months			



Double Unit

	General information	
Max number of players	4	
Capacity	Up to 280 people per hour (depending on operation model)	
Player's age	5 - 80 years old (starting from 1.10m / 3.6 feet)	
Staff required	1	
Gaming zone area	30.5 m2 + 30.5m2 / 328 sqft + 328 sqft	
Max airflow velocity	165 km/h / 102 mi/h	
Noise emission in spectator area	55 dbA @ 100 km/h; 67 dbA @ 163.8 km/h	
Average power consumption	40 kWh up to airflow of 130 km/h	
Required power connection	815 kVA, 420VAC/50-60Hz/ 3PHASE	
Installation time	12 weeks	
Local building works	Leveled concrete surface	
	Dimensions	
	Vertical	Horizontal
Width	14.2 m / ft	21.5 m / 25 ft
Length	18.4 m / 60.4 ft	18.4 m / 60.4 ft
Height	7.4 m / 24.3 ft	3.6 m / 11.8 ft
	Delivery	
Lead time	10 months	

