

# BATTERY OPERATED

## LIGHTING CATALOG 2022

# TABLE OF CONTENTS

|   |               |
|---|---------------|
| <b>PUCK AND BAR LIGHTS .....</b>                    | <b>3</b>      |
| MULTI-COLOR ADJUSTABLE WHITE PUCK & LIGHT BAR ..... | 3             |
| ADJUSTABLE WHITE MOTION PUCK & LIGHT BAR .....      | 3             |
| ADJUSTABLE WHITE PUCK & LIGHT BAR .....             | 4             |
| COMPACT LED PUCK & LIGHT BAR .....                  | 4             |
| USB RECHARGEABLE LIGHT BARS.....                    | 5             |
| PIVOTING LED PUCK LIGHT WITH SENSOR.....            | 6             |
| PIVOTING LED REMOTE CONTROLLED PUCK LIGHT.....      | 6             |
| GLARE FREE LED PUCK LIGHT WITH REMOTE .....         | 6             |
| PIVOTING LED PUCK LIGHT.....                        | 6             |
| RUGGED LED PUCK LIGHT .....                         | 7             |
| LED C.O.B. TASK LIGHT .....                         | 7             |
| EVERYWHERE LIGHT .....                              | 7             |
| <br><b>UTILITY LIGHTS .....</b>                     | <br><b>8</b>  |
| LED TAP UTILITY LIGHT.....                          | 8             |
| ADJUSTABLE WHITE MOTION CEILING LIGHT.....          | 8             |
| PULL STRING UTILITY LIGHT .....                     | 8             |
| MOTION ACTIVATED CEILING LIGHT .....                | 9             |
| MOTION ACTIVATED PATH LIGHT .....                   | 9             |
| 2-IN-1 LED UTILITY LIGHT .....                      | 9             |
| <br><b>AMBIANCE .....</b>                           | <br><b>10</b> |
| COLOR-CHANGING SOFT TOUCH LAMP .....                | 10            |
| DECORATIVE WALL SCONCE WITH REMOTE.....             | 11            |
| SWIVELING SPOTLIGHT.....                            | 11            |
| PICTURE LIGHT WITH REMOTE .....                     | 12            |
| FLIPLIGHT .....                                     | 13            |
| <br><b>SECURITY.....</b>                            | <br><b>14</b> |
| MOTION SECURITY LIGHT.....                          | 14            |

## PUCK AND BAR LIGHTS

### MULTI-COLOR ADJUSTABLE WHITE PUCK & LIGHT BAR

These color-changing adjustable white puck and bar lights offer multiple features with the ability to choose from nine different colors and three white color temperatures (CCT settings) for optimal customization. Add light in and under cabinets, closets, pantries, laundry rooms, hallways, garages, shelving and more.

| Color Temp  |
|-------------|
| 3000K       |
| 4000K       |
| 5000K       |
| Multi-Color |

**NEW  
FOR  
2022**

| Description             | Light Bar  | Puck Light   |
|-------------------------|--|--|
| Dimensions              | 2.85"W x 10.20"H x 1.05"D  | 3.37"W x 3.37"H x 1.05"D   |
| Lumens                  | 150  | 80   |
| Runtime                 | 100 hours  | 70 hours   |
| Dimming                 | 100% to 10%  | 100% to 10%  |
| Batteries (Qty)         | AA (6)   | AA (3)   |
| Mounting                | Magnets and steel plates, mounting screws (not included)         | Magnets and steel plates   |
| Model No. (Qty)         | BL-BCLR-W (1)  | BL-PCLR-W2 (2)<br>BL-PCLR-W3 (3)<br>BL-PCLR-W6 (6)               |
| Remote Control Features | On/off, dimming, timers, color/CCT control                       | On/off, dimming, timers, color/CCT control                       |
| Included                | Built-in magnet, 3M adhesive backed metal plates, remote control | Built-in magnet, 3M adhesive backed metal plates, remote control |



### ADJUSTABLE WHITE MOTION PUCK & LIGHT BAR

These motion activated adjustable white puck and bar lights offer the ability to customize the color temperature of the light with the added convenience of being motion activated. Add light in and under cabinets, closets, pantries, laundry rooms, hallways, garages, shelving and more.

| Color Temp |
|------------|
| 3000K      |
| 4000K      |
| 5000K      |

**NEW  
FOR  
2022**


| Description       | Light Bar  | Puck Light  |
|-------------------|--|---|
| Dimensions        | 2.85"W x 10.20"H x 1.50"D  | 3.37"W x 3.37"H x 1.25"D  |
| Lumens            | 150  | 80  |
| Runtime           | 160 hours  | 70 hours  |
| Dimming           | 100% to 10%  | 100% to 10%   |
| Batteries (Qty)   | AA (6)   | AA (3)  |
| Mounting          | Magnets and steel plates, mounting screws (not included)                 | Magnets and steel plates  |
| Motion Activation | Auto Shut-off, dusk-to-dawn, 12' detection range, pivoting motion sensor | Auto Shut-off, dusk-to-dawn, 12' detection range                      |
| Model No. (Qty)   | BL-BMTN-W (1)  | BL-PMTN-W1T (1)<br>BL-PMTN-W2 (2)<br>BL-PMTN-W3 (3)<br>BL-PMTN-W6 (6) |
| Included          | Built-in magnet, 3M adhesive backed metal plates                         | Built-in magnet, 3M adhesive backed metal plates                      |



## ADJUSTABLE WHITE PUCK & LIGHT BAR

These adjustable white puck and bar lights offer the ability to customize the color temperature of the light with the added convenience of an IR remote. Add light in and under cabinets, closets, pantries, laundry rooms, hallways, garages, shelving and more.

| Description             | Light Bar  | Puck Light  | Color Temp               |
|-------------------------|--|---|--------------------------|
|                         |  |   | 3000K                    |
|                         |  |   | 4000K                    |
|                         |  |   | 5000K                    |
| Dimensions              | 2.85"W x 10.20"H x 1.05"D  | 3.37"W x 3.37"H x 1.05"D  | 1.25"W x 3.38"H x 0.19"D |
| Lumens                  | 150  | 80  | -                        |
| Runtime                 | 160 hours  | 70 hours  | -                        |
| Dimming                 | 100% to 10%  | 100% to 10%   | -                        |
| Batteries (Qty)         | AA (6)   | AA (3)  | CR2025 (1)               |
| Mounting                | Magnets and steel plates, mounting screws (not included)         | Magnets and steel plates  | -                        |
| Model No. (Qty)         | BL-BCCT-W (1)  | BL-PCCT-W1 (1)<br>BL-PCCT-W2 (2)<br>BL-PCCT-W3 (3)<br>BL-PCCT-W6 (6)                            | BL-RCCT (1)              |
| Remote Control Features | On/off, dimming, timers, adjustable white control                | On/off, dimming, timers, adjustable white control   | -                        |
| Included                | Built-in magnet, 3M adhesive backed metal plates, remote control | Built-in magnet, 3M adhesive backed metal plates, remote control (not included with BL-PCCT-W1) | -                        |



## COMPACT LED PUCK & LIGHT BAR

These compact puck and bar lights are bright, long lasting, and install quickly and easily for instant light to enhance small spaces. Add light in and under cabinets, closets, pantries, laundry rooms, hallways, garages, shelving and more.

| Description     | Light Bar  | Puck Light  | Color Temp |
|-----------------|--|---|------------|
|                 |  |   | 3000K      |
|                 |  |   |            |
|                 |  |   |            |
| Dimensions      | 8.00"L x 1.80"W x 1.20"H                         | 2.87"L x 2.87"W x 0.75"H  |            |
| Lumens          | 120  | 50  |            |
| Runtime         | 140 hours  | 70 hours  |            |
| Dimming         | Bright (100%) or dim (50%)                       | Bright (100%) or dim (50%)  |            |
| Batteries (Qty) | AA (4)   | AAA (3)   |            |
| Mounting        | 3M tape, included mounting screws                | 3M tape, included mounting screws   |            |
| Model No. (Qty) | BL-BUTN-W (1)                                    | BL-PUTN-W2 (2)<br>BL-PUTN-W3 (3)<br>BL-PUTN-W6 (6)  |            |
| Included        | 3M adhesive backed metal plates, mounting screws | 3M adhesive backed metal plates, mounting screws, batteries (included with BL-PUTN-W6 ONLY) |            |







USB RECHARGEABLE LIGHT BARS

The LED USB rechargeable light series offers slim, feature-rich and customizable lighting options at a cost-effective price. Use to enhance small spaces, add light inside, under and above cabinetry, or brighten up work areas.

| Color Temp |
|------------|
| 3000K      |
| 4000K      |
| 5000K      |

| Description       | 4" Light Bar  | 5" Light Bar  | 12" Light Bar   |
|-------------------|---|---|---|
| Dimensions        | 2.25"W x 4.25"H x 0.73"D  | 5.00"W x 5.00"H x 0.75"D  | 2.40"W x 11.85"H x 0.73"D   |
| Lumens            | 65  | 160   | 210   |
| Runtime           | 6 hours   | 10 hours  | 3.2 hours   |
| Dimming           | Continuous touch 100% to 10%  | Continuous touch 100% to 10%  | Continuous touch 100% to 10%  |
| Batteries         | USB rechargeable lithium-ion  | USB rechargeable lithium-ion  | USB rechargeable lithium-ion  |
| Mounting          | Magnets and steel plates, included mounting screws  | Magnets and steel plates, included mounting screws  | Magnets and steel plates, included mounting screws  |
| Motion Activation | Auto shut-off, dusk-to-dawn, 12' detection range  | Auto shut-off, dusk-to-dawn, 12' detection range  | Auto shut-off, dusk-to-dawn, 12' detection range  |
| Model No. (Qty)   | BL-BAR4RC-2PK (2)   | BL-BAR5RC (1)<br>BL-BAR5RC-2PK (2)  | BL-BAR12RC (1)<br>BL-BAR12RC-2PK (2)  |
| Included          | 39" USB micro B charging cables (one cable per light), built-in magnets, metal plates with 3M tape, and mounting screws | 39" USB micro B charging cables (one cable per light), built-in magnets, metal plates with 3M tape, and mounting screws | 39" USB micro B charging cables (one cable per light), built-in magnets, metal plates with 3M tape, and mounting screws |



## PIVOTING LED REMOTE CONTROLLED PUCK LIGHT

Color Temp

3000K

| Description             | Puck Light  |
|-------------------------|---|
| Dimensions              | 3.54"L x 3.54"W x 1.26"H  |
| Lumens                  | 55  |
| Runtime                 | 18 hours  |
| Dimming                 | 100% to 10%   |
| Batteries (Qty)         | AAA (3)   |
| Mounting                | Included mounting screw, hook and loop tape                     |
| Model No. (Qty)         | LPL622WRC (2)   |
| Remote Control Features | Timers, dimming   |
| Included                | Mounting screw, hook and loop tape for mounting, remote control |



## PIVOTING LED PUCK LIGHT

Color Temp

3000K

| Description            | Puck Light   |
|------------------------|--|
| Dimensions             | 3.54"L x 3.54"W x 1.26"H   |
| Lumens                 | 55   |
| Runtime                | 18 hours   |
| Dimming                | 100% to 10%  |
| Batteries (Qty)        | AAA (3)  |
| Mounting               | Included mounting screw, hook and loop tape                                      |
| Model No. (Color, Qty) | LPL623 (Grey, 3)<br>LPL623W (White, 3)<br>LPL620 (Grey, 1)<br>LPL620W (White, 1) |
| Included               | Mounting screw, hook and loop tape for mounting                                  |



## PIVOTING LED PUCK LIGHT WITH SENSOR

Color Temp

3000K

| Description            | Puck Light                                      |
|------------------------|---|
| Dimensions             | 3.54"L x 3.54"W x 1.26"H                        |
| Lumens                 | 55  |
| Runtime                | 18 hours  |
| Dimming                | 100% to 10%                                     |
| Batteries (Qty)        | AAA (3)   |
| Mounting               | Included mounting screw, hook and loop tape     |
| Model No. (Color, Qty) | LPL623XLL (Grey, 3)<br>LPL623WLL (White, 3)     |
| Features               | Ambient light sensor                            |
| Included               | Mounting screw, hook and loop tape for mounting |



## GLARE FREE LED PUCK LIGHT WITH REMOTE

Color Temp


3000K

| Description             | Puck Light   |
|-------------------------|--|
| Dimensions              | 3.00"L x 3.00"W x 1.00"H                                       |
| Lumens                  | 45   |
| Runtime                 | 18 hours   |
| Dimming                 | 100% to 10%  |
| Batteries (Qty)         | AAA (3)  |
| Mounting                | Included mounting screw, double-sided tape                     |
| Model No. (Qty)         | LW2205W-N2 (2)   |
| Remote Control Features | Timers   |
| Included                | Mounting screw, double-sided tape for mounting, remote control |

| RUGGED LED PUCK LIGHT |   | Color Temp |
|-----------------------|---|------------|
|                       |   | 5000K      |
| Description           | Puck Light  |            |
| Dimensions            | 3.60"L x 3.60"W x 1.20"H                                  |            |
| Lumens                | 50  |            |
| Runtime               | 20 hours  |            |
| Dimming               | 100% to 10%   |            |
| Batteries (Qty)       | AAA (3)   |            |
| Mounting              | Rare-earth magnet, included mounting screws               |            |
| Model No. (Qty)       | LW2002B-N1 (1)<br>LWRUGGED2-T (2)                         |            |
| Features              | Tap operation, heavy-duty construction, sure grip coating |            |
| Included              | Mounting screws   |            |



| LED C.O.B. TASK LIGHT |                                  | Color Temp |
|-----------------------|----------------------------------|------------|
|                       |                                  | 6000K      |
| Description           | Dual Light                       |            |
| Dimensions            | 6.89"L x 1.17"W x 0.90"H         |            |
| Lumens                | 160                              |            |
| Runtime               | 15 hours                         |            |
| Batteries (Qty)       | AAA (3)                          |            |
| Mounting              | Magnet, included mounting screws |            |
| Model No. (Qty)       | BARCOB2-T (2)                    |            |
| Features              | Extra bright COB technology      |            |
| Included              | Magnet and mounting screws       |            |



| EVERYWHERE LIGHT |                          | Color Temp |
|------------------|--------------------------|------------|
|                  |                          | 5000K      |
| Description      | Dual Light               |            |
| Dimensions       | 6.3"L x 1.54"W x 1.06"H  |            |
| Lumens           | 45                       |            |
| Runtime          | 25 hours                 |            |
| Dimming          | 100% to 10%              |            |
| Batteries (Qty)  | AAA (3)                  |            |
| Mounting         | Included mounting screws |            |
| Model No. (Qty)  | LW1001W-N1               |            |
| Features         | Three sided lens         |            |
| Included         | Mounting screws          |            |



## UTILITY LIGHTS



### LED TAP UTILITY LIGHT

Color Temp

3000K

| Description     | Utility Light            |
|-----------------|--------------------------|
| Dimensions      | 3.95"L x 3.95"W x 1.35"H |
| Lumens          | 60                       |
| Runtime         | 100 hours                |
| Batteries (Qty) | AA (3)                   |
| Mounting        | Keyhole screw mount      |
| Model No. (Qty) | BL-PTAP-W2 (2)           |



### PULL STRING UTILITY LIGHT

Color Temp

4000K

| Description     | Utility Light            |
|-----------------|--------------------------|
| Dimensions      | 4.13"L x 4.13"W x 1.25"H |
| Lumens          | 90                       |
| Runtime         | 70 hours                 |
| Batteries (Qty) | AA (4)                   |
| Mounting        | Included mounting screws |
| Model No. (Qty) | BL-PSTG-W                |
| Included        | Mounting screws          |

### ADJUSTABLE WHITE MOTION CEILING LIGHT

The motion activated, adjustable white ceiling light offers the ability to customize the color temperature of the light with the added convenience of being motion activated and remote controlled. Add light to closets, pantries, laundry rooms, garages, sheds, and more.

Color Temp

3000K

4000K

5000K

| Description             | Ceiling Light   |
|-------------------------|---|
| Dimensions              | 5.75"W x 5.75"H x 3.06"D                                    |
| Lumens                  | 400   |
| Runtime                 | 2+ years  |
| Batteries (Qty)         | D (3)   |
| Mounting                | Included mounting screws and detachable mounting wallplate  |
| Motion Activation       | Auto shut-off, dusk-to-dawn sensor                          |
| Model No. (Qty)         | BL-CMTN-W (1)   |
| Outdoor Rating          | IP65 rating, UV resistant                                   |
| Remote Control Features | Dimming, adjustable white color temperature, on/off, timers |
| Included                | Mounting screws, remote control                             |





# MOTION ACTIVATED CEILING LIGHT

|                   |                               | Color Temp |
|-------------------|-------------------------------|------------|
|                   |                               | 3000K      |
| Description       | Ceiling Light                 |            |
| Dimensions        | 5.10"L x 5.10"W x 1.90"H      |            |
| Lumens            | 150                           |            |
| Runtime           | 45 hours                      |            |
| Batteries (Qty)   | C (3)                         |            |
| Mounting          | Included mounting screws      |            |
| Motion Activation | Auto-off, 12' detection range |            |
| Model No. (Qty)   | LG3101W-N1                    |            |
| Included          | Mounting screws               |            |



# MOTION ACTIVATED PATH LIGHT

|                   |                                  | Color Temp |
|-------------------|----------------------------------|------------|
|                   |                                  | 3000K      |
| Description       | Path Light                       |            |
| Dimensions        | 3.03"L x 1.77"W x 2.17"H         |            |
| Lumens            | 40                               |            |
| Runtime           | 12 months                        |            |
| Outdoor Rating    | IP44 rating, weather resistant   |            |
| Batteries (Qty)   | AAA (3)                          |            |
| Mounting          | Included mounting screws         |            |
| Motion Activation | Auto-off, dusk-to-dawn           |            |
| Model No. (Qty)   | LG3104W-N1 (1)<br>LG3104W-N2 (2) |            |
| Included          | Mounting screws                  |            |



# 2-IN-1 LED UTILITY LIGHT

Use the Work Light setting for illuminating broad areas and switch to Flashlight mode for a functional, tight beam of light.

|                 |                                   | Color Temp |
|-----------------|-----------------------------------|------------|
|                 |                                   | 8500K      |
| Description     | Utility Light                     |            |
| Dimensions      | 4.13"L x 2.36"W x 1.50"H          |            |
| Lumens          | Work light: 100<br>Flashlight: 15 |            |
| Runtime         | 15-20 hours                       |            |
| Batteries (Qty) | AAA (3)                           |            |
| Mounting        | Magnet or collapsible hook        |            |
| Model No. (Qty) | LBUTIL1000 (1)                    |            |
| Included        | 3 AAA batteries                   |            |



# COLOR-CHANGING SOFT TOUCH LAMP

Westek Soft Touch Lamps are a fun addition to nurseries, bedrooms and dorm rooms. Child friendly features include multiple color modes, an enclosed light base and BPA free, soft, silicone cover.

Color

Multi-Color

Cool White

| Description     | Logan the Lion   | Finley the Fawn          | Holden the Hedgehog      |
|-----------------|--|--------------------------|--------------------------|
| Dimensions      | 4.88"L x 3.91"W x 3.85"D   | 5.00"L x 3.60"W x 3.87"D | 3.08"L x 4.08"W x 5.10"D |
| Model No.       | NL-RGBLL   | NL-RGBFF                 | NL-RGBHH                 |
| Lumens          | 10 - low   40 - high   |                          |                          |
| Runtime         | 24 hours   |                          |                          |
| Batteries (Qty) | AAA (3)  |                          |                          |
| CPC Rating      | 0+   |                          |                          |
| Modes           | Night light mode, slow flash mode, auto fade color mode, single color mode or sleep mode |                          |                          |



# DECORATIVE WALL SCONCE WITH REMOTE

| Description             | Wall Sconce   | Color Temp |
|-------------------------|---|------------|
|                         |   | 3000K      |
|                         |   | 4000K      |
|                         |   | 5000K      |
| Dimensions              | 8.00"W x 5.00"H x 4.40"D                                      |            |
| Lumens                  | 60  |            |
| Dimming                 | 100% to 10%   |            |
| Runtime                 | 70 hours  |            |
| Batteries (Qty)         | AA (6)  |            |
| Mounting                | Included mounting screws and detachable wallplate             |            |
| Motion Activation       | 4 hour auto shut-off  |            |
| Model No. (Color, Qty)  | BL-SCDF-DB2 (Satin bronze, 2)<br>BL-SCDF-MB2 (Matte black, 2) |            |
| Remote Control Features | Dimming, adjustable white color temperature, on/off, timers   |            |
| Included                | Mounting screws, remote control                               |            |



Matte Black

Satin Bronze



# SWIVELING SPOTLIGHT

| Description             | Spot Light                      | Color Temp |
|-------------------------|---------------------------------|------------|
|                         |                                 | 4000K      |
| Dimensions              | 2.00"W x 3.50"H x 3.50"D        |            |
| Lumens                  | 100                             |            |
| Runtime                 | 60 hours                        |            |
| Batteries (Qty)         | AA (4)                          |            |
| Mounting                | Included mounting screws        |            |
| Dimming                 | 100% to 10%                     |            |
| Model No. (Qty)         | BL-SWVL-W (1)<br>BL-SWVL-W2 (2) |            |
| Remote Control Features | Dimming, timers                 |            |
| Included                | Mounting screws, remote control |            |





PICTURE LIGHT  
WITH REMOTE

Sold in craft packaging

|                         | Color Temp   |   |
|-------------------------|--|---|
|                         | 4000K  |   |
| Description             | 8 Inch Picture Light   | 16 Inch Picture Light   |
| Dimensions              | 8.00"L x 1.63"W x 3.88"H   | 16.00"L x 1.63"W x 3.88"H   |
| Lumens                  | 100  | 130   |
| Runtime                 | 40 hours   | 33 hours  |
| Dimming                 | 100%, 80%, 40%, 10%  | 100%, 80%, 40%, 10%   |
| Batteries (Qty)         | C (3)  | C (3)   |
| Mounting                | Included mounting screws   | Included mounting screws  |
| Remote Control Features | Dimming, timers  | Dimming, timers   |
| Model No. (Color)       | BL-PL8-BK (Satin black)<br>BL-PL8-GD (Satin gold)<br>BL-PL8-N (Satin nickel) | BL-PL16-BK (Satin black)<br>BL-PL16-GD (Satin gold)<br>BL-PL16-N (Satin nickel) |
| Included                | Mounting screws, remote control  | Mounting screws, remote control   |

8" Satin Black



16" Satin Black



8" Satin Gold



16" Satin Gold



8" Satin Nickel



16" Satin Nickel







## FLIPLIGHT

With patented Low Glow technology and clean, modern style, the FlipLight is ideal for a variety of uses. Use it to cast a soft glow at parties, or keep it bedside as a dual purpose night light. The FlipLight is also a handy travel light, useful in case of emergencies or on the next camping adventure.

Color Temp

3000K

| Description     | FlipLight  | Compact FlipLight                                      |
|-----------------|--|--|
| Dimensions      | 2.56"L x 2.56"W x 6.65"H                               | 2.13"L x 2.13"W x 5.67"H                               |
| Lumens          | 200  | 100  |
| Runtime         | 1+ year (Low glow mode)                                | 1+ year (Low glow mode)                                |
| Dimming         | Four preset levels, continuous touch, or low glow mode | Four preset levels, continuous touch, or low glow mode |
| Outdoor Rating  | IP44 rating, weather resistant                         | IP44 rating, weather resistant                         |
| Modes           | Low glow mode, bright task light mode                  | Low glow mode, bright task light mode                  |
| Batteries (Qty) | C (3)  | AA (3)   |
| Model No.       | BL-LOFLC   | BL-LOFLAA  |





MOTION SECURITY LIGHT

Dusk-to-dawn activated motion security lights with auto shut-off after 20 seconds

Color Temp

6000K

| Description     | Compact                              | Standard                             |
|-----------------|--------------------------------------|--------------------------------------|
| Dimensions      | 4.75"L x 3.50"W x 3.50"D             | 7.00"L x 3.50"W x 3.50"D             |
| Lumens          | 120                                  | 400/250                              |
| Runtime         | 44 hours                             | 20/30 hours                          |
| Batteries (Qty) | D (2)                                | D (4)                                |
| Mounting        | Included mounting screws             | Included mounting screws             |
| Model No.       | BL-CMSL                              | BL-SMSL                              |
| Outdoor Rating  | IP65 rating, water and UV resistance | IP65 rating, water and UV resistance |
| Included        | Mounting screws                      | Mounting screws                      |







250 Boulder Drive  
Breinigsville, PA 18031  
610-336-1330  
[www.amertac.com](http://www.amertac.com)

BO\_CAT\_02\_0222\_Westek Battery Operated Lighting Catalog