

MADE IN ITALY. MADE TO EXCEL.

BOOST MINERAL

Interactive version



Inner nature

An authentic and modern stone effect combining indoor and outdoor. Boost Mineral crystallises the naturalness of Belgian Ardennes stone on the ceramic surface.

Un effetto pietra autentico e moderno in dialogo tra interno ed esterno. Boost Mineral cristallizza la naturalezza della pietra delle Ardenne sulla superficie ceramica.

Effet pierre authentique et moderne, liaison entre intérieur et extérieur. Boost Mineral cristallise l'aspect naturel de la pierre des Ardennes sur la surface céramique.

Eine authentische und moderne Steinoptik im Dialog zwischen Innen- und Außenbereich. Boost Mineral kristallisiert die Natürlichkeit des Ardenner Steins auf der Keramikoberfläche.

Un efecto piedra auténtico y moderno que establece un diálogo entre interior y exterior. Boost Mineral cristaliza la naturalidad de la piedra de las Ardenas sobre la superficie cerámica.

Аутентичный и современный эффект камня на стыке помещений и улицы. Boost Mineral кристаллизует натуральность арденнского камня на керамической поверхности.

THE INSPIRATION >

IMAGE GALLERY >

SURFACE RANGE & TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO >



The lightly brush-hammered surface reveals all the details of the inspiration stone: compact background colour, fine and homogeneous grain, mineral crystals, and almost imperceptible fine veins.

La superficie leggermente bocciardata rivela tutti i dettagli della pietra di ispirazione: colore di fondo compatto, grana fine ed omogenea, cristalli minerali, e vene sottili quasi impercettibili.

La surface légèrement bouchardée révèle tous les détails de la pierre dont elle s'inspire : couleur du fond compacte, grain fin et homogène, cristaux minéraux et veines fines presque imperceptibles.

Die leicht gehämmerte Oberfläche offenbart alle Details des Inspirationssteins: kompakte Grundfarbe, feine und homogene Maserung, Mineralkristalle und kaum wahrnehmbare feine Maserungen.

La superficie ligeramente abujardada revela todos los detalles de la piedra en la que se inspira: color de fondo compacto, grano fino y homogéneo, cristales minerales y finas vetas casi imperceptibles.

Слегка бучардированная поверхность обладает всеми деталями исходного камня: плотный цвет фона, мелкое и однородное зерно, минеральные кристаллы и тонкие, почти незаметные прожилки.



Natural feeling in & out

Naturalness, textural effects and elegance make the surface the protagonist of indoor and outdoor settings that blend in perfect continuity.

Naturalezza, matericità ed eleganza rendono la superficie protagonista di ambienti interni ed esterni che si fondono in perfetta continuità.

Esprit naturel, matérialité et élégance font de la surface l'atout d'espaces intérieurs et extérieurs qui s'unissent dans une continuité absolue.

Natürlichkeit, Materialität und Eleganz machen die Oberfläche zum Protagonisten von Innen- und Außenbereichen, die in perfekter Kontinuität miteinander verschmelzen.

Naturalidad, materialidad y elegancia hacen de la superficie la protagonista de espacios interiores y exteriores que se funden en una perfecta continuidad.

Естественность, фактурность и элегантность делают эту поверхность хитом внутренних и наружных пространств, которые плавно переходят друг в друга.

THE INSPIRATION >

IMAGE GALLERY >

SURFACE RANGE & TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO 



Essential surfaces for contemporary spaces

Balanced between richness of detail and naturalness of the surface, Boost Mineral creates a modern stone effect with discreet elegance, ideal in contemporary design settings.

In equilibrio tra ricchezza di dettagli e naturalezza della superficie, Boost Mineral dà vita ad un effetto pietra moderno dall'eleganza discreta, ideale in ambienti dal design attuale.

Équilibre parfait entre richesse des détails et aspect naturel de la surface, Boost Mineral crée un effet pierre moderne, d'une élégance discrète, idéale dans des espaces design actuels.

Ausgewogenes Verhältnis zwischen Detailreichtum und Natürlichkeit der Oberfläche, Boost Mineral schafft eine moderne Steinoptik mit diskreter Eleganz, die sich ideal für zeitgenössische Designumgebungen eignet.

Consiguiendo un equilibrio entre la variedad de detalles y la naturalidad de la superficie, Boost Mineral da vida a un moderno efecto piedra muy elegante que funciona perfectamente en ambientes con un diseño contemporáneo.

Баланс между богатством деталей и естественностью поверхности. Boost Mineral дает жизнь современному эффекту камня со сдержанной элегантностью. Идеальный выбор для актуальных интерьеров.

THE INSPIRATION >

IMAGE
GALLERY >

SURFACE
RANGE
& TECHNICAL
SPECIFICATIONS >

ENJOY
THE VIDEO 

Impactful look

The large sizes are inspired by precious monolithic blocks of polished natural stone with soft surface and delicate relief. Ideal for covering large surfaces, furniture, kitchen tops and worktops.

I grandi formati si ispirano a pregiati blocchi monolitici di pietra naturale levigata con una superficie morbida e un rilievo delicato. Ideali per rivestire ampie superfici, arredi e piani cucina di lavoro.

Les grands formats s'inspirent de recherchés blocs monolithiques de pierre naturelle polie, avec une surface douce et un relief délicat. Parfaits pour revêtir dse grandes surfaces, des meubles et des plans de cuisine et de travail.

Die großen Formate sind von kostbaren monolithischen Blöcken aus poliertem Naturstein mit samter Oberfläche und zartem Relief inspiriert. Ideal zum Abdecken großer Flächen, Möbel, Küchen- und Arbeitsplatten.

Los grandes formatos se inspiran en preciosos bloques monolíticos de piedra natural pulida con una superficie suave y un relieve delicado. Ideal para revestir grandes superficies, mobiliario, encimeras de cocinas y superficies de trabajo.

Большие форматы вдохновлены роскошными монолитными блоками из полированного природного камня с мягкой поверхностью и изящным рельефом. Идеально для больших площадей, элементов мебели, рабочих и кухонных поверхностей.





Sensitech
SAFE. SOFT. SMART.

●
OUTDOOR

●
INDOOR

THE INSPIRATION >

IMAGE
GALLERY >

SURFACE
RANGE
& TECHNICAL
SPECIFICATIONS >


ENJOY
THE VIDEO ▶



Grip [Sensitech R11 C](#)
Outdoor 20mm [Sensitech R11 C](#)



The evolution of ceramic surface



Matte [Sensitech R10 B](#)

Thanks to the Sensitech finish obtained using an Italian patented method, Atlas Concorde surfaces for interiors and exteriors combine high slip resistance with a surface that is pleasant to the touch and therefore also easier and quicker to clean.

Grazie alla finitura Sensitech, ottenuta con metodo brevettato in Italia, le superfici Atlas Concorde per interni ed esterni coniugano un'elevata resistenza allo scivolamento con una superficie piacevole al tatto, per questo anche più facile e veloce da pulire.

Grâce à la finition Sensitech, obtenue avec une méthode brevetée en Italie, les surfaces Atlas Concorde pour intérieur et extérieur associent une résistance au glissement élevée à un toucher agréable en devenant également plus faciles et rapides à nettoyer.

Dank des Finishes Sensitech, einem in Italien patentierten Verfahren, verbinden die Oberflächen von Atlas Concorde für den Innen- und Außenbereich eine hohe Rutschfestigkeit mit einer Oberfläche, die sich angenehm anfühlt und daher auch leichter und schneller zu reinigen ist.

Gracias al acabado Sensitech, obtenid con un método patentado en Italia, las superficies Atlas Concorde para interiores y exteriores combinan una alta resistencia al deslizamiento con un tacto agradable, lo que facilita y agiliza la limpieza.

Благодаря отделке Sensitech, полученной запатентованным в Италии методом, поверхности Atlas Concorde для помещений и улицы сочетают в себе высокую степень противоскольжения с приятной на ощупь и легко очищаемой поверхностью.



Elegant penthouse

FLOOR
Boost Mineral White Elegant
Matte/Matt Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Boost Mineral White Elegant
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"

Boost Pro Clay
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"



FLOOR
Boost Mineral White
Grip Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

Boost Mineral White Elegant
Matte/Matt Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Boost Pro Clay
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"

- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM
- EMOTIONAL IN & OUT LIVING
- CONTEMPORARY URBAN SPACE
- STYLISH HOTEL ROOM
- TRENDY ROOFTOP BAR

Boost Mineral White

INDEX



THE INSPIRATION >

IMAGE GALLERY >

- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM
- EMOTIONAL IN & OUT LIVING
- CONTEMPORARY URBAN SPACE
- STYLISH HOTEL ROOM
- TRENDY ROOFTOP BAR

SURFACE RANGE & TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO



FLOOR
Boost Mineral White Elegant
Matte/Matt Sensitech
120x240 cm | 47¹/₄"x94¹/₂"


WALL
Boost Mineral White Elegant
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"

FURNITURE
Atlas Plan
Calacatta Borghini
Matte/Matt
162x324 cm | 63³/₄"x127¹/₂"

Boost Mineral White
Grip Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

Boost Pro Clay
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"





FLOOR	WALL	COUNTERTOP
Boost Mineral White Elegant	Boost Mineral White Elegant	Atlas Plan
Matte/Matt Sensitech	Matte/Matt	Calacatta Borghini
120x240 cm 47 ¹ / ₄ "x94 ¹ / ₂ "	120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	Matte/Matt
	Boost Pro Clay	162x324 cm 63 ³ / ₄ "x127 ¹ / ₂ "
	Matte/Matt	
	120x278 cm 47 ¹ / ₄ "x109 ¹ / ₂ "	



Scenic outdoor villa

WALL
Boost Mineral White
Brick
30x60 cm | 11³/₄" x 23⁵/₈"

FLOOR
Boost Mineral White
Outdoor Sensitech  20 mm
120x120 cm | 47¹/₄" x 47¹/₄"



FLOOR
Boost Mineral White
Outdoor Sensitech ± 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Mineral White
Brick
30x60 cm | 11³/₄"x23⁵/₈"



FLOOR
Boost Mineral White
Outdoor Sensitech $\pm$ 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "





FLOOR
Boost Mineral White
Matte/Matt Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Boost Mineral White
Outdoor Sensitech ✕ 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

Boost Mineral White
Slice A+B ✕ 20 mm
60x120 cm | 23⁵/₈"x47¹/₄"



Refined open space villa

FLOOR
Boost Mineral Pearl
Outdoor Sensitech $\pm$ 20 mm
60x120 cm | 23⁵/₈"x47¹/₄"

Boost Mineral Pearl Elegant
Matte/Matt Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Boost Mineral Pearl Elegant
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP
Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | 63³/₄"x127¹/₂"



FLOOR
Boost Mineral Pearl Elegant
Matte/Matt Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

Boost Mineral Pearl
Outdoor Sensitech $\nless 20$ mm
60x120 cm | 23⁵/₈"x47¹/₄"

WALL
Boost Mineral Pearl Elegant
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"

Boost White
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP
Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | 63³/₄"x127¹/₂"


THE INSPIRATION >

IMAGE
GALLERY >

- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM
- EMOTIONAL IN & OUT LIVING
- CONTEMPORARY URBAN SPACE
- STYLISH HOTEL ROOM
- TRENDY ROOFTOP BAR

SURFACE
RANGE
& TECHNICAL
SPECIFICATIONS >

ENJOY
THE VIDEO 



Boost Mineral Pearl

INDEX



THE INSPIRATION >

IMAGE GALLERY >

ELEGANT PENTHOUSE
SCENIC OUTDOOR VILLA

REFINED OPEN SPACE VILLA

SOPHISTICATED BATHROOM
EMOTIONAL IN & OUT LIVING
CONTEMPORARY URBAN SPACE
STYLISH HOTEL ROOM
TRENDY ROOFTOP BAR

SURFACE RANGE
& TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO



FLOOR
Boost Mineral Pearl Elegant
Matte/Matt Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Boost Mineral Pearl Elegant
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"

Boost White
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP
Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | 63³/₄"x127¹/₂"





FLOOR
Boost Mineral Pearl Elegant
Matte/Matt Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

Boost Mineral Pearl
Outdoor Sensitech $\times$ 20mm
60x120 cm | 23⁵/₈"x47¹/₄"



- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM
- EMOTIONAL IN & OUT LIVING
- CONTEMPORARY URBAN SPACE
- STYLISH HOTEL ROOM
- TRENDY ROOFTOP BAR

Sophisticated bathroom

FLOOR
Boost Mineral Pearl
Matte/Matt Sensitech
75x150 cm | 29 1/2"x59"

Exence Almond
Tatami
18,5x75 cm | 7 1/4"x29 1/2"

WALL
Boost Mineral Pearl
Matte/Matt Sensitech
75x150 cm | 29 1/2"x59"

SINK
Atlas Concorde Habitat
Mastertop
Boost Mineral Pearl Elegant
Matte/Matt
180x50x12 cm | 70 7/8"x19 5/8"x4 3/4"



THE INSPIRATION >

IMAGE GALLERY >

- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM
- EMOTIONAL IN & OUT LIVING
- CONTEMPORARY URBAN SPACE
- STYLISH HOTEL ROOM
- TRENDY ROOFTOP BAR

SURFACE RANGE & TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO





THE INSPIRATION >

IMAGE GALLERY >

- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM
- EMOTIONAL IN & OUT LIVING
- CONTEMPORARY URBAN SPACE
- STYLISH HOTEL ROOM
- TRENDY ROOFTOP BAR

SURFACE RANGE & TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO



FLOOR
Boost Mineral Pearl
Matte/Matt Sensitech
75x150 cm | 29½"x59"

Exence Almond
Tatami
18,5x75 cm | 7¼"x29½"

WALL
Boost Mineral Pearl
Matte/Matt Sensitech
75x150 cm | 29½"x59"

SINK
Atlas Concorde Habitat
Mastertop
Boost Mineral Pearl Elegant
Matte/Matt
180x50x12 cm | 70⅞"x19⅝"x4⅜"



FLOOR
Boost Mineral Pearl
Matte/Matt Sensitech
75x150 cm | 29 1/2" x 59"

Exence Almond
Tatami
18,5x75 cm | 7 1/4" x 29 1/2"

WALL
Boost Mineral Pearl
Matte/Matt Sensitech
75x150 cm | 29 1/2" x 59"

FLOOR
Boost Mineral Pearl
Matte/Matt Sensitech
75x150 cm | 29½"x59"

Exence Almond
Tatami
18,5x75 cm | 7¼"x29½"

WALL
Boost Mineral Pearl
Matte/Matt Sensitech
75x150 cm | 29½"x59"

SINK
Atlas Concorde Habitat
Mastertop
Boost Mineral Pearl Elegant
Matte/Matt
180x50x12 cm | 70⅞"x19⅝"x4⅜"





Emotional in & out living

FLOOR
Boost Mineral Grey
Outdoor Sensitech $\pm$ 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Boost Mineral Grey
Brick
30x60 cm | 11 $\frac{1}{4}$ "x23 $\frac{3}{8}$ "

WALL
Boost White
Matte/Matt
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "



FLOOR
Boost Mineral Grey
Matte/Matt Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Boost Mineral Grey
Outdoor Sensitech ∇ 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Mineral Grey
Matte/Matt Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

Boost Tarmac
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"

Boost Mineral Grey
Brick
30x60 cm | 11³/₄"x23⁵/₈"

THE INSPIRATION >


IMAGE GALLERY >

ELEGANT PENTHOUSE
SCENIC OUTDOOR VILLA
REFINED OPEN SPACE VILLA
SOPHISTICATED BATHROOM

EMOTIONAL IN & OUT LIVING
CONTEMPORARY URBAN SPACE
STYLISH HOTEL ROOM
TRENDY ROOFTOP BAR

SURFACE RANGE & TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO 



Boost Mineral Grey

INDEX



THE INSPIRATION >

IMAGE GALLERY >

- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM

EMOTIONAL IN & OUT LIVING

- CONTEMPORARY URBAN SPACE
- STYLISH HOTEL ROOM
- TRENDY ROOFTOP BAR

SURFACE RANGE & TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO 



FLOOR
Boost Mineral Grey
Outdoor Sensitech ✕ 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Mineral Grey
Brick
30x60 cm | 11³/₄"x23⁵/₈"



FLOOR
Boost Mineral Grey
Outdoor Sensitech $\pm$ 20 mm
120x120 cm | 47 1/4" x 47 1/4"

Boost Mineral Grey
Matte/Matt Sensitech
120x120 cm | 47 1/4" x 47 1/4"

WALL
Boost White
Matte/Matt
120x278 cm | 47 1/4" x 109 1/2"





FLOOR
Boost Mineral Grey
Matte/Matt Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Mineral Grey
Matte/Matt Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

Boost Tarmac
Matte/Matt
120x278 cm | 47¹/₄"x94¹/₂"





FLOOR
Boost Mineral Grey
Matte/Matt Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Boost Mineral Grey
Outdoor Sensitech $\star$ 20 mm
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Boost Mineral Grey
Matte/Matt Sensitech
60x120 cm | 23⁵/₈"x47¹/₄"

Boost Tarmac
Matte/Matt
120x278 cm | 47¹/₄"x94¹/₂"



WALL
Boost Mineral Grey
Venus Lux
60x120 cm - 23⁵/₈"x47¹/₄"

FLOOR
Boost Mineral Grey
Matte/Matt Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM
- EMOTIONAL IN & OUT LIVING
- CONTEMPORARY URBAN SPACE
- STYLISH HOTEL ROOM
- TRENDY ROOFTOP BAR



FLOOR
Boost Mineral Smoke
Matte/Matt Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Entice Copper Oak Natural
Matte/Matt Sensitech
18,5x150 cm | 7¹/₄"x59"

WALL
Boost Mineral Smoke Elegant
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"

SINK & SHELF
Atlas Concorde Habitat
Twin wall-mounted sink
Boost Tarmac
Matte/Matt
210x50x15 cm | 82²/₈"x19²/₈"x5¹/₈"

Shelf
Boost Tarmac
Matte/Matt
210x35x5 cm | 82²/₈"x13³/₈"x2"



FLOOR
Boost Mineral Smoke
Matte/Matt Sensitech
120x120 cm | 47 1/4" x 47 1/4"

Entice Copper Oak Natural
Matte/Matt Sensitech
18,5x150 cm | 7 1/4" x 59"

WALL
Boost Mineral Smoke Elegant
Matte/Matt
120x278 cm | 47 1/4" x 109 1/2"

Boost Mineral Smoke

THE INSPIRATION >

IMAGE GALLERY >

- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM
- EMOTIONAL IN & OUT LIVING
- CONTEMPORARY URBAN SPACE

STYLISH HOTEL ROOM

TRENDY ROOFTOP BAR

SURFACE RANGE & TECHNICAL SPECIFICATIONS >

ENJOY THE VIDEO 

FLOOR

Boost Mineral Smoke
Matte/Matt Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Entice Copper Oak Natural
Matte/Matt Sensitech
18,5x150 cm | 7¹/₄"x59"

WALL

Boost Mineral Smoke Elegant
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"

SINK & SHELF

Atlas Concorde Habitat
Twin wall-mounted sink
Boost Tarmac
Matte/Matt
210x50x15 cm | 82⁵/₈"x19⁵/₈"x5⁷/₈"

Shelf
Boost Tarmac
Matte/Matt
210x35x5 cm | 82⁵/₈"x13³/₄"x2"



- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM
- EMOTIONAL IN & OUT LIVING
- CONTEMPORARY URBAN SPACE
- STYLISH HOTEL ROOM
- TRENDY ROOFTOP BAR



FLOOR
Boost Mineral Smoke
Matte/Matt Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

Entice Copper Oak Natural
Matte/Matt Sensitech
18,5x150 cm | 7¹/₄"x59"

WALL
Boost Mineral Smoke Elegant
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"

SINK & SHELF
Atlas Concorde Habitat
Twin wall-mounted sink
Boost Tarmac
Matte/Matt
210x50x15 cm | 82⁵/₈"x19⁵/₈"x5⁷/₈"

Shelf
Boost Tarmac
Matte/Matt
210x35x5 cm | 82⁵/₈"x13³/₄"x2"

- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM
- EMOTIONAL IN & OUT LIVING
- CONTEMPORARY URBAN SPACE
- STYLISH HOTEL ROOM
- TRENDY ROOFTOP BAR



WALL
Boost Mineral Grey
Domino Lux
35x29,2 cm - 13³/₄"x11¹/₂"

- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM
- EMOTIONAL IN & OUT LIVING
- CONTEMPORARY URBAN SPACE
- STYLISH HOTEL ROOM
- TRENDY ROOFTOP BAR



FLOOR
Boost Mineral Tarmac
Outdoor Sensitech $\times$ 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x94 $\frac{1}{2}$ "

Boost Mineral Tarmac Elegant
Matte/Matt Sensitech
120x240 cm | 47 $\frac{1}{4}$ "x94 $\frac{1}{2}$ "

WALL
Boost Mineral Tarmac Elegant
Matte/Matt
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

COUNTERTOP
Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | 63 $\frac{3}{4}$ "x127 $\frac{1}{2}$ "

FURNITURE
Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | 63 $\frac{3}{4}$ "x127 $\frac{1}{2}$ "



FLOOR
Boost Mineral Tarmac Elegant
Matte/Matt Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

Boost Mineral Tarmac
Outdoor Sensitech ✕ 20 mm
120x120 cm | 47¹/₄"x94¹/₂"

WALL
Boost Mineral Tarmac Elegant
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP
Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | 63³/₄"x127¹/₂"

THE INSPIRATION >

IMAGE
GALLERY >

ELEGANT PENTHOUSE
SCENIC OUTDOOR VILLA
REFINED OPEN SPACE VILLA
SOPHISTICATED BATHROOM
EMOTIONAL IN & OUT LIVING
CONTEMPORARY URBAN SPACE
STYLISH HOTEL ROOM
TRENDY ROOFTOP BAR

SURFACE
RANGE
& TECHNICAL
SPECIFICATIONS >

ENJOY
THE VIDEO ▶

Boost Mineral Tarmac

- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM
- EMOTIONAL IN & OUT LIVING
- CONTEMPORARY URBAN SPACE
- STYLISH HOTEL ROOM
- TRENDY ROOFTOP BAR



FLOOR
Boost Mineral Tarmac Elegant
Matte/Matt Sensitech
120x240 cm | 47¹/₄"x94¹/₂"

WALL
Boost Mineral Tarmac Elegant
Matte/Matt
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP
Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | 63³/₄"x127¹/₂"

- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM
- EMOTIONAL IN & OUT LIVING
- CONTEMPORARY URBAN SPACE
- STYLISH HOTEL ROOM
- TRENDY ROOFTOP BAR



FLOOR
Boost Mineral Tarmac
Outdoor Sensitech $\pm$ 20 mm
120x120 cm | 47 $\frac{1}{4}$ "x94 $\frac{1}{2}$ "

FURNITURE
Atlas Plan
Boost Mineral Grey
Hammered
162x324 cm | 63 $\frac{3}{4}$ "x127 $\frac{1}{2}$ "



- ELEGANT PENTHOUSE
- SCENIC OUTDOOR VILLA
- REFINED OPEN SPACE VILLA
- SOPHISTICATED BATHROOM
- EMOTIONAL IN & OUT LIVING
- CONTEMPORARY URBAN SPACE
- STYLISH HOTEL ROOM
- TRENDY ROOFTOP BAR

Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug Gres porcelánico - Керамический гранит

RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

		White	Pearl	Grey	Smoke	Tarmac
Floor & Wall Furniture						
120x278 cm - 47 1 / ₄ "x109 1 / ₂ "	± 6 mm	Matte *	Matte *	Matte *	Matte *	Matte *
120x240 cm - 47 1 / ₄ "x94 1 / ₂ "	± 9 mm	Matte Sensitech *	Matte Sensitech *	Matte Sensitech *	Matte Sensitech *	Matte Sensitech *
120x120 cm - 47 1 / ₄ "x47 1 / ₄ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
75x150 cm - 29 1 / ₂ "x59"	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
75x75 cm - 29 1 / ₂ "x29 1 / ₂ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x120 cm - 23 5 / ₈ "x47 1 / ₄ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x60 cm - 23 5 / ₈ "x23 5 / ₈ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
30x60 cm - 11 3 / ₄ "x23 5 / ₈ "	± 9 mm	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
Countertops Furniture						
162x324 cm - 63 3 / ₄ "x127 1 / ₂ " > Non rectified - non rettificato	± 12 mm			Hammered		
 Outdoor						
60x60 cm - 23 5 / ₈ "x23 5 / ₈ "	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
60x120 cm - 23 5 / ₈ "x47 1 / ₄ "	± 9 mm	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech
120x240 cm - 47 1 / ₄ "x94 1 / ₂ "	± 20 mm			Outdoor Sensitech *		
120x120 cm - 47 1 / ₄ "x47 1 / ₄ "	± 20 mm	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech
60x120 cm - 23 5 / ₈ "x47 1 / ₄ "	± 20 mm	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech
60x90 cm - 23 5 / ₈ "x35 3 / ₈ "	± 20 mm	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech
60x60 cm - 23 5 / ₈ "x23 5 / ₈ "	± 20 mm	Outdoor Sensitech		Outdoor Sensitech	Outdoor Sensitech	Outdoor Sensitech

* Elegant surface

Sensitech

SAFE. SOFT. SMART.

The constant research of Atlas Concorde Laboratories has led to the creation of Sensitech, the porcelain tile surface made using a production method patented in Italy that combines superior slip-resistance with an unprecedented tactile softness, guaranteeing ease of cleaning and maintenance.

Dalla costante ricerca dei Laboratori Atlas Concorde nasce Sensitech, la superficie in gres porcellanato realizzata con metodo produttivo brevettato in Italia, che associa elevate prestazioni di resistenza allo scivolamento ad un'inedita morbidezza tattile, garantendo facilità di pulizia e manutenzione.

Destination of use		Anti-slip	Color-shading
 Medani Traffic	Matte ± 6 mm	 Heavy Traffic	 R9 Matte ± 6 mm R10 B Matte Sensitech ± 9 mm R11 C Grip Sensitech ± 9 mm R11 C Outdoor Sensitech ± 20 mm
			V3 Moderate Variation All colors

Product Range

INDEX



WHITE

PEARL

GREY

SMOKE

TARMAC

THE INSPIRATION >

IMAGE GALLERY >

SURFACE RANGE & TECHNICAL SPECIFICATIONS >

PORCELAIN TILES:
A SAFE CHOICE
SENSITECH TECHNOLOGY
BOOST MINERAL RANGE
TECHNICAL SPECIFICATION

ENJOY THE VIDEO 

Porcelain Tiles Decors



Boost Mineral White
Venus Lux ^(*)
60x120 cm - 23⁵/₈"x47¹/₄"



Boost Mineral Pearl
Venus Lux ^(*)
60x120 cm - 23⁵/₈"x47¹/₄"




Boost Mineral Grey
Venus Lux ^(*)
60x120 cm - 23⁵/₈"x47¹/₄"



Boost Mineral Smoke
Venus Lux ^(*)
60x120 cm - 23⁵/₈"x47¹/₄"



Boost Mineral Tarmac
Venus Lux ^(*)
60x120 cm - 23⁵/₈"x47¹/₄"



^(*) Engraved mosaic. For best results it is advisable to completely plaster the engravings. Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. / Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. / Mosaïque gravée; pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. / Graviertes Mosaik; für ein optimales Resultat sollten die Gravuren vollständig verspachtelt werden. Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. / Mosaico grabado, para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. / Высеченная мозаика. Для оптимального результата рекомендуется полностью заделать углубления затиркой. Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

Porcelain Tiles Decors




Boost Mineral White
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




Boost Mineral Pearl
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



Boost Mineral Grey
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



4,75x4,75 cm
1⁷/₈"x1⁷/₈"



Boost Mineral Smoke
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



Boost Mineral Tarmac
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



Boost Mineral White
Brick
30x60 cm - 11³/₄"x23⁵/₈"




Boost Mineral Pearl
Brick
30x60 cm - 11³/₄"x23⁵/₈"




Boost Mineral Grey
Brick
30x60 cm - 11³/₄"x23⁵/₈"



Boost Mineral Smoke
Brick
30x60 cm - 11³/₄"x23⁵/₈"



Boost Mineral Tarmac
Brick
30x60 cm - 11³/₄"x23⁵/₈"



A 59,5 cm - 18¹/₄"
B 29,65 cm - 12⁵/₈"
b 2,3 cm - 7¹/₂"




Boost Mineral White
Domino Lux (*)
35x29,2 cm - 13³/₄"x11¹/₂"



Boost Mineral Pearl
Domino Lux (*)
35x29,2 cm - 13³/₄"x11¹/₂"




Boost Mineral Grey
Domino Lux (*)
35x29,2 cm - 13³/₄"x11¹/₂"



A 34,951 cm - 18¹/₄"
a 1,5 cm - 18¹/₄"
B 29,21 cm - 12⁵/₈"
b 9,6 cm - 7¹/₂"



Boost Mineral Smoke
Domino Lux (*)
35x29,2 cm - 13³/₄"x11¹/₂"



Boost Mineral Tarmac
Domino Lux (*)
35x29,2 cm - 13³/₄"x11¹/₂"




(*) Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives. / Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. / Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. / Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. / Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. / Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.


Porcelain Tiles Decors





Boost Mineral White
Slice A+B ^(*)
60x120 cm - 23⁵/₈"x47¹/₄" ± 20 mm





Boost Mineral Grey
Slice A+B ^(*)
60x120 cm - 23⁵/₈"x47¹/₄" ± 20 mm



Boost Mineral Smoke
Slice A+B ^(*)
60x120 cm - 23⁵/₈"x47¹/₄" ± 20 mm




Boost Mineral Tarmac
Slice A+B ^(*)
60x120 cm - 23⁵/₈"x47¹/₄" ± 20 mm




^(*) We recommend "dry" installation on gravel and/or grass. / Si consiglia posa "a secco" su ghiaia e/o erba. / Pose « à sec » sur gravillons et/ou herbe conseillée. / Es wird eine Trockenverlegung auf Kies bzw. Rasen empfohlen. / Se recomienda colocación «en seco» sobre grava o hierba. / Рекомендуется «сухая» укладка на гравий и/или траву.

Trim tiles

Indoor trim tiles



Outdoor trim tiles ± 20 mm



- * Available in / Disponibile in White, Grey, Smoke, Tarmac
- ♦ These parts are supplied to order / I pezzi sono disponibili su ordinazione
- ♦ Right-left angular elements are available / Sono disponibili gli elementi angolari dx/sx

Outdoor Porcelain tiles ± 20 mm

For further details on the 20mm thick products, related trim pieces and installation systems - in particular for recommendations and precautions during installation- please refer to the Outdoor Design section on the Atlas Concorde website or to the Outdoor Design catalogue. Per dettagli sul prodotto e sui relativi pezzi speciali in 20mm di spessore, per i sistemi di posa e, in particolare, per raccomandazioni, accorgimenti e precauzioni in fase di posa e progettazione, si raccomanda di prendere visione del catalogo Outdoor Design e della sezione Outdoor Design del sito Atlas Concorde. - Pour plus de renseignements sur le produit, les pièces spéciales de 20mm d'épaisseur et sur les systèmes de pose, ainsi que pour tous conseils et recommandations et précautions d'emploi pendant la pose ou en phase de conception, nous vous recommandons de lire le catalogue Outdoor Design et de consulter la section Outdoor Design sur le site d'Atlas Concorde. - Bitte beachten Sie die detaillierten Informationen zum Produkt und zu den zugehörigen Formteilen in 20mm Stärke, zu den Verlegesystemen sowie vor allem die Empfehlungen, Tipps und bei der Planung und Verlegung zu beachtenden Vorsichtsmaßnahmen, die im Katalog Outdoor Design sowie im Bereich Outdoor Design der Atlas Concorde-Website aufgeführt sind. - Para mayor información sobre el producto y sus relativas piezas especiales de 20mm de grosor, para los sistemas de colocación, y en particular, para las recomendaciones, cautelas y precauciones en la fase de colocación y diseño, se recomienda consultar el catálogo Outdoor Design y la sección Outdoor Design del sitio Atlas Concorde. - Подробнее о плитках и о специальных элементах толщиной 20мм, о системах монтажа, о мерах предосторожности при проектировании и укладке можно узнать в каталоге Outdoor Design и в разделе Outdoor Design на сайте Atlas Concorde.



Porcelain tiles - Rectified monocaliber

Compliant with standards EN 14411 annex G group BLa
Compliant with standards ISO 13006 annex G group BLa
Conforme alla norma EN 14411 Appendice G gruppo BLa
Conforme alla norma ISO 13006 Appendice G gruppo BLa

Gres porcellanato - Rettificato monocalibro

120x278 cm - 47¹/₄"x109¹/₂"
120x240 cm - 47¹/₄"x94¹/₂"
120x120 cm - 47¹/₄"x47¹/₄"
75x150 cm - 29¹/₂"x59"
75x75 cm - 29¹/₂"x29¹/₂"

± 6 mm
± 9, 20 mm
± 9, 20 mm
± 9 mm
± 9 mm

60x120 cm - 23⁵/₈"x47¹/₄"
60x90 cm - 23⁵/₈"x35³/₈"
60x60 cm - 23⁵/₈"x23⁵/₈"
30x60 cm - 11³/₄"x23⁵/₈"

± 9, 20 mm
± 20 mm
± 9, 20 mm
± 9 mm
± 9 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles			
			7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte, Matte Sensitech ± 9 mm	Matte ± 6 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm
	Length and width Lunghezza e larghezza	ISO 10545-2	± 0,9 (*) Non-rect. ± 0,4 (*) Rect.	± 0,6 (*) Non-rect. ± 0,3 (*) Rect.	± 2,0 (*) Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Thickness Spessore		± 0,5 (**)	± 5 (**)	± 0,5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Straightness of sides Rettilineità degli spigoli		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 1,5 (****) Non-rect. ± 0,8 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Rectangularity Ortogonalità		± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	± 0,5 (****) Non-rect. ± 0,3 (****) Rect.	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Surface flatness Planarità	ISO 10545-2	c.c. ± 0,8 Non-rect. c.c. ± 0,6 Rect. e.c. ± 0,8 Non-rect. e.c. ± 0,6 Rect. w. ± 0,8 Non-rect. w. ± 0,6 Rect.	c.c. ± 0,5 Non-rect. c.c. ± 0,4 Rect. e.c. ± 0,5 Non-rect. e.c. ± 0,4 Rect. w. ± 0,5 Non-rect. w. ± 0,4 Rect.	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect. e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect. w. ± 2,0 Non-rect. w. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
	Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3 ASTM C373-18	E _v ≤ 0,5% Individual Maximum 0,6% E _v ≤ 0,5% Valore massimo singolo 0,6%			≤ 0,1 %	≤ 0,1 %	≤ 0,1 %	≤ 0,1 %
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm)			S ≥ 1500 N	S ≥ 1000 N	S ≥ 1500 N	S ≥ 10000 N
	Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm²			R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 40 N/mm²	R ≥ 45 N/mm²
	Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)(5)		EN 1339 Annex F	-	-	-	>=T11 120x120-60x60 >=U4 60x120		
	Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
	Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm³			≤ 150 mm³	≤ 150 mm³	≤ 150 mm³	≤ 150 mm³
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
	Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste
	Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 1348	Declared value Valore dichiarato			≥ 10 N/mm² (Class C2 - EN 12004)	≥ 10 N/mm² (Class C2 - EN 12004)	≥ 10 N/mm² (Class C2 - EN 12004)	≥ 10 N/mm² (Class C2 - EN 12004)
	Reaction to fire Reazione al fuoco	-	Class A1 or A1 _f Classe A1 oppure A1 _f			A1 - A1 _f	A1 - A1 _f	A1 - A1 _f	A1 - A1 _f
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	HA	HA	HA
	Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5
	Shoood Ramp Test Metodo della rampa "calzato"	EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R10	R9	R11	R11
	Barefoot Ramp Test Metodo della rampa a piedi nudi	EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A+B	A	A+B+C	A+B+C
	Pendulum Friction Test Metodo del Pendolo	EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			≥ 36 Dry ≥ 36 Wet	(*)	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet
		AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			Class P3	(**)	Class P4	Class P4
		UNE 41901 EX:2017	Declared value Valore dichiarato			Class C2	(***)	Class C3	Class C3
	Coefficient of friction (COF) Coefficiente di attrito	B.C.R.A. Rep. CEC/81	D. M. 236/89 del 14/06/89 μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato	> 0,40 Asciutto < 0,40 Bagnato
	Dynamic coefficient of friction (DCOF) Coefficiente di attrito dinamico	ANSI A 326,3	-			wet DCOF ≥ 0,50	dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,55

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, della spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

(1) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.

(2) Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.

(3) However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects. The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers guidelines and recommendations.

(4) For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.

(5) Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.

(*) PTV ≥ 36 Wet on demand. Bagnato su richiesta.

(**) P3 on demand. Su richiesta.

(***) C2 on demand. Su richiesta.