

Accora

Product guide



Welcome

Accora is home to a team bursting with innovation and enthusiasm. We operate in the healthcare marketplace, creating and realising products for clinicians and care providers.

Our customers tell us they want products that are clinically effective at a price they can afford. By the way, we also know you want great customer service and products that go on and on and on.

Accora

Meet the team



Richard Smith

Sales
Director
01223 206 100
richard.smith@accora.care



Nicholas Drake

Sales Manager
Beds
01223 206 100
nicholas.drake@accora.care



Daniel Smith

Sales Manager
Seating
01223 206 100
daniel.smith@accora.care



Zoe Seabright

01223 206 100
zoe.seabright@accora.care



James Patterson

FloorBed Product Specialist
07483 074 578
james.patterson@accora.care



Sophie Freeburn

01223 206 100
sophie.freeburn@accora.care



Tom McGhee

01223 206 100
tom.mcghee@accora.care



Leah Ringer

01223 206 100
leah.ringer@accora.care



Curtis Farringdon

Account Manager
07939 842 420
curtis.farringdon@accora.care



Jonny Bates

Product Specialist East
07494 167 080
jonny.bates@accora.care



Tino Paphitis

Product Specialist
South East & London
07376 302 556
tino.paphitis@accora.care



Chris Seal

Product Specialist
South East & London
07376 302 557
chris.seal@accora.care



Nathan Smith

Technical Sales Manager
07848 452 434
nathan.smith@accora.care



Matt Hamilton

Account Manager
07584 857 569
matt.hamilton@accora.care



Scott Wheeler

Product Specialist Team
Manager
07867 473 198
scott.wheeler@accora.care



Olly Wadden

Product Specialist
South East & London
07939 849 544
olly.wadden@accora.care



Michael Sadler

Product Specialist
South of England
07399 584 409
michael.sadler@accora.care



Owen Gleeson

Product Specialist
South West
07399 069 679
owen.gleeson@accora.care



Laura Browning
01223 206 100
laura.browning@accora.care



Anthony Wright
Product Specialist
Midlands & Wales
07398 211 343
ant.wright@accora.care



Mark Hodges
Product Specialist
Midlands & Wales
07584 560 495
mark.hodges@accora.care



Mark Shires
Product Specialist
North of England
07984 606 491
mark.shires@accora.care



Phil Freestone
Product Specialist
North of England
07398 211 313
phil.freestone@accora.care



Calum McCluskie
Product Specialist
Scotland
07398 005 698
calum.mccluskie@accora.care



Steven Friel
Product Specialist Scotland
07584 071 403
steven.friel@accora.care



Richard Isherwood
01223 206 100
richard.isherwood@accora.care



Gabriel Neale
01223 206 100
gabriel.neale@accora.care

Contents

| | |
|---------------|----|
| Our services | 8 |
| Seating | 13 |
| Bathing | 31 |
| Beds | 37 |
| Pressure Care | 53 |

Our services

Joint visits

We offer joint visits nationwide at your service user's home, giving the opportunity to try any of the Accora products.

Our Product Specialists work with the prescriber to produce the best solution to meet the service user's requirements. If we believe that our products do not meet the clinical need, we'll advise the prescriber and suggest an alternative supplier.

Professional support

Accora is dedicated to supporting professionals in finding appropriate solutions for their clients. Our clinical experts are available for training and education opportunities but also to provide individual advice on a case-by-case basis. We can support clinicians with clinical reasoning and justification for solutions and product requests, and can advise on managing clinical responsibilities.

Learning & Development

We offer a wide variety of training sessions.
For further details see page 10-11.



Our clinical experts



Jenny Rolfe

Occupational Therapist
jenny.rolfe@accora.care



Jenny is a senior OT, who has been practising since 1997, and completed her MSc in Neuro-Rehabilitation in 2007. Her expertise lies in postural management and assessment.



Debra Dunitz

Occupational Therapist
debra.dunitz@accora.care



Debra qualified as an OT in 2006, and uses her wide range of clinical knowledge and experience to inform product development, and to provide clinical training on our product range.



Heidi Sandoz RN BSc Hons Tissue Viability Consultant

Heidi has been practising as a Tissue Viability Nurse since 2002. She has experience in both acute and community care, and her passions centre around education, improving services for patients and team development.



Sarah Thompson RN, BA Hons Tissue Viability Nurse Specialist

sarah.thompson@accora.care

Sarah has been a Tissue Viability Nurse since 2010. She has gained a vast amount of experience within wound care from the primary, secondary and private sector. Sarah prides herself in positive patient outcomes by utilising a patient centred approach to their care.

Learning & Development

Complement your learning journey with a variety of free training sessions. Certificates are available for all our regular training sessions.



Monthly webinars

Accora hosts clinically-based webinars once a month which are free to join. Our in-house clinical team are joined by a range of presenters who are experts in their field, providing education on a range of topics. This ranges from topics specific to our products, to wider points of discussion in the field of occupational therapy.

Key areas of focus for the webinar programme are:

- Posture management
- Pressure care
- Moving & handling
- Infection control
- Legal
- Mental health & wellbeing

Visit our website to browse for recordings of our past sessions and register for upcoming sessions, or email for further information.



Clinical education programmes

Alongside our ongoing webinar programme, we also provide modular courses which run over several months, enabling more in-depth training into specific subjects such as tissue viability and complex disability management.

Visit our website to browse recordings of our past sessions and register for upcoming sessions, or email for further information.



Face to face sessions

These sessions allow the opportunity to explore the range of products including chairs, beds (including junior and FloorBeds), and shower chair.



Online clinical forums

Accora offer a variety of free online forums where healthcare professionals can openly share experience and knowledge and gain support from their peers.

For further information, please email debra.dunitz@accora.care



Lunch and Learn sessions

We also offer short 45-minute sessions, with lunch provided, concentrating on specific subjects such as a clinical case study, clinical justification, or the clinical application of a specific product. These sessions are either carried out online or face-to-face, and can be adjusted to suit your team's specific training needs.

If you are interested in seeing the sessions currently available, or to create your bespoke training package, please email learninganddevelopment@accora.care

Notes



Seating

Scan to view our
Configura channel



Clinical rationale for features on our chairs

We have outlined a brief summary of the clinical benefits for each of the specific features on our chairs, to help guide you in your choice of product to meet a specific user's needs. Adjustable features allow the chairs to be recycled more easily, as they can be set up correctly for a new service user's needs. These are definitions, and do not replace the need for a thorough seating and product assessment.



Tilt-in-space

The backrest angle remains fixed and the whole chair tilts, reducing the effect of gravity on users who cannot hold themselves upright, enabling them to maintain a good posture and reducing the risk of pressure injury.



Backrest recline

The backrest angle can be increased, resulting in a more open hip angle when seated. This can be used where the user has reduced hip flexion, or to augment tilt-in-space in offloading the effect of gravity to support posture.



Adjustable footplate

Height adjustment ensures the user maintains a good posture, and allows the user to weight bear through their feet, spreading load and reducing the risk of pressure injury. Angle adjustment accommodates and supports the position of the feet.



Adjustable seat height

The seat height must allow the user to maintain a good posture and weight bear through their feet, spreading load and reducing the risk of pressure injury.



Legrest elevation

Raising the legs can help with the management of oedema and aid comfort.



Adjustable armrest height

Elbow and forearm support is important for maintaining good posture, ensuring the user is not leaning down or lifting their shoulders uncomfortably.



Waterfall backrest

Three fibre-filled pillows which can be individually adjusted to accommodate and support the spinal shape.



Flat rise

Raising the service user without tilting, aiding transfers where the user is unable to manage the traditional motion of a riser. Particularly useful for users with muscular dystrophy and Parkinson's.



Adjustable seat depth

The seat depth should be such that the pelvis is at the back of the seat, and the thighs are completely supported.



Cocoon backrest

A single fibre-filled cushion with multiple sections, designed to support a kyphotic spinal shape and adjustable to accommodate more asymmetrical back profile shapes.



Standard rise

Assists the user with sit-to-stand transfers.



Adjustable seat width

The seat width should be such that the user can reach the armrests easily, and there is no pressure on their hips.



Lateral support wedges

These wedges can be added under any backrest cushions to provide lateral support, helping to accommodate, support or correct a scoliosis.

Configura®

Specialist seating for community equipment stores

- Easy adjustment of size, pressure and posture requirements before and after delivery
- Easy to recycle and reissue
- Reduces costs



Overview

| | Configura Lite 2 | Configura Comfort |
|---------------------------------------|------------------|-------------------|
| Category | ● ○ ○ Low | ● ● ○ Medium |
| Tilt-in-space | ✓ | ✓ |
| True tilt-in-space | | |
| Independent legrest and tilt-in-space | | |
| Backrest recline | | ✓ |
| Riser function (standard) | ✓ | ✓ |
| Flat rise | | ✓ |
| Stand aid compatible | | ✓ |
| Depth adjustment options | ✓ | ✓ |
| Height adjustment options | ✓ | ✓ |
| Adjustable legrest height | ✓ | ✓ |
| Width adjustment options | | ✓ |
| Pressure cushion options | ✓ | ✓ |
| Removable core in seat | ✓ | ✓ |
| Posture management options | ✓ | ✓ |
| Footplate | | |
| Portable - Room to room | | |
| Vinyl option | | ✓ |

| Configura Advance | Configura Bariatric | Configura Rise & Recline | Configura Porter |
|-------------------|---------------------------|--------------------------|-------------------------------|
| High - very high | Medium | Medium | Medium |
| ✓ | ✓ (Tilt-in-space version) | ✓ | ✓ |
| ✓ | ✓ | | ✓ |
| ✓ | ✓ (Tilt-in-space version) | | ✓ |
| ✓ | ✓ | ✓ | ✓ |
| | ✓ | ✓ | ✓ |
| | ✓ | ✓ (XL and S Tall) | |
| ✓ | ✓ | ✓ | ✓ |
| | ✓ | ✓ | ✓ (16" and 18" versions only) |
| ✓ | | ✓ | |
| ✓ | ✓ | | ✓ |
| ✓ | ✓ | ✓ | ✓ |
| ✓ | | | |
| ✓ | ✓ | ✓ | ✓ |
| ✓ | | | |
| ✓ | ✓ | ✓ | ✓ |
| ✓ | | | |
| ✓ | | | |
| ✓ (Standard) | ✓ | | |

Unsure which chair to use? Call our team on 01223 206 100 or email info@accora.care to book a joint visit.

Chair accessories

| | | Configura Lite 2 |
|----------|----------------------------|---|
| Size | 1" Lowering Kit |  |
| | 1" Height Adjustment Kit |  |
| | 2" Height Adjustment Kit |  |
| | Depth Adjustment Kit |  |
| Pressure | Cushionair |  |
| | Drop-in Overlay |  |
| | Visco Cushion (std) |  |
| | Waterfall Backrest (std) |  |
| Posture | Lateral Support Wedges |  |
| | Lateral Support Backrest |  |
| | Adjustable Lateral Support |  |
| | Cocoon Backrest |  |
| Extras | Profiled Headrest |  |
| | Drop-down Armrests |  |

| Configura Comfort | Configura Advance | Configura Bariatric | Configura Rise & Recline | Configura Porter |
|-------------------|-------------------|---------------------|--------------------------|------------------|
| ✓ | | | | |
| ✓ | | | ✓ | |
| ✓ | | | ✓ | |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| | | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | ✓ | ✓ | ✓ |
| ✓ | ✓ | | ✓ | ✓ |
| ✓ | ✓ | | ✓ | ✓ |
| ✓ | ✓ | | | |
| ✓ | ✓ | | | |
| ✓ | | | | |

A revolutionary way of issuing seating

The **Configura** chair range by Accora introduces a revolutionary way of issuing seating which is saving many departments time, effort and money. Here's how it works:



Configura® Lite 2

The entry-level chair with tilt-in-space

The Lite 2 is the most cost-effective chair in the **Configura** range, featuring a single motor tilt-in-space mechanism, height and depth adjustment and a high-risk pressure cushion as standard.



Key features:



Standard rise



Tilt-in-space with
heightest elevation



Adjustable seat
height



Adjustable seat
depth

| Chair size | Part number | Seat depth | Seat height | Seat width | Weight capacity |
|------------|-----------------|--------------|----------------|--------------|-----------------|
| Small | CHAIR-0-CM2-140 | 450 mm (18") | 400 mm (16") | 450 mm (18") | 25 stone |
| | | 500 mm (20") | 450 mm (18")** | | |
| Medium | CHAIR-0-CM2-240 | 450 mm (18") | 450 mm (18") | 500 mm (20") | 25 stone |
| | | 500 mm (20") | 500 mm (20")** | | |
| Large | CHAIR-0-CM2-340 | 450 mm (18") | 450 mm (18") | 550mm (22") | 25 stone |
| | | 500 mm (20") | 500 mm (20")** | | |

The most versatile riser recliner

Building on the Lite 2, the Comfort is a dual motor tilt-in-space chair with independent no-shear backrest recline, offering standard and flat rise options. The subframe is also designed to be compatible with a range of transfer aids.



Medium

Key features:



Flat rise (option)



Tilt-in-space with legrest elevation



Backrest recline



Adjustable seat depth

Configura Comfort features and accessories



Braked castors



Integrated self-supply overlay

Aperture dimensions
17.5" x 17.5" x 3"



Pressure-reducing fabric



Depth adjustment options using backrest brackets



Cocoon backrest

Available as an optional extra.



Compatible with transfer aids

Cricket, ReTurn 7500 and Molift Raiser.



'Reduced shear' recline

Maximises pelvic stability.



Drop-down armrest

Available as an optional extra.



Vinyl fabric

Available as an optional extra.

| Chair size | Part number | Seat depth | Seat height | Seat width | Weight capacity |
|------------|-----------------|--------------|--|--------------|-----------------|
| Small | CHAIR-0-CMI-140 | 450 mm (18") | 375 mm (15") 400 mm (16") | 450 mm (18") | 25 stone |
| | | 500 mm (20") | 425 mm (17") 450 mm (18") ^{**} | | |
| | | 450 mm (18") | 425 mm (17") 450 mm (18") | | |
| | | 500 mm (20") | 475 mm (19") 500 mm (20") ^{**} | | |
| Medium | CHAIR-0-CMI-240 | 450 mm (18") | 425 mm (17") 450 mm (18") | 500 mm (20") | 25 stone |
| | | 500 mm (20") | 475 mm (19") 500 mm (20") ^{**} | | |
| | | 450 mm (18") | 425 mm (17") 450 mm (18") | | |
| | | 500 mm (20") | 475 mm (19") 500 mm (20") ^{**} | | |
| Large | CHAIR-0-CMI-340 | 450 mm (18") | 425 mm (17") 450 mm (18") | 550 mm (22") | 25 stone |
| | | 500 mm (20") | 475 mm (19") 500 mm (20") ^{**} | | |
| | | 450 mm (18") | 425 mm (17") 450 mm (18") | | |
| | | 500 mm (20") | 475 mm (19") 500 mm (20") ^{**} | | |

^{**} Includes 2" Height Adjustment Kit ^{*} Includes 1" Height Adjustment Kit

^{*} The castors are removed to make the chair lower

Standard size Seat depth is adjustable by 50 mm (2") as standard without extra parts

Configura® Advance

A highly configurable specialist chair for higher dependency users

The Advance meets many needs in its standard configuration, and can be easily configured to accommodate more complex postural requirements by upgrading the backrest. Additional integrated size adjustments in every dimension and an optional electric upgrade make this a highly configurable and easily recyclable chair.



High -
very high

Key features:



Tilt-in-space



Backrest recline



Adjustable footplate



Adjustable seat depth



Adjustable seat width

Configura Advance features and accessories



Profiled backrest upgrade

Can be upgraded with the postural backrest for more complex postural requirements.



Depth adjustment

From 400 mm to 550 mm.



Width adjustment

From 400 mm to 550 mm.
350 mm as option.



Forward tilt

10 degrees of forward tilt.



Overlay

Continuous overlay for thigh support.



Integrated self-supply overlay

Aperture dimensions
17.5" x 17.5" x 3"



Footplate

Height and angle adjustable footplate.



External lateral supports

Available as an optional extra.



Electric version

Available as an optional extra.

| Part number | Adjustment | Range | Weight capacity |
|-----------------|------------|-----------------------------|-----------------|
| CHAIR-0-SCI-030 | Depth | 400 mm (16") – 550 mm (22") | 25 stone |
| | Height | 330 mm (13") – 530 mm (21") | |
| | Width | 350 mm (14") – 550 mm (22") | |

The riser recliner for plus-sized users

The Bariatric is a dual-motor chair suited to larger service users, offering an increased weight capacity, with a tilt-in-space option up to 40 stone and non-TIS up to 50 stone.

Medium



Vinyl option

Key features:



Tilt-in-space*



Legrest elevation



Flat rise*



Standard rise

* Only available on TIS version

| Chair size | Part number | Seat depth | Seat height | Seat width | Weight capacity |
|--|----------------|---------------------------|--------------|--------------|-----------------|
| 40 stone dual-motor | CHAIR-0-CFB1 | 450 mm (18") [°] | 400 mm (16") | 700 mm (28") | 40 stone |
| | | 500 mm (20") [°] | 450 mm (18") | 650 mm (26") | |
| | | 550 mm (22") | 500 mm (20") | 600 mm (24") | |
| 40 stone dual-motor tilt-in-space (with independent legrest) | CHAIR-0-CFBTIS | 450 mm (18") [°] | 400 mm (16") | 700 mm (28") | 40 stone |
| | | 500 mm (20") [°] | 450 mm (18") | 650 mm (26") | |
| | | 550 mm (22") | 500 mm (20") | 600 mm (24") | |
| 50 stone dual-motor | CHAIR-0-CFBSUP | 450 mm (18") [°] | | 850 mm (34") | 50 stone |
| | | 500 mm (20") [°] | 450 mm (18") | 800 mm (32") | |
| | | 550 mm (22") | | 750 mm (30") | |

Where the **Configura** concept began

The original Accora riser recliner, available in six sizes to accommodate a wider range of service users. The standard sizes have been superseded by the Comfort.

Medium



Key features:



Tilt-in-space with legrest elevation



Backrest recline



Standard rise



Adjustable seat height

| Chair size | Part number | Seat depth | Seat height | Seat width | Weight capacity |
|-----------------|----------------|---------------------------|---------------------------|--------------|-----------------|
| Extra Small | CFXSD161815DT | 400 mm (16") [°] | 375 mm (15") [°] | 400 mm (16") | 20 stone |
| | | 450 mm (18") [°] | 400 mm (16") [°] | | |
| | | 425 mm (17") [°] | | | |
| Small Tall | CFSTD182018DT | 450 mm (18") [°] | 450 mm (18") [°] | 450 mm (18") | 25 stone |
| | | 475 mm (19") [°] | 475 mm (19") [°] | | |
| | | 500 mm (20") [°] | 500 mm (20") [°] | | |
| Medium Low | CFMLP202016DT | 450 mm (18") [°] | 400 mm (16") [°] | 500 mm (20") | 20 stone |
| | | 425 mm (17") [°] | 425 mm (17") [°] | | |
| | | 450 mm (18") [°] | 450 mm (18") [°] | | |
| Large Low | CFLLP222016DT | 450 mm (18") [°] | 400 mm (16") [°] | 550 mm (22") | 20 stone |
| | | 425 mm (17") [°] | 425 mm (17") [°] | | |
| | | 450 mm (18") [°] | 450 mm (18") [°] | | |
| Extra Large | CFXLD242018DT | 450 mm (18") [°] | 475 mm (19") [°] | 600 mm (24") | 25 stone |
| | | 500 mm (20") [°] | 500 mm (20") [°] | | |
| | | 450 mm (18") [°] | 450 mm (18") [°] | | |
| Extra Large Low | CFXLLP242016DT | 450 mm (18") [°] | 400 mm (16") [°] | 600 mm (24") | 20 stone |
| | | 425 mm (17") [°] | 425 mm (17") [°] | | |
| | | 500 mm (20") [°] | 500 mm (18") [°] | | |

For users with fluctuating levels of functionality

The triple-motor Porter chair is a hybrid between the Comfort and the Advance, offering independent legrest and backrest functions and true tilt-in-space. It is also fully portable, allowing the chair to be moved between rooms.



Medium



Key features:



Tilt-in-space



Standard rise



Portable



Adjustable seat width

Notes

| Chair size | Part number | Seat depth | Seat height | Seat width | Weight capacity |
|------------|-------------|----------------------------|--------------|--------------|-----------------|
| Small | CFPI82016DT | 450 mm (18") ^{oo} | 400 mm (16") | 400 mm (16") | 20 stone |
| | | 500 mm (20") ^o | | 450 mm (18") | |
| | | 550 mm (22") | | 500 mm (20") | |
| Medium | CFPI82020DT | 450 mm (18") ^{oo} | 450 mm (18") | 400 mm (16") | 20 stone |
| | | 500 mm (20") ^o | | 450 mm (18") | |
| | | 550 mm (22") | | 500 mm (20") | |

Notes



Bathing

Scan to view our
bathing channel



Configura® AquAlign

Bringing Accora's **infrastructure** and **customer service** to the showering and bathing sector

- Easy to recycle
- Reduced lead times
- Increased comfort and support



Configura® AquAlign

The shower chair is designed for easy issuing and recycling

Its robust, modular design makes it adjustable to meet varied and changing user needs, and easy to recycle and reissue.



Key features:



Tilt-in-space



Backrest recline



Adjustable footplate



Width adjustment options

Configura AquAlign optional extras



Aperture reducer



Commode pan and cradle



Horseshoe infill



Contoured headrest



Mesh headrest




Lateral support

Other accessories available.

| | 450 mm (18 in) | 475 mm (19 in) | 520 mm (20.5 in) | 550 mm (22 in) | | |
|---|------------------|----------------|------------------|----------------|--|--|
| Clearance from floor to underside of frame | 365 mm (14.5 in) | 400 mm (16 in) | 440 mm (17.5 in) | 475 mm (19 in) | | |
| Legrest height adjustment | 425 mm (17 in) | 450 mm (18 in) | 475 mm (19 in) | 500 mm (20 in) | | |
| Arm height | | | 180 mm (7 in) | | | |
| Seat aperture style | Standard | | Horseshoe | | | |
| Seat aperture width | 125 mm (5 in) | | 180 mm (7 in) | | | |
| Safe working load | 159 kg (25 st) | | | | | |
| Seat depth | 450 mm (18 in) | | | | | |
| Adjustable seat width | 400 mm (16 in) | 455mm (18 in) | 500 mm (20 in) | | | |
| External width | 520 mm (25.5 in) | | | | | |
| External length when upright | 915 mm (36 in) | | | | | |
| External length when fully tilted - without headrest | 1370 mm (54 in) | | | | | |
| External length when fully tilted - with standard mesh headrest | 1475 mm (58 in) | | | | | |

Notes



Beds

Scan to view our
beds channel



Clinical rationale for features on our beds

We have outlined a brief summary of the clinical benefits for each of the specific features on our beds, to help guide you in your choice of product to meet a specific user's needs. These are definitions, and do not replace the need for a thorough assessment of your user's needs.

The features below are standard on all Accora beds:



Backrest with auto-regression

Enables independence, assisting with transfers, bed mobility and positioning. The auto-regression mechanism reduces shear, aiding comfort.



Kneebreak profiling

Elevating the legs aids with pressure management and bed positioning, stops the user slipping down the bed, and reduces fluid build-up in legs and ankles.



Compact motor system

The compact motors and wires are fitted within the bed frame, allowing easier hoist access and preventing damage.



Compatible with most mattress systems

The standard mattress platform size is 2000 x 900 mm, which is compatible with a wide range of mattresses.



Compatible with Junior Kit

The accessory kit that makes all Accora beds suitable for children.

Additional features:



Ultra-low function

Transforms a bed fall into a roll, reducing the impact and therefore risk of injury, and reducing the requirement for siderails.

The ultra-low height reduces the risk of slipping when sat on the edge of the bed, and reduces the amount of strength and range of movement required when lifting legs into bed, eliminating the need for manual handling equipment and enabling independent transfers for some users.



Rises to 800 mm

Enables taller carers to complete care tasks at an appropriate height for them.



Trendelenburg

Tilting the foot end higher than the head end can help when positioning the user, and can be combined with other profiling functions to reduce sliding down in the bed.



Anti-Trendelenburg

Also known as Reverse Trendelenburg, tilting the head end higher than the foot end can be combined with other profiling functions to obtain an upright seated position in bed.

FloorBed®

Bed fall, or bed roll?

- Reduce the risk of injury in the event of a user fall
- Reduce the risk of caregiver injury
- Enable independence and mobility



FloorBed[®]1

The first truly floor-level nursing bed

A genuine game-changer since its introduction, **FloorBed 1** lowers to a height of just 71 mm, with a lift range of 650 mm. With a focus on keeping users safe and enabling independence, the bed is easily configurable to meet varied and changing user needs with a wide range of accessories.



Additional features:



Ultra Low function



Trendelenburg



Anti-Trendelenburg

FloorBed[®]2

Combining floor level functionality with increased height for care giving

The **FloorBed 2** lowers to 71 mm, and has an increased maximum height of 800 mm, offering a safer working height for taller carers. The low head and footboard enable easier access for care tasks and repositioning.



Additional features:



Ultra Low function



Rises to 800 mm



Trendelenburg




Anti-Trendelenburg

| | |
|-----------------------------|---|
| Overall dimensions | 925 x 2255 mm (36.4" x 88.8") |
| Mattress size | 900 x 2000 mm (35.4" x 78.7") |
| Safe working load | 185 kg (29 st, 408 lbs) |
| Patient weight | 150 kg (24 st, 330 lbs) |
| Lifting range | 71 – 650 mm (2.8" – 25.6") (excl. mattress) |
| Profiling functions | Backrest with Auto-regression, Kneebreak, Anti-Trendelenburg, Trendelenburg |
| Min. height of service user | 1460 mm (57.5") |
| Part number | NSB-0-FL1-200 |

| | |
|-----------------------------|---|
| Overall dimensions | 935 x 2285 mm (36.8" x 90.0") |
| Mattress size | 900 x 2000 mm (35.4" x 78.7") |
| Safe working load | 185 kg (29 st, 408 lbs) |
| Patient weight | 150 kg (24 st, 330 lbs) |
| Lifting range | 71 – 800 mm (2.8" – 31.5") (excl. mattress) |
| Profiling functions | Backrest with Auto-regression, Kneebreak, Anti-Trendelenburg, Trendelenburg |
| Min. height of service user | 1460 mm (57.5") |
| Part number | NSB-0-FL2-200 |

FloorBed accessories

All FloorBeds are available with a range of accessories, detailed below:



Integrated padded side rails



Head and foot board bumpers



High safety mat, 2200 mm high
Same height as **FloorBed** with 150 mm foam mattress.



Safety sleeve

Reduces risk of entrapment as the platform mechanism is protected.



Bed lever

Assists with bed mobility.



Lifting pole

Assists with bed mobility.



Mattress infill



Bed extension kit

Increases mattress platform length to 2200 mm.



Junior Kit

Compatible with **FloorBed 1 & 2**

CommunityBed

Versatility and performance

- Conventional profiling functions
- Easy to assemble and recycle
- Low bed combined with full nursing height



CommunityBed

The low nursing bed designed for the community

Increased weight capacity of 180 kg and lifting range of 220 mm to 800 mm, allowing you to simplify your range and reduce stock holding, while still offering the flexibility that you need to meet the needs of service users.



Additional features:



Rises to 800 mm



Anti-Trendelenburg available with alternative handset



Trendelenburg available with alternative handset

| | |
|-----------------------------|---|
| Overall dimensions | 930 x 2250 mm (36" x 89") |
| Mattress size | 900 x 2000 mm (36" x 79") |
| Safe working load | 215 kg (34 st, 474 lbs) |
| Patient weight | 180 kg (28 st, 396 lbs) |
| Lifting range | 220 – 800 mm (8.6" – 31.5") |
| Profiling functions | Backrest with Auto-regression, Kneebreak, Anti-Trendelenburg, Trendelenburg |
| Min. height of service user | 1460 mm (57.5") |
| Part number | NSB-0-CBI-100 |

CommunityBed features and accessories

Features



Lowest position at 220 mm



Easy to use handset*

*Upgraded handset required for Trendelenburg function



Excellent height for carers



Backrest with auto-regression and knee profiling

Accessories

Other accessories are available including [Junior Kit](#).



Bed lever



Integrated padded side rails

Notes



JuniorBeds

Keeping children safe, and helping reduce risk

- Can be reconfigured to meet changing patient needs
- Compliant with BS EN 50637:2017
- Compatible with **FloorBed 1 & 2** and **CommunityBed**



The accessory kit that makes all Accora beds suitable for children

This accessory kit is a simple, safe and cost-effective solution that is compliant with the BS EN 50637:2017 children's bed standard. It comprises of head and footboard bumpers, which reduce impact, and a safety sleeve, reducing the risk of entrapment.



Please note: side rails are an optional extra


| | Kit includes | Part number |
|---|-------------------|-----------------|
| FloorBed 1 JUNKIT-0-FL1-000 | Bumpers | BHMNE-0-FL4-000 |
| | Safety sleeve | SLE-0-FL4-100 |
| FloorBed 2 JUNKIT-0-FL2-000 | Bumpers | BHMNE-0-FL4-500 |
| | Safety sleeve | SLE-0-FL4-100 |
| | Protection plates | PROPL-0-FL4-500 |
| CommunityBed JUNKIT-0-CBI-000 | Bumpers | BHMNE-0-FL4-000 |
| | Safety sleeve | SLE-0-FL4-100 |

JuniorBed accessories

Only these accessories are compatible for use with **Junior Beds**.

◦ Fabric side rails

With easy lock and lower mechanism. Fabric mesh allows visibility from within and outside the bed.



◦ Integrated bolster

Forms in-built mattress infill. Side rails lower to below mattress height to facilitate transfers.



◦ Easier transfers

Also helps service users orientate themselves in bed and can make transfers easier.



◦ Comfort FirmEdge mattress

Designed with a firm edge to help further reduce the risk of entrapment.



◦ Extended surface

When used with the bed at floor level, the high safety mat provides an extended surface to safely roll onto.



◦ High safety mat

Helps reduce the risk of injury from bed falls for someone who is prone to falling.

Choosing the right bed

Following these steps here will guide your choice of bed.

Is your service user Is more than 1460 mm tall?
user someone Weighs more than 40 kg?
who Has a BMI of more than 17?

No

Is your service user less than 750 mm tall?

Yes

Consider a crib or alternative product



CommunityBed

No

Does your service user require high side rails (over 450 mm high from mattress platform)?

Yes

Consider a cot or alternative product



FloorBed1

No

Consider **CommunityBed** or **FloorBed** with **JuniorKit** to meet children's standard BS EN 50637:2017



FloorBed2




| | CommunityBed | FloorBed1 | FloorBed2 |
|---------------------------------------|---|---|---|
| Overall dimensions | 930 mm width x 2250 mm length (36" x 89") | 925 mm width x 2255 mm length (36.4" x 88.8") | 935 mm width x 2285 mm length (36.8" x 90") |
| Mattress size | 900 mm width x 2000 mm length (36" x 79") | 900 mm width x 2000 mm length (35.4" x 78.7") | 900 mm width x 2000 mm length (35.4" x 78.7") |
| Safe working load | 215 kg (34 st) | 185 kg (29 st) | 185 kg (29 st) |
| Service user weight | 180 kg (28 st) | 150 kg (24 st) | 150 kg (24 st) |
| Mattress platform height | 220 mm - 800 mm (8.6" - 31.5") (excl. mattress) | 71 mm - 650 mm (2.8" - 25.6") (excl. mattress) | 71 mm - 800 mm (2.8" - 31.5") (excl. mattress) |
| Profiling functions | Backrest with auto-regression, Kneebreak, Anti-Trendelenburg*, Trendelenburg* | Backrest with auto-regression, Kneebreak, Anti-Trendelenburg, Trendelenburg | Backrest with auto-regression, Kneebreak, Anti-Trendelenburg, Trendelenburg |
| Minimum height of service user | 1460 mm (4.8 ft) With JuniorKit 750 mm (2.5 ft) | 1460 mm (4.8 ft) With JuniorKit 750 mm (2.5 ft) | 1460 mm (4.8 ft) With JuniorKit 750 mm (2.5 ft) |
| Part number | NSB-0-CB1-100 | NSB-0-FL1-200 | NSB-0-FL2-200 |
| JuniorKit | | | |
| Part number | JUNKIT-0-CB1-000 | JUNKIT-0-FL1-000 | JUNKIT-0-FL2-000 |
| Comprises | Padded head and footboard bumpers, Safety sleeve | Padded head and footboard bumpers, Safety sleeve | Padded head and footboard bumpers, Safety sleeve, Protector plate |

Note: JuniorBeds can only meet the new children's standard when installation of the full **JuniorKit** is complete, as specified here

* alternative handset required

Children's standard

The children's standard (BS EN 50637:2017 – Medical electrical equipment – Particular requirements for the basic safety and essential performance of medical beds for children) is a standard for medical beds suitable for children.



Why was it introduced?

Adult beds have an intended service user group which is defined as below (adult standard is BS EN 60601-2-52):

- Over 40 kg
- Over 1.46 m in height
- With a BMI of more than 17

Anyone outside these dimensions, particularly children, therefore fall out of this user group.

Key differences from the adult standard:

The main difference in the standard is the size of the gaps between side rails, mattress platform and closing gaps. These are much smaller than with adult beds. There are also extra tests that must be conducted on the bed to enable it to meet the standard, that are not required on the adult bed.

How will it affect me?

Manufacturers must meet these standards to be able to state that their beds are suitable for children. For Local Authorities, this means that when issuing beds for children, or those who are outside of the intended service user groups for adults, an appropriate bed must be used.

What has Accora done to meet the standard?

Accora have developed a safe, simple, cost-effective solution for our beds to enable community equipment stores / prescribers to be able to comply with the new BS EN 50637 standard. Please contact us for more information and we'll be happy to discuss this in further detail with you.



Pressure Care

Pressure Care

for chairs and beds

A range of pressure care
solutions to meet all needs

- Conventional profiling functions
- Easy to assemble and recycle
- Low bed combined with full nursing height



Understanding how the Accora Configura chair can support you

Accora chairs are designed to offer comfort and pressure reduction. They are set up to suit the needs of an individual to be at the right size, depth and height for that person. They have an integral pressure-reducing cushion which has the option to be changed as well.




CushionAir

Recommended for users who have developed pressure damage

The **CushionAir** cushion is a dynamic pressure relieving cushion which is normally recommended for users who have developed pressure damage. The principle is that the cells of the cushion inflate and deflate alternately. This provides pressure redistribution via cyclic changes in loading and unloading.

Suitable for a client who:

- Has a pressure ulcer in the seated area that is not responding to offloading with a foam cushion
- Is at very high risk because of complete immobility or presence of a non-healing pressure ulcer
- Prefers this choice for comfort
- Weights up to 160 kg




Cells of the cushion inflate and deflate alternately

| Part number | KITCA-0-CMI-100 (mains powered) | KITCA-0-CMI-100 (battery powered) |
|------------------------|---------------------------------------|--------------------------------------|
| Dimensions (pump only) | 280 x 130 x 100 mm (11" x 5" x 4") | 160 x 105 x 50 mm (6" x 4" x 2") |
| Cycle time | 12 minutes continuous | 5 or 10 minutes continuous |
| Patient weight | | 160 kg (25 st) |


A high quality mattress suitable for low to medium risk residents

This mattress has a base layer of high-density foam for support, with a top layer of soft, pressure-reducing visco foam. The cover is made of four-way stretch, vapour permeable fabric, for additional comfort.



Top layer of **soft pressure-reducing visco foam**, base layer of **high density foam for support**


| | |
|-------------------------|--|
| Size | 2000 x 900 x 150 mm (79 x 35 x 6") |
| Weight capacity | 160 kg (25 st) |
| Warranty | 2 years |
| Cover | Four-way stretch PU |
| Fire retardancy | BS EN 7177 Medium hazard (Ignition sources 0, 1 and 5) |
| Vapour permeable | ✓ |
| Layered foams | ✓ |
| Zip | ✓ |
| Waterproof | ✓ |



Four-way stretch **vapour permeable** cover


Designed for additional support when side rails are used

The **FirmEdge** on the sides and ends of the mattress offers more support for transfers, and helps service users orient themselves in the bed. The **FirmEdge** also reduces the gaps between the mattress and head and foot board, to help reduce any risk of entrapment.



FirmEdge offers **more support for transfers** and **helps orient themselves** in bed


| | |
|-------------------------|--|
| Size | 1950 x 900 x 150 mm (77 x 35 x 6") |
| Weight capacity | 160 kg (25 st) |
| Warranty | 2 years |
| Cover | Four-way stretch PU |
| Fire retardancy | BS EN 7177 Medium hazard (Ignition sources 0, 1 and 5) |
| Vapour permeable | ✓ |
| Layered foams | ✓ |
| Zip | ✓ |
| Waterproof | ✓ |




Four-way stretch **vapour permeable** cover

Featuring a castellated foam surface with a specialist heel management area

The specialist design and use of multi-stretch material enables the very best pressure re-distribution for most patient groups. The pressure-reducing castellated central zone maximises re-distribution in the most vulnerable areas, so that the mainstream patient weight can be managed effectively.



| | |
|-------------------------|--|
| Size | 2000 x 900 x 150 mm (79 x 35 x 6") |
| Weight capacity | 168 kg (25 st) |
| Warranty | 2 years |
| Cover | Four-way stretch PU |
| Fire retardancy | BS EN 7177 Medium hazard (Ignition sources 0, 1 and 5) |
| Vapour permeable | ✓ |
| Layered foams | ✓ |
| zip | ✓ |
| Waterproof | ✓ |




Four-way stretch **vapour permeable** cover

Suitable for medium to very high-risk residents

This mattress uses a step-up/step-down hybrid foam system with extra quiet pump (when used as dynamic mattress), and foam-filled alternating cells which provide comfort as well as therapy. The mattress can also be used without a pump for high-risk residents, and features a clinically proven heel slope to help minimise heel surface contact. This mattress is suitable for use with children when used with **Junior Kit**.



| | |
|-------------------------|------------------------------------|
| Size | 1980 x 880 x 160 mm (78 x 35 x 6") |
| Weight capacity | 248 kg (39 st) |
| Warranty | Pump 2 years, mattress 5 years |
| Cover | Four-way stretch PU |
| Vapour permeable | ✓ |
| Layered foams | ✓ |
| zip | ✓ |
| Waterproof | ✓ |



Clinically proven results

Suitable for high to very high risk residents

This mattress uses a dynamic mattress system with alternating cells for pressure relief. The cells are 18 cm deep to provide deep immersion, and the heel slope is created by lower heel cells. The auto weight pump features an adjustable comfort setting with the option of constant low pressure therapy. This mattress also features an ultra rapid CPR valve.



| | |
|-------------------------|------------------------------------|
| Size | 2000 x 900 x 175 mm (79 x 35 x 7") |
| Weight capacity | 249 kg (39 st) |
| Warranty | 2 years |
| Cover | Four-way stretch PU |
| Vapour permeable | ✓ |
| Layered foams | n/a |
| zip | ✓ |
| Waterproof | ✓ |



Notes

Notes

Notes

Notes

Notes

Accora

 **UK:** Accora Ltd, Charter House, Barrington Road, Orwell, Cambridge SG8 5QP
T: +44 (0)1223 206 100 **E:** info@accora.care **W:** www.accora.care

IE: Accora Ltd, 38 Main Street, Swords, Co. Dublin, Ireland, K67 E0A2
T: +353 (0)1 695 0614 **E:** info@accora.care **W:** accora.care

® and ™ are trademarks of Accora Limited.

As our policy is one of continuous improvement, we reserve the right to modify designs without prior notice.

All information is correct at time of printing and is subject to change.