


I'm not robot  reCAPTCHA

I am not robot!

Kid trax charger police car 12v manual

Kid trax charger. Kid trax charger police car 12v. Kid trax dodge charger police car manual. Kid trax manual.

For purchasing the Police car. This car features flashing lights and siren, engine and police dispatch sound effects, megaphone, battery charge indicator, and an easy direct connect recharging system. We appreciate your business. Please call us at KidTrax Toys Consumer Relations at 877-741-6154 with comments or questions. Thank You Page 2 Contact Information If you have any questions or comments please contact us at: In U.S.A. © 2012 Pacific Cycle Inc. 4902 Hammersley Rd. Madison, WI 53711 Customer Service: 877-741-6154 customerservice@kidtraxtoys.com www.kidtraxtoys.com Police Car Owner's Manual Model Number: KT1111WM, KT1111i The owner's manual contains assembly, use and maintenance instructions. The Police Car must be assembled by an adult who has read and understands the instructions in this manual. Keep the packaging away from children and dispose of all packaging before use. © 2012 Pacific Cycle Inc. 4902 Hammersley Rd. Madison, WI 53711 United States of America Phone: (877) 741-6154 www.kidtraxtoys.com Thank You For purchasing the Police car. This car features flashing lights and siren, engine and police dispatch sound effects, megaphone, battery charge indicator, and an easy direct connect recharging system. We appreciate your business. Please call us at KidTrax Toys Consumer Relations at 877-741-6154 with comments or questions. Contents Safety



We appreciate your business. Please call us at KidTrax Toys Consumer Relations at 877-741-6154 with comments or questions. Thank You Page 2 Contact Information If you have any questions or comments please contact us at: In U.S.A. © 2012 Pacific Cycle Inc. 4902 Hammersley Rd. Madison, WI 53711 Customer Service: 877-741-6154 customerservice@kidtraxtoys.com www.kidtraxtoys.com Police Car Owner's Manual Model Number: KT1111WM, KT1111i The owner's manual contains assembly, use and maintenance instructions. The Police Car must be assembled by an adult who has read and understands the instructions in this manual. Keep the packaging away from children and dispose of all packaging before use. © 2012 Pacific Cycle Inc. 4902 Hammersley Rd. Madison, WI 53711 United States of America Phone: (877) 741-6154 www.kidtraxtoys.com Thank You For purchasing the Police car. This car features flashing lights and siren, engine and police dispatch sound effects, megaphone, battery charge indicator, and an easy direct connect recharging system. We appreciate your business. Please call us at KidTrax Toys Consumer Relations at 877-741-6154 with comments or questions. Contents Safety



4902 Hammersley Rd. Madison, WI 53711 United States of America Phone: (877) 741-6154 www.kidtraxtoys.com Thank You For purchasing the Police car. This car features flashing lights and siren, engine and police dispatch sound effects, megaphone, battery charge indicator, and an easy direct connect recharging system. We appreciate your business. Please call us at KidTrax Toys Consumer Relations at 877-741-6154 with comments or questions. Contents Safety



The Police Car must be assembled by an adult who has read and understands the instructions in this manual. Keep the packaging away from children and dispose of all packaging before use. © 2012 Pacific Cycle Inc. 4902 Hammersley Rd. Madison, WI 53711 United States of America Phone: (877) 741-6154 www.kidtraxtoys.com Thank You For purchasing the Police car. This car features flashing lights and siren, engine and police dispatch sound effects, megaphone, battery charge indicator, and an easy direct connect recharging system. We appreciate your business. Please call us at KidTrax Toys Consumer Relations at 877-741-6154 with comments or questions. Contents Safety



For purchasing the Police car. This car features flashing lights and siren, engine and police dispatch sound effects, megaphone, battery charge indicator, and an easy direct connect recharging system. We appreciate your business. Please call us at KidTrax Toys Consumer Relations at 877-741-6154 with comments or questions. Thank You Page 2 Contact Information If you have any questions or comments please contact us at: In U.S.A. © 2012 Pacific Cycle Inc. 4902 Hammersley Rd. Madison, WI 53711 Customer Service: 877-741-6154 customerservice@kidtraxtoys.com www.kidtraxtoys.com Police Car Owner's Manual Model Number: KT1111WM, KT1111i The owner's manual contains assembly, use and maintenance instructions. The Police Car must be assembled by an adult who has read and understands the instructions in this manual. Keep the packaging away from children and dispose of all packaging before use. © 2012 Pacific Cycle Inc. 4902 Hammersley Rd. Madison, WI 53711 United States of America Phone: (877) 741-6154 www.kidtraxtoys.com Thank You For purchasing the Police car. This car features flashing lights and siren, engine and police dispatch sound effects, megaphone, battery charge indicator, and an easy direct connect recharging system. We appreciate your business. Please call us at KidTrax Toys Consumer Relations at 877-741-6154 with comments or questions. Contents Safety



For purchasing the Police car. This car features flashing lights and siren, engine and police dispatch sound effects, megaphone, battery charge indicator, and an easy direct connect recharging system. We appreciate your business. Please call us at KidTrax Toys Consumer Relations at 877-741-6154 with comments or questions. Thank You Page 2 Contact Information If you have any questions or comments please contact us at: In U.S.A. © 2012 Pacific-Cycle Inc. 4902 Hammersly Rd. Madison, WI 53711 Customer Service: 877-741-6154 customerservice@kidtraxtoys.com www.kidtraxtoys.com Police Car Owner's Manual Model Number: KT1111WM, KT1111 The owner's manual contains assembly, use and maintenance instructions. The Police Car must be assembled by an adult who has read and understands the instructions in this manual. Keep the packaging away from children and dispose of all packaging before use. © 2012 Pacific Cycle Inc. 4902 Hammersly Rd. Madison, WI 53711 United States of America Phone: (877) 741-6154 www.kidtraxtoys.com Thank You For purchasing the Police car. This car features flashing lights and siren, engine and police dispatch sound effects, megaphone, battery charge indicator, and an easy direct connect recharging system. We appreciate your business. Please call us at KidTrax Toys Consumer Relations at 877-741-6154 with comments or questions. Contents Safety

1 Use

12 Battery Warnings

1 Charge the Battery 12 User Warnings

2 Vehicle Controls 12 Parts

Safety WARNING! The following safety hazards may result in serious injury or death to the user of the Police car: • This product contains small parts that are for adult assembly only. Keep small children away when assembling. Remove and dispose of all protective material and poly bags before assembly. Be sure to remove all packaging materials and parts from underneath the car body. • Riding the vehicle without a helmet. Riders must always wear a fitted helmet that complies with U.S. WARNING! • Avoid direct contact between the terminals. Picking up the battery by the wires or charger can cause damage to the battery and may result in a fire. Always pick up the battery by its case or handles. • Liquids on the battery may cause fire or electric shock. Always keep all liquids away from the battery and keep the battery dry. • Contact or exposure to battery leakage (lead acid) may cause serious injury. If contact or exposure occurs immediately call your physician. **Parts Main Body Components** Before you begin assembly, be sure you have all parts, hardware and tools needed to assemble your Police car. **Hardware** Most hardware will come attached to the part. Remove the hardware just before the assembly step, and keep handy for installation. **Assembly** Attach the Front Grill 1. Remove the medium screw and nut from the metal connector, and save for step three. 2. Insert the metal connector over the square metal tubing on the car body and the front grill. Push the metal tubing together until the two pieces meet inside the metal connector. 3. Insert the same screw that you removed in step one through the hole in the front grill connector. 4. Once inserted, fasten the nut onto the end of the screw. 5. Attach the Front Wheels 1. Slide a large washer onto the axle. Note: The Washer may already be on the axle. 2. Slide a wheel onto the axle with FRONT 1 facing toward vehicle. 3. Slide a hubcap onto the axle, fitting the three locating pins into the holes in the wheel. Side marked Front faces towards the car 2 4. Slide a small washer onto the axle. 5. Fasten a nut onto the axle and tighten snugly with the nut wrench until you can see about two threads on the axle. Do not over tighten. 6. Attach the Car Doors 1. Slide the bottom of the car door hinge 3 into the car hinge pocket until the steel plate rests on the recessed area of the car body. 2. Align the holes of the steel plate with the screw holes on the recessed area of the car body. 2 3. Fasten the plate to the car body using 2 medium screws. Do not over tighten. 4. Repeat steps 1-3 to attach the opposite door. 1 Car hinge pocket Screw holes Recessed area of car body Make the Dashboard Connections 1 1. Attach the Dashboard 1 1. Slide the Megaphone onto the bracket. 5 2. Open the car doors. 5 This makes it easier to attach the dashboard. 3. Slide the four tabs on the front of the Dashboard assembly into the four slots on the car body. Note: Be sure the connector wires are not separated, pinched or crimped. 2 2 4 4 4. Align the screw holes of the car body (located by the door hinge) with the screw holes on the dashboard. 5. Install the Steering Rod 1. Place the vehicle on soft material 1 that will protect it from scratching or damage. Carefully turn the vehicle onto its side. Note: It is helpful to have a second person assisting you with these steps. 2. Insert the short end of the Steering Rod through the bracket hole of the front axle. 3. Insert the long end of the steering rod up through bottom of the car body, and into the dashboard. 3 2 Attach the Steering Wheel 4. Attach the Rear Body 1. Position the Rear body over the four locators on the car body and lower the Rear body into place. 1 2. Fasten the Rear body to the car 1 body by inserting the medium screws into the three screw locations. Do not over tighten the screws. 1 1 2 2 2 Attach the Battery to the Motor 3 3. Attach the two blue battery connectors. Note: You will only need to connect the battery to the motor one time unless the battery needs to be replaced. Attach the Car Seats 1. Locate the bracket behind in the back 3 of the car seat. 2. Align the car seat bracket with the car seat slot, and the plastic screw with the car seat screw hole. Lower the seat into place. unlock 3. Lock the car seat in place by using a coin to tighten the plastic screw located in the center of the car seat bottom. 3 2 2 1 Attach the Mirrors 4. Align the holes of the Mirror with the 5 4 holes on the mirror hinge. 5. Use Charge the Battery The first charge will take about 20-24 hours. 1. Slide the battery charger port window up (located next to left door), and insert the battery connector. 2. Plug the charger into a standard 120V wall outlet. Note: The charger may feel warm during charging. This is normal and not a cause for concern. 1 3. Maintenance General The vehicle should be checked for damage, missing or badly worn parts before use. • Check the tightness of the fasteners before each use. • Check the tightness of the wheel nuts.

Use a flat head screwdriver to gently pry off the hub caps. Note: If the wheel nuts are not tight the wheels will not engage the forward gears and the vehicle will not run. • Ensure the battery bracket is securely in place before use. **Battery Storage** Do not leave the battery connected in the vehicle for long period of times while not being used. This may drain the battery completely and cause permanent damage. Disconnect the battery connectors from the battery when the vehicle is not going to be used for a long period of time. Follow these guidelines if the battery is removed: • Store the battery where temperatures are between -10° F (-24° C and 75° F (24° C) • Store the battery on a wood surface. **Battery Fuse** The KidTrax Toys 12 volt battery features a thermal fuse with a reset fuse that will automatically trip and cut all power to the vehicle if the motor, electric system or battery is overloaded. The fuse will reset and power will be restored after the unit is turned OFF for 5 Minutes and then turned ON again.

If the thermal fuse trips repeatedly during normal use, the vehicle may need repair. Call Kid Trax Toys Consumer Relations at 877-741-6154 for an authorized service center. **Troubleshooting Guide** The following are examples of potential problems. Completely read through this manual and the troubleshooting guide table before calling KidTrax Toys Consumer Relations. If you still need help resolving the problem please call 877-741-6154. KidTrax Toys recommends that you take the vehicle to an authorized service center for periodic maintenance and service.

Call the number listed above for the closest center to you. **Problem Vehicle** needs a push to go forward **Possible Cause** Remedy **Poor contact of wires or connectors** Check that battery connectors are firmly plugged into each other. If wires are loose around the motor call Consumer Relations at 877-741-6154 for an authorized service center "Dead Spot" on motor A dead spot means the electric power is not being delivered to the terminal connection and the vehicle needs repair. **Warranty** One-Year Limited Warranty Six-Month Limited Warranty on Battery Pacific Cycle, Inc. (PC) warrants this product to the original retail purchaser as follows: The vehicle (except for the 12-volt battery) is warranted against defective materials or workmanship for one year from the date of original purchase. The 12-volt battery is warranted against defective materials or workmanship for six months from the date of original purchase. An original receipt is required to validate your warranty. **Contact Information** If you have any questions or comments please contact us at: In U.S.A. © 2012 Pacific-Cycle Inc. 4902 Hammersly Rd. Madison, WI 53711 Customer Service: 877-741-6154 customerservice@kidtraxtoys.com www.kidtraxtoys.com Page 2 Contents Safety 1 Battery Warnings 1 User Warnings 2 Parts 3 Main Body Components

3 Hardware 4 Assembly 5 Attach the Front Grill 5 Attach the Front Wheels 6 Attach the Rear Wheels 6 Attach the Car Doors 7 Make the Dashboard Connections 7 Attach the Dashboard 8 Install the Steering Rod

9 Attach the Steering Wheel 9 Attach the Rear Body 10 Attach the Battery to the Motor 10 Attach the Car Seats

11 Attach the Mirrors 11 Attach the Front Bumper 11 Use

12 Charge the Battery 12 Vehicle Controls 12 Maintenance 13 General

13 Battery 13 FCC Information 15 Troubleshooting Guide 16 Services, Repairs and Parts 17 Warranty 18 Contact Information

19 Page 3 For purchasing the Police car. This car features flashing lights and siren, engine and police dispatch sound effects, megaphone, battery charge indicator, and an easy direct connect recharging system. We appreciate your business. Please call us at KidTrax Toys Consumer Relations at 877-741-6154 with comments or questions. Thank You Page 4 Contact Information If you have any questions or comments please contact us at: In U.S.A. © 2012 Pacific-Cycle Inc. 4902 Hammersly Rd. Madison, WI 53711 Customer Service: 877-741-6154 customerservice@kidtraxtoys.com www.kidtraxtoys.com Attach the Car Seats 1. Locate the bracket behind in the back of the car seat. 2. Align the car seat bracket with the car seat slot, and the plastic screw with the car seat screw hole. Lower the seat into place. 3. Lock the car seat in place by using a coin to tighten the plastic screw located in the center of the car seat bottom. Attach the Mirrors 4. Align the holes of the Mirror with the holes on the mirror hinge. 5. Insert a long screw through the mirror and mirror hinge holes. 6. Fasten a small nut to the bottom of the screw. Do not over tighten. Attach the Front Bumper 7. Position the Front bumper so the Reflectors are facing out and on top of the bottom bar. 8. Align the ve tabs on the bumper with the ve slots on the car body. 9. Slide the bumper tabs into the car body slots and holes until they snap into place. 11 lock/unlock 12 233465788888