

## Section 1-Chemical Product and Company Identification

**Company Information:** 

PremierRepak Inc. Phone: (708) 444-2688 8351 W. 185th Street Fax: (708) 429-4280

Tinley Park, IL 60487 www.premierrepak.com

InfoTrac 24-hour Emergency Phone Number: 1 (800) 535-5053

**InfoTrac** Contract Number: 105384

**Product Information:** 

Substance/Mixture: Substance

Substance name: Dimethyl siloxane, trimethylsiloxy-terminated: C.A.S. Number: 63148-62-9

Chemical nature: Silicone

Recommended use: Cosmetics, Intermediate, Additives, Process regulators, other than polymerization or

vulcanization processes, Anti-set off and adhesive agents

Section 2-Hazard Identification

GHS Classification: Not a hazardous substance or mixture.

GHS Label element: Not a hazardous substance or mixture.

Other hazards: None known.

Section 3-Composition and Information on Ingredients

**Hazardous Ingredients:** 

**Common Name** C.A.S. No. Wt. %

NONE

Section 4 - First Aid Measures

If inhaled: Remove to fresh air. Get medical attention if symptoms occur.

In case of skin contact: Wash with water and soap as a precaution. Get medical attention if symptoms occur. Wash clothing

before reuse.

In case of eye contact: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.

If swallowed: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with

water.

Most important symptoms and effects, both acute and delayed: None known

Revision Date: 2018/10/29 Product: PR 350CST-FG Silicone Fluid Document: SDS-PRSF 350CST-FG Revision #: 6



**Protection of first-aiders**: No special precautions are necessary for first aid responders.

**Notes to physician:** Treat symptomatically and supportively.

## Section 5- Firefighting Measures

Suitable extinguishing media: Water spray, Alcohol-resistant foam, Dry chemical, Carbon dioxide (CO2)

Unsuitable extinguishing media: Not known

Specific hazards during firefighting: Exposure to combustion products may be a hazard to health.

**Hazardous combustion products:** Carbon oxides, Silicon oxides, Formaldehyde.

Specific extinguishing methods: Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment. Use water spray to cool unopened containers. Remove undamaged containers

from fire area if it is safe to do so. Evacuate area.

Special protective equipment for fire fighters: Wear self-contained breathing apparatus for firefighting if necessary. Use

personal protective equipment.

## Section 6 – Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

Follow safe handling advice and personal protective equipment recommendations.

#### **Environmental precautions:**

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained. Prevent spreading over a wide area (e.g. by containment or oil barriers).

## Methods and materials for containment and cleaning up:

Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### Section 7- Handling and Storage

#### Technical measures:

See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section

## Local/Total ventilation:

Use with local exhaust ventilation.

Product: PR 350CST-FG Silicone Fluid Revision Date: 2018/10/29 Document: SDS-PRSF 350CST-FG



#### Advice on safe handling:

Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.

#### Conditions for safe storage:

Keep in properly labeled containers. Store in accordance with the particular national regulations.

#### Materials to avoid:

Do not store with the following product types: Strong oxidizing agents

## Section 8- Exposure Controls and Personal Protection

Hazardous Component with workplace control parameters:

		Value type	Control parameters	
Common Name	C.A.S. No.	(Form of exposure)	Permissible Conc.	<b>Basis</b>

Contains NO substances with occupational exposure limit

#### **Engineering measures:**

Processing may form hazardous compounds (see section 10). Minimize workplace exposure concentrations. Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment:

**Respiratory protection:** No personal respiratory protective equipment normally required.

Hand protection:

**Remarks:** Wash hands before breaks and at the end of workday.

Eye protection: Wear the following personal protective equipment: Safety glasses

**Skin and body protection:** Skin should be washed after contact.

#### Hygiene measures:

Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions. For further information regarding the use of silicones / organic oils in consumer aerosol applications, please refer to the guidance document regarding the use of these type of materials in consumer aerosol applications that has been developed by the silicone industry (www.SEHSC.com) or contact the PremierRepak customer service group.

## Section 9- Physical/Chemical Characteristics

Odor: None Appearance: Liquid

Product: PR 350CST-FG Silicone Fluid Revision Date: 2018/10/29 Document: SDS-PRSF 350CST-FG



Odor Threshold: No data available Color: Colorless

Freezing/Melting Point: No data available. Initial Boiling Point: >65 degrees Celsius Vapor Pressure: No data available. Vapor Density: No data available. Solubility in Water: No data available.

pH: No data available.

Volatile Content: Not determined.

Flash Point: 368.3 degrees Celsius: Method: Closed cup

Auto ignition Temperature: No data available. Flammability (solid, gas): Not applicable Evaporation rate: No data available Upper explosion limit: No data available Lower explosion limit: No data available

Partition coefficient: noctanol/water: No data available **Decomposition temperature**: No data available

Viscosity, kinematic: 350 cSt Explosive properties: Not explosive

Oxidizing properties: The substance or mixture is not classified as oxidizing.

Molecular weight: No data available

**Relative Density: 0.97** 

## Section 10- Stability and Reactivity

Reactivity: Not classified as a reactivity hazard.

Chemical stability: Stable under normal conditions.

#### Possibility of hazardous reactions:

Can react with strong oxidizing agents. When heated to temperatures above 150 °C (300 °F) in the presence of air, trace quantities of formaldehyde may be released. Adequate ventilation is required. See OSHA formaldehyde standard, 29 CFR 1910.1048 Hazardous decomposition products will be formed at elevated temperatures.

Conditions to avoid: Not Known

Incompatible materials: Oxidizing agents

Hazardous decomposition products:

Thermal decomposition: Formaldehyde

## Section 11– Toxicological Information

#### Information on likely routes of exposure:

Skin contact Ingestion Eye contact Inhalation

## Acute toxicity:

Not classified based on available information.

Product: PR 350CST-FG Silicone Fluid Revision Date: 2018/10/29 Document: SDS-PRSF 350CST-FG



Product:

Oral:

Acute toxicity: LD50 (Rat): > 15,400 mg/kg

Assessment: The substance or mixture has no acute oral toxicity

Remarks: Based on data from similar materials.

Dermal:

Acute toxicity: LD50 (Rabbit): < 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal toxicity

Remarks: Based on data from similar materials.

Skin corrosion/irritation:

Not classified based on available information.

Product:

Species: Rabbit

Result: No skin irritation Remarks: Based on test data.

Serious eye damage/eye irritation:

Causes serious eye irritation.

Product:

Species: Rabbit Result: No eye irritation Remarks: Based on test data.

Respiratory or skin sensitization:

**Skin sensitization:** Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

**Assessment:** Does not cause skin sensitization.

**Test Type:** Maximization Test Species: Guinea pig

Remarks: Based on test data. No known sensitizing effects.

Germ cell mutagenicity:

Not classified based on available information.

Product:

Genotoxicity in vitro:

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials.

Carcinogenicity:

Not classified based on available information.

Product: PR 350CST-FG Silicone Fluid Revision Date: 2018/10/29 Document: SDS-PRSF 350CST-FG



Product:

Species: Rat

**Application Route: Ingestion** 

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity Assessment: Animal testing did not show any carcinogenic effects.

**IARC:** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA:** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP:** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity:

Not classified based on available information.

Product:

Effects on fertility:

Species: Rabbit, male
Application Route: Ingestion
Symptoms: No effects on fertility.
Remarks: Based on test data.

Effects on fetal development:

**Test Type:** Prenatal development toxicity study (teratogenicity)

Species: Rabbit, female

**Application Route: Skin contact** 

**Symptoms:** No effects on fetal development. **Remarks:** Based on data from similar materials

Reproductive Assessment: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

### STOT-single exposure:

Not classified based on available information.

### STOT-repeated exposure:

Not classified based on available information.

Product:

Routes of exposure: Ingestion

Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg bw

or less.

Routes of exposure: Skin contact

Product: PR 350CST-FG Silicone Fluid Revision Date: 2018/10/29
Document: SDS-PRSF 350CST-FG Revision #: 6



Assessment: No significant health effects observed in animals at concentrations of 200 mg/kg bw or less.

#### Repeated dose toxicity:

Product:

Species: Rat

**Application Route: Ingestion** Remarks: Based on test data.

Species: Rabbit

**Application Route: Skin contact** Remarks: Based on test data.

#### Aspiration toxicity:

Not classified based on available information.

### Section 12 – Ecological Information

Ecotoxicity: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

Other adverse effects: No data available

### Section 13 – Disposal Considerations

### Disposal methods:

Resource Conservation and Recovery Act (RCRA): This product has been evaluated for RCRA characteristics and does not meet the criteria of hazardous waste if discarded in its purchased form.

Waste from residues: Dispose of in accordance with local regulations.

Contaminated packaging: Dispose of as unused product. Empty containers should be taken to an approved wastehandling site for recycling or disposal.

## Section 14 – Transport Information

### **International Regulation:**

**UNRTDG:** Not regulated as a dangerous good IATA-DGR: Not regulated as a dangerous good IMDG-Code: Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable for product as

supplied.

Revision Date: 2018/10/29 Product: PR 350CST-FG Silicone Fluid Document: SDS-PRSF 350CST-FG



### **Domestic regulation:**

49 CFR: Not regulated as a dangerous good

## Section 15- Hazard Classification

**EPCRA (Emergency Planning and Community Right-to-Know):** 

**CERCLA Reportable Quantity:** 

Component Name CAS Number Component RQ (lbs) Calculated product RQ(lbs)

NONE

SARA 304 Extremely Hazardous Substances Reportable Quantity:

Component Name CAS Number Component RQ (lbs) Calculated product RQ(lbs)

NONE

SARA 311/312 Hazards: NONE

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## **US State Regulations:**

#### California:

Warning: This product does NOT contain the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm.

#### Component Name CAS Number

NONE

### State Right-To-Know:

CAS Number	Wt %	Component Name	State
63148-62-9	90 - 100 %	Dimethyl siloxane, trimethylsiloxy-terminated	New Jersey,
			Pennsylvania

## The ingredients of this product are reported in the following inventories:

**AICS:** All ingredients listed or exempt.

DSL: All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

TSCA: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

**REACH:** All ingredients (pre-) registered or exempt.

Product: PR 350CST-FG Silicone Fluid Revision Date: 2018/10/29 Document: SDS-PRSF 350CST-FG



**IECSC:** All ingredients listed or exempt.

**ENCS/ISHL:** All components are listed on ENCS/ISHL or exempted from inventory listing.

**KECI:** All ingredients listed, exempt or notified. PICCS: All ingredients listed or exempt. NZIoC: All ingredients listed or exempt.

## Section 16 – Other Information

#### **Further information:**

NFPA: HMIS III:

None

Flammability: 1 Flammability: 1 Health: 0 Health: 0 Instability: 0 Physical Hazard: 0 Special hazard:

> 0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

#### Sources of key data used to compile this Safety Data Sheet:

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

#### Full text of other abbreviations:

AICS = Australian Inventory of Chemical Substances ASTM = American Society for the Testing of Materials bw = body weight CERCLA = Comprehensive Environmental Response, Compensation, and Liability Act CMR = Carcinogen, Mutagen or Reproductive Toxicant DIN = Standard of the German Institute for Standardization DOT = Department of Transportation DSL = Domestic Substances List (Canada) ECx = Concentration associated with x% response EHS = Extremely Hazardous Substance ELx = Loading rate associated with x% response EmS = Emergency Schedule ENCS = Existing and New Chemical Substances (Japan) ErCx = Concentration associated with x% growth rate response ERG = Emergency Response Guide GHS = Global Harmonization System GLP = Good Laboratory Practice HMIS = Hazardous Material Identification System IARC = The International Agency for Research on Cancer IATA = International Air Transportation Association IBC = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Half maximal inhibitory concentration ICAO = International Civil Aviation Organization IECSC = Inventory of Existing Chemical Substances in China IMDG = International Maritime Dangerous Goods IMO = International Maritime Organization ISHL = Industrial Safety and Health Law (Japan) ISO = International Organization for Standardization KECI = Korea Existing Chemicals Inventory LC50 = Lethal Concentration of 50% of a test population LD50 = Lethal Dose of 50% of a test population (Median Lethal Dose) MARPOL = International Convention for the Prevention of Pollution from Ships MSHA = Mine Safety and Health Administration n.o.s. = Not Otherwise Specified NFPA = National Fire Protection Association NO(A)EC = No Observed (Adverse) Effect Concentration NO(A)EL = No Observed (Adverse) Effect Level NOELR = No Observed (Adverse) Effect Loading Rate NTP = National Toxicology Program NZIoC = New Zealand Inventory of Chemicals OECD = Organization for Economic Co-operation and Development OPPTS = Office of Chemical Safety and Pollution Prevention PBT = Persistent, Bio accumulative and Toxic Substances PICCS = Philippines Inventory of Chemicals and Chemical Substances (Q)SAR = (Quantative) Structure Activity Relationship RCRA = Resource Conservation and Recovery Act REACH = Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals RQ = Reportable Quantity SADT = Self-Accelerating Decomposition Temperature SARA = Superfund Amendments and Reauthorization Act SDS = Safety Data Sheet TCSI = Taiwan Chemical Substances Inventory TSCA = Toxic Substances Control Act

Product: PR 350CST-FG Silicone Fluid Revision Date: 2018/10/29 Document: SDS-PRSF 350CST-FG



(United States) UN = United Nations UNRTDG = United Nations Recommendations on the Transport of Dangerous Goods **vPvB** = Very Persistent and Very Bio accumulative

### Prepared by:

PremierRepak, Inc.

http://premierrepak.com/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

Product: PR 350CST-FG Silicone Fluid Revision Date: 2018/10/29 Document: SDS-PRSF 350CST-FG